



1975 W. 100 N., Suite C
Angola, IN 46703
Phone: 260-624-2401
Website: www.sandhillenviro.com

August 2, 2019

Aquatic Enhancement & Survey, Inc
Scott Banfield
PO Box 1036
Angola, IN 46703

RE: SCLC

Dear Scott Banfield:

Sandhill Environmental Services, LLC received 25 samples for the analyses presented in the following report.

In accordance with your instructions, Sandhill conducted the analysis shown on the following pages on the samples submitted. Unless otherwise noted, all analysis was conducted using approved methodologies from the EPA, Standard Methods, or other client-specified methods. All relevant sampling information is on the attached chain-of-custody form. Any reports containing subcontracted testing will be at the end of this report.

Certifications/Accreditation: IN# C-76-01 IN# M-76-09

This report shall not be reproduced except in full, without the written approval of the laboratory.

If you have any questions regarding these test results, please feel free to call.

Sincerely,

Natalie McGill
Laboratory Director
1975 W. 100 N., Suite C
Angola, IN 46703

ANALYTICAL REPORT



1975 West 100 North, Ste. C
Angola, IN 46703
Phone: 260-624-2401
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 1

Collection Date: 07/29/2019

Lab ID #: 33784

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli				SM9223B	Analyst: K. Kershner
	248.1	MPN/100mL	1.0		07/29/2019, 15:15
Total Phosphorus				Hach 10210, E365.1 & E365.3 Equivalent	Analyst: N. McGill
	0.065	mg/L	0.022		07/29/2019, 15:50
Total Suspended Solids				SM2540D	Analyst: K. Kershner
	9.4	mg/L	1.0		07/30/2019, 10:35
pH				SM4500H-B	Analyst: A. Cruz
	7.83	pH units			07/29/2019, 15:07

ANALYTICAL REPORT



1975 West 100 North, Ste. C
Angola, IN 46703
Phone: 260-624-2401
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 2

Collection Date: 07/29/2019

Lab ID #: 33785

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli				SM9223B	Analyst: K. Kershner
	686.7	MPN/100mL	1.0		07/29/2019, 15:15
Total Phosphorus				Hach 10210, E365.1 & E365.3 Equivalent	Analyst: N. McGill
	0.041	mg/L	0.022		07/29/2019, 15:50
Total Suspended Solids				SM2540D	Analyst: K. Kershner
	6.9	mg/L	1.0		07/30/2019, 10:35
pH				SM4500H-B	Analyst: A. Cruz
	8.00	pH units			07/29/2019, 15:12

ANALYTICAL REPORT



1975 West 100 North, Ste. C
Angola, IN 46703
Phone: 260-624-2401
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 3

Collection Date: 07/29/2019

Lab ID #: 33786

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: K. Kershner
	41.0	MPN/100mL	1.0		07/29/2019, 15:15
Total Phosphorus					Analyst: N. McGill
	0.055	mg/L	0.022		07/29/2019, 15:50
Total Suspended Solids					Analyst: K. Kershner
	5.1	mg/L	1.0		07/30/2019, 10:35
pH					Analyst: A. Cruz
	8.38	pH units			07/29/2019, 15:15

ANALYTICAL REPORT



1975 West 100 North, Ste. C
Angola, IN 46703
Phone: 260-624-2401
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 4

Collection Date: 07/29/2019

Lab ID #: 33787

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli				SM9223B	Analyst: K. Kershner
	224.7	MPN/100mL	1.0		07/29/2019, 15:15
Total Phosphorus				Hach 10210, E365.1 & E365.3 Equivalent	Analyst: N. McGill
	0.084	mg/L	0.022		07/29/2019, 15:50
Total Suspended Solids				SM2540D	Analyst: K. Kershner
	8.3	mg/L	1.0		07/30/2019, 10:35
pH				SM4500H-B	Analyst: A. Cruz
	8.06	pH units			07/29/2019, 15:17

ANALYTICAL REPORT



1975 West 100 North, Ste. C
Angola, IN 46703
Phone: 260-624-2401
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 5

Collection Date: 07/29/2019

Lab ID #: 33788

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli				SM9223B	Analyst: K. Kershner
	95.9	MPN/100mL	1.0		07/29/2019, 15:15
Total Phosphorus				Hach 10210, E365.1 & E365.3 Equivalent	Analyst: N. McGill
	0.076	mg/L	0.022		07/29/2019, 15:50
Total Suspended Solids				SM2540D	Analyst: K. Kershner
	7.0	mg/L	2.0		07/30/2019, 10:35
pH				SM4500H-B	Analyst: A. Cruz
	7.95	pH units			07/29/2019, 15:18

ANALYTICAL REPORT



1975 West 100 North, Ste. C
Angola, IN 46703
Phone: 260-624-2401
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 6

Collection Date: 07/29/2019

Lab ID #: 33789

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli				SM9223B	Analyst: K. Kershner
	410.6	MPN/100mL	1.0		07/29/2019, 15:15
Total Phosphorus				Hach 10210, E365.1 & E365.3 Equivalent	Analyst: N. McGill
	0.073	mg/L	0.022		07/29/2019, 15:50
Total Suspended Solids				SM2540D	Analyst: K. Kershner
	4.0	mg/L	1.0		07/30/2019, 10:35
pH				SM4500H-B	Analyst: A. Cruz
	7.87	pH units			07/29/2019, 15:20

ANALYTICAL REPORT



1975 West 100 North, Ste. C
Angola, IN 46703
Phone: 260-624-2401
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 7

Collection Date: 07/29/2019

Lab ID #: 33790

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli				SM9223B	Analyst: K. Kershner
	461.1	MPN/100mL	1.0		07/29/2019, 15:20
Total Phosphorus				Hach 10210, E365.1 & E365.3 Equivalent	Analyst: N. McGill
	0.096	mg/L	0.022		07/29/2019, 15:50
Total Suspended Solids				SM2540D	Analyst: K. Kershner
	11.6	mg/L	1.0		07/30/2019, 10:35
pH				SM4500H-B	Analyst: A. Cruz
	7.84	pH units			07/29/2019, 15:21

ANALYTICAL REPORT



1975 West 100 North, Ste. C
Angola, IN 46703
Phone: 260-624-2401
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 8

Collection Date: 07/29/2019

Lab ID #: 33791

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: K. Kershner
	461.1	MPN/100mL	1.0		07/29/2019, 15:20
Total Phosphorus					Analyst: N. McGill
	0.078	Hach 10210, E365.1 & E365.3 Equivalent mg/L	0.022		07/29/2019, 15:50
Total Suspended Solids					Analyst: K. Kershner
	7.5	SM2540D mg/L	1.0		07/30/2019, 10:35
pH					Analyst: A. Cruz
	7.88	SM4500H-B pH units			07/29/2019, 15:21

ANALYTICAL REPORT



1975 West 100 North, Ste. C
Angola, IN 46703
Phone: 260-624-2401
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 9

Collection Date: 07/29/2019

Lab ID #: 33792

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: K. Kershner
	6.3	MPN/100mL	1.0		07/29/2019, 15:20
Total Phosphorus					Analyst: N. McGill
	0.043	mg/L	0.022		07/29/2019, 15:50
Total Suspended Solids					Analyst: K. Kershner
	5.2	mg/L	1.0		07/30/2019, 10:35
pH					Analyst: A. Cruz
	8.33	pH units			07/29/2019, 15:23

ANALYTICAL REPORT



1975 West 100 North, Ste. C
Angola, IN 46703
Phone: 260-624-2401
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 10

Collection Date: 07/29/2019

Lab ID #: 33793

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli				SM9223B	Analyst: K. Kershner
	29.9	MPN/100mL	1.0		07/29/2019, 15:20
Total Phosphorus				Hach 10210, E365.1 & E365.3 Equivalent	Analyst: N. McGill
	0.062	mg/L	0.022		07/29/2019, 15:50
Total Suspended Solids				SM2540D	Analyst: K. Kershner
	9.4	mg/L	1.0		07/30/2019, 10:35
pH				SM4500H-B	Analyst: A. Cruz
	8.12	pH units			07/29/2019, 15:24

ANALYTICAL REPORT



1975 West 100 North, Ste. C
Angola, IN 46703
Phone: 260-624-2401
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 11

Collection Date: 07/30/2019,

Lab ID #: 33831

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli				SM9223B	Analyst: K. Kershner
	648.8	MPN/100mL	1.0		07/30/2019, 15:22
Total Phosphorus				Hach 10210, E365.1 & E365.3 Equivalent	Analyst: N. McGill
	0.088	mg/L	0.022		07/30/2019, 16:15
Total Suspended Solids				SM2540D	Analyst: N. McGill
	19.0	mg/L	1.0		07/31/2019, 13:15
pH				SM4500H-B	Analyst: A. Cruz
	7.89	pH units			07/30/2019, 14:52

ANALYTICAL REPORT



1975 West 100 North, Ste. C
Angola, IN 46703
Phone: 260-624-2401
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 12

Collection Date: 07/30/2019

Lab ID #: 33832

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli				SM9223B	Analyst: K. Kershner
	123.6	MPN/100mL	1.0		07/30/2019, 15:22
Total Phosphorus				Hach 10210, E365.1 & E365.3 Equivalent	Analyst: N. McGill
	0.060	mg/L	0.022		07/30/2019, 16:15
Total Suspended Solids				SM2540D	Analyst: N. McGill
	4.7	mg/L	1.0		07/31/2019, 13:15
pH				SM4500H-B	Analyst: A. Cruz
	8.07	pH units			07/30/2019, 14:55

ANALYTICAL REPORT



1975 West 100 North, Ste. C
Angola, IN 46703
Phone: 260-624-2401
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 13

Collection Date: 07/30/2019

Lab ID #: 33833

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli				SM9223B	Analyst: K. Kershner
	10.9	MPN/100mL	1.0		07/30/2019, 15:22
Total Phosphorus				Hach 10210, E365.1 & E365.3 Equivalent	Analyst: N. McGill
	0.042	mg/L	0.022		07/30/2019, 16:15
Total Suspended Solids				SM2540D	Analyst: N. McGill
	5.0	mg/L	1.0		07/31/2019, 13:15
pH				SM4500H-B	Analyst: A. Cruz
	8.34	pH units			07/30/2019, 14:56

ANALYTICAL REPORT



1975 West 100 North, Ste. C
Angola, IN 46703
Phone: 260-624-2401
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 14

Collection Date: 07/30/2019

Lab ID #: 33834

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli				SM9223B	Analyst: K. Kershner
	36.4	MPN/100mL	1.0		07/30/2019, 15:22
Total Phosphorus				Hach 10210, E365.1 & E365.3 Equivalent	Analyst: N. McGill
	0.048	mg/L	0.022		07/30/2019, 16:15
Total Suspended Solids				SM2540D	Analyst: N. McGill
	3.9	mg/L	1.0		07/31/2019, 13:15
pH				SM4500H-B	Analyst: A. Cruz
	8.07	pH units			07/30/2019, 14:57

ANALYTICAL REPORT



1975 West 100 North, Ste. C
Angola, IN 46703
Phone: 260-624-2401
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 15

Collection Date: 07/30/2019

Lab ID #: 33835

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli				SM9223B	Analyst: K. Kershner
	7.5	MPN/100mL	1.0		07/30/2019, 15:22
Total Phosphorus				Hach 10210, E365.1 & E365.3 Equivalent	Analyst: N. McGill
	0.080	mg/L	0.022		07/30/2019, 16:15
Total Suspended Solids				SM2540D	Analyst: N. McGill
	13.5	mg/L	1.0		07/31/2019, 13:15
pH				SM4500H-B	Analyst: A. Cruz
	8.10	pH units			07/30/2019, 14:58

ANALYTICAL REPORT



1975 West 100 North, Ste. C
Angola, IN 46703
Phone: 260-624-2401
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 40

Collection Date: 07/30/2019

Lab ID #: 33836

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli				SM9223B	Analyst: K. Kershner
	3.1	MPN/100mL	1.0		07/30/2019, 15:22
Total Phosphorus				Hach 10210, E365.1 & E365.3 Equivalent	Analyst: N. McGill
	0.025	mg/L	0.022		07/30/2019, 16:15
Total Suspended Solids				SM2540D	Analyst: N. McGill
	2.8	mg/L	1.0		07/31/2019, 13:15
pH				SM4500H-B	Analyst: A. Cruz
	8.36	pH units			07/30/2019, 14:59

ANALYTICAL REPORT



1975 West 100 North, Ste. C
Angola, IN 46703
Phone: 260-624-2401
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 29

Collection Date: 07/30/2019

Lab ID #: 33837

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli				SM9223B	Analyst: K. Kershner
	39.9	MPN/100mL	1.0		07/30/2019, 15:22
Total Phosphorus				Hach 10210, E365.1 & E365.3 Equivalent	Analyst: N. McGill
	0.025	mg/L	0.022		07/30/2019, 16:15
Total Suspended Solids				SM2540D	Analyst: N. McGill
	1.0	mg/L	1.0		07/31/2019, 13:15
pH				SM4500H-B	Analyst: A. Cruz
	7.91	pH units			07/30/2019, 15:00

ANALYTICAL REPORT



1975 West 100 North, Ste. C
Angola, IN 46703
Phone: 260-624-2401
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 32

Collection Date: 07/30/2019

Lab ID #: 33838

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli				SM9223B	Analyst: K. Kershner
	14.4	MPN/100mL	1.0		07/30/2019, 15:22
Total Phosphorus				Hach 10210, E365.1 & E365.3 Equivalent	Analyst: N. McGill
	0.024	mg/L	0.022		07/30/2019, 16:15
Total Suspended Solids				SM2540D	Analyst: N. McGill
	3.6	mg/L	1.0		07/31/2019, 13:15
pH				SM4500H-B	Analyst: A. Cruz
	8.33	pH units			07/30/2019, 15:01

ANALYTICAL REPORT



1975 West 100 North, Ste. C
Angola, IN 46703
Phone: 260-624-2401
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 31

Collection Date: 07/30/2019

Lab ID #: 33839

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli				SM9223B	Analyst: K. Kershner
	290.9	MPN/100mL	1.0		07/30/2019, 15:22
Total Phosphorus				Hach 10210, E365.1 & E365.3 Equivalent	Analyst: N. McGill
	0.038	mg/L	0.022		07/30/2019, 16:15
Total Suspended Solids				SM2540D	Analyst: N. McGill
	5.6	mg/L	1.0		07/31/2019, 13:15
pH				SM4500H-B	Analyst: A. Cruz
	7.80	pH units			07/30/2019, 15:02

ANALYTICAL REPORT



1975 West 100 North, Ste. C
Angola, IN 46703
Phone: 260-624-2401
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 30

Collection Date: 07/30/2019

Lab ID #: 33840

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli				SM9223B	Analyst: K. Kershner
	214.3	MPN/100mL	1.0		07/30/2019, 15:22
Total Phosphorus				Hach 10210, E365.1 & E365.3 Equivalent	Analyst: N. McGill
	0.023	mg/L	0.022		07/30/2019, 16:15
Total Suspended Solids				SM2540D	Analyst: N. McGill
	1.5	mg/L	1.0		07/31/2019, 13:15
pH				SM4500H-B	Analyst: A. Cruz
	7.72	pH units			07/30/2019, 15:03

ANALYTICAL REPORT



1975 West 100 North, Ste. C
Angola, IN 46703
Phone: 260-624-2401
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 37

Collection Date: 07/30/2019

Lab ID #: 33841

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli				SM9223B	Analyst: K. Kershner
	52.9	MPN/100mL	1.0		07/30/2019, 15:22
Total Phosphorus				Hach 10210, E365.1 & E365.3 Equivalent	Analyst: N. McGill
	0.017	mg/L	0.022		07/30/2019, 16:15
	<i>Below quantitation limit. Result is suspect..</i>				
Total Suspended Solids				SM2540D	Analyst: N. McGill
	2.1	mg/L	1.0		07/31/2019, 13:15
pH				SM4500H-B	Analyst: A. Cruz
	8.21	pH units			07/30/2019, 15:04

ANALYTICAL REPORT



1975 West 100 North, Ste. C
Angola, IN 46703
Phone: 260-624-2401
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 51

Collection Date: 07/30/2019

Lab ID #: 33842

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli				SM9223B	Analyst: K. Kershner
	866.4	MPN/100mL	1.0		07/30/2019, 15:22
Total Phosphorus				Hach 10210, E365.1 & E365.3 Equivalent	Analyst: N. McGill
	0.026	mg/L	0.022		07/30/2019, 16:15
Total Suspended Solids				SM2540D	Analyst: N. McGill
	3.1	mg/L	1.0		07/31/2019, 13:15
pH				SM4500H-B	Analyst: A. Cruz
	7.80	pH units			07/30/2019, 15:05

ANALYTICAL REPORT



1975 West 100 North, Ste. C
Angola, IN 46703
Phone: 260-624-2401
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 16

Collection Date: 07/30/2019

Lab ID #: 33843

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli				SM9223B	Analyst: K. Kershner
	44.3	MPN/100mL	1.0		07/30/2019, 15:22
Total Phosphorus				Hach 10210, E365.1 & E365.3 Equivalent	Analyst: N. McGill
	0.043	mg/L	0.022		07/30/2019, 16:15
Total Suspended Solids				SM2540D	Analyst: N. McGill
	2.5	mg/L	1.0		07/31/2019, 13:15
pH				SM4500H-B	Analyst: A. Cruz
	7.77	pH units			07/30/2019, 15:06

ANALYTICAL REPORT



1975 West 100 North, Ste. C
Angola, IN 46703
Phone: 260-624-2401
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 27

Collection Date: 07/30/2019

Lab ID #: 33844

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli				SM9223B	Analyst: K. Kershner
	920.8	MPN/100mL	1.0		07/31/2019, 13:55
Total Phosphorus				Hach 10210, E365.1 & E365.3 Equivalent	Analyst: N. McGill
	0.094	mg/L	0.022		07/30/2019, 16:15
Total Suspended Solids				SM2540D	Analyst: N. McGill
	10.2	mg/L	2.0		07/31/2019, 13:15
pH				SM4500H-B	Analyst: A. Cruz
	7.89	pH units			07/30/2019, 15:07

ANALYTICAL REPORT



1975 West 100 North, Ste. C
Angola, IN 46703
Phone: 260-624-2401
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 28

Collection Date: 07/30/2019

Lab ID #: 33845

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli				SM9223B	Analyst: K. Kershner
	4,082.0	MPN/100mL	1.0		07/31/2019, 13:55
	<i>Analyses performed out of hold time; result is suspect.</i>				
Total Phosphorus				Hach 10210, E365.1 & E365.3 Equivalent	Analyst: N. McGill
	0.134	mg/L	0.022		07/30/2019, 16:15
Total Suspended Solids				SM2540D	Analyst: N. McGill
	20.8	mg/L	2.0		07/31/2019, 13:15
pH				SM4500H-B	Analyst: A. Cruz
	7.56	pH units			07/30/2019, 15:08

CHAIN OF CUSTODY RECORD



Sandhill Environmental Services, LLC.
 1975 West 100 North, Ste. C
 Angola, IN 46703

Turn Time:

- Standard
 - Rush- Report by Date: _____
- Rush turn times will incur a surcharge and must be pre-approved by the lab.

Matrix Code:

- DW-Drinking Water
- WW-Wastewater
- STW- Stormwater
- SW- Surface water

Client Information		Billing Information (if different)	PO Number:
Company Name:	Aquatic Enhancement, Inc.	same	Project Name/Number:
Contact Name:	Scott Banfield		SCLC
Address:	P.O. Box 1036		Sampler's Signature: <i>[Signature]</i>
City, State, Zip:	Angola, IN 46703		Laboratory Number(s):
Phone:	260-665-8226		33784-33792
Fax:			Preferred Method of Correspondence:
E-mail:	sbanfield@aquaticenhancement.com		E-mail

Sample ID/ Description	Collection Information			Container			Requested Test										Comments			
	Date	Time	Grab or Composite Matrix	Quantity	Type p=plastic g=glass v=vial	Pres.	TSS, pH, T Phos	E.coli												
1	7/29/19	9:05	G SW	2	p	u/so	X	X												
2	↑	10:06	G SW	2	p	u/so	X	X												
3	↑	10:19	G SW	2	p	u/so	X	X												
4		10:55	G SW	2	p	u/so	X	X												
5		11:17	G SW	2	p	u/so	X	X												
6		11:40	G SW	2	p	u/so	X	X												
7		11:50	G SW	2	p	u/so	X	X												
8	↓	12:25	G SW	2	p	u/so	X	X												
9	7/29/19	12:50	G SW	2	p	u/so	X	X												

Relinquished By Tyler Harrington	Date/Time 7/29/19, 1430	Received By <i>[Signature]</i>	Date/Time 7/29/19, 1430	Temp. upon Receipt: 5.2 °C	Preservation Code:
				Or	N HNO ₃ / Nitric Acid S H ₂ SO ₄ / Sulfuric Acid H = HCl / Hydrochloric Acid U - Unpreserved, Cooled to 4°C OH NaOH / Sodium Hydroxide SO = Na ₂ S ₂ O ₃ / Sodium Thiosulfate
				< 2hrs old	

CHAIN OF CUSTODY RECORD



Sandhill Environmental Services, LLC.

1975 West 100 North, Ste. C
Angola, IN 46703

Turn Time:

- Standard
 Rush- Report by Date: _____
 Rush turn times will incur a surcharge and must be pre-approved by the lab.

Matrix Code:

- DW-Drinking Water
 WW-Wastewater
 STW- Stormwater
 SW- Surface water

Client Information		Billing Information (if different)	PO Number:
Company Name:	Aquatic Enhancement, Inc.	same	Project Name/Number:
Contact Name:	Scott Banfield		SCLC
Address:	P.O. Box 1036		Sampler's Signature:
City, State, Zip:	Angola, IN 46703		Laboratory Number(s):
Phone:	260-665-8226		33793
Fax:			Preferred Method of Correspondence:
E-mail:	sbanfield@aquaticenhancement.com		E-mail

Sample ID/ Description	Collection Information			Container			Requested Test										Comments			
	Date	Time	Grab or Composite Matrix	Quantity	Type p=plastic g=glass v=vial	Pres.	TSS, pH, T Phos	E.coli												
10	7/29/19	1:10	G SW	2	p	u/so	X	X												
			G SW	2	p	u/so	X	X												
			G SW	2	p	u/so	X	X												
			G SW	2	p	u/so	X	X												
			G SW	2	p	u/so	X	X												
			G SW	2	p	u/so	X	X												
			G SW	2	p	u/so	X	X												
			G SW	2	p	u/so	X	X												

Relinquished By Tyler Harrington	Date/Time 7/29/19, 1430	Received By [Signature]	Date/Time 7/29/19, 9:1430	Temp. upon Receipt: _____ °C	Preservation Code: N - HNO ₃ / Nitric Acid S - H ₂ SO ₄ / Sulfuric Acid H = HCl / Hydrochloric Acid U - Unpreserved, Cooled to 4°C OH - NaOH / Sodium Hydroxide SO = Na ₂ S ₂ O ₃ / Sodium Thiosulfate
				Or	
				< 2hrs old	

CHAIN OF CUSTODY RECORD



Sandhill Environmental Services, LLC.
 1975 West 100 North, Ste. C
 Angola, IN 46703

Turn Time:

- Standard
 - Rush- Report by Date: _____
- Rush turn times will incur a surcharge and must be pre-approved by the lab.

Matrix Code:

- DW-Drinking Water
- WW-Wastewater
- STW- Stormwater
- SW- Surface water

Client Information		Billing Information (if different)		PO Number:
Company Name:	Aquatic Enhancement, Inc.	same		Project Name/Number:
Contact Name:	Scott Banfield			SCLC
Address:	P.O. Box 1036			Sampler's Signature:
City, State, Zip:	Angola, IN 46703			Laboratory Number(s): 33831 - 33839
Phone:	260-665-8226			Preferred Method of Correspondence:
Fax:				E-mail
E-mail:	sbanfield@aquaticenhancement.com			

Sample ID/ Description	Collection Information			Container			Requested Test										Comments			
	Date	Time	Grab or Composite Matrix	Quantity	Type p=plastic g=glass v=vial	Pres.	TSS, pH, T Phos	E. coli												
11	7-30 ↑ ↓ 7-30	9:10	G SW	2	p	u/so	X	X												
12		9:20	G SW	2	p	u/so	X	X												
13		9:37	G SW	2	p	u/so	X	X												
14		10:24	G SW	2	p	u/so	X	X												
15		10:45	G SW	2	p	u/so	X	X												
40		12:35	G SW	2	p	u/so	X	X												
29		1:00	G SW	2	p	u/so	X	X												
32		1:15	G SW	2	p	u/so	X	X												
31	1:25	G SW	2	p	u/so	X	X													

Relinquished By	Date/Time	Received By	Date/Time	Temp. upon Receipt:	Preservation Code:
Tyler Harrington	7/30/19, 1430		7/30/19, 1430	4.7°C	N = HNO ₃ / Nitric Acid S = H ₂ SO ₄ / Sulfuric Acid H = HCl / Hydrochloric Acid U = Unpreserved, Cooled to 4°C OH = NaOH / Sodium Hydroxide SO = Na ₂ S ₂ O ₃ / Sodium Thiosulfate
				Or	
				< 2hrs old	

CHAIN OF CUSTODY RECORD



Sandhill Environmental Services, LLC.

1975 West 100 North, Ste. C
Angola, IN 46703

Turn Time:

- Standard
 Rush- Report by Date: _____

Rush turn times will incur a surcharge and must be pre-approved by the lab.

Matrix Code:

- DW-Drinking Water
WW-Wastewater
STW- Stormwater
SW- Surface water

Client Information		Billing Information (if different)		PO Number:
Company Name:	Aquatic Enhancement, Inc.	same		Project Name/Number:
Contact Name:	Scott Banfield			SCLC
Address:	P.O. Box 1036			Sampler's Signature:
				<i>[Signature]</i>
City, State, Zip:	Angola, IN 46703			Laboratory Number(s):
Phone:	260-665-8226			33840 - 33845
Fax:				Preferred Method of Correspondence:
E-mail:	sbanfield@aquaticenhancement.com			E-mail

Sample ID/ Description	Collection Information		Container		Requested Test										Comments				
	Date	Time	Grab or Composite	Matrix	Quantity	Type p=plastic g=glass v=vial	Pres.	TSS, pH, T Phos	E.coli										
30	7:30	1:35	G	SW	2	p	u/so	x	x										
37	↑	1:45	G	SW	2	p	u/so	x	x										
51		1:53	G	SW	2	p	u/so	x	x										
16		2:05	G	SW	2	p	u/so	x	x										
27		2:10	G	SW	2	p	u/so	x	x										
28	↓	2:20	G	SW	2	p	u/so	x	x										
			G	SW	2	p	u/so	x	x										
			G	SW	2	p	u/so	x	x										

Relinquished By	Date/Time	Received By	Date/Time	Temp. upon Receipt:	Preservation Code:
Tyler Harrington	7/30/19, 1430	<i>[Signature]</i>	7/30/19, 1430	_____ °C	N = HNO ₃ / Nitric Acid S = H ₂ SO ₄ / Sulfuric Acid H = HCl / Hydrochloric Acid
				Or	U = Unpreserved, Cooled to 4°C OH = NaOH / Sodium Hydroxide SO = Na ₂ S ₂ O ₃ / Sodium Thiosulfate
				<u>< 2hrs old</u>	



1975 W. 100 N., Suite C
Angola, IN 46703
Phone: 260-624-2401

Website: www.sandhillenviro.com

August 3, 2019

Aquatic Enhancement & Survey, Inc
Scott Banfield
PO Box 1036
Angola, IN 46703

RE: SCLC

Dear Scott Banfield:

Sandhill Environmental Services, LLC received 10 samples for the analyses presented in the following report.

In accordance with your instructions, Sandhill conducted the analysis shown on the following pages on the samples submitted. Unless otherwise noted, all analysis was conducted using approved methodologies from the EPA, Standard Methods, or other client-specified methods. All relevant sampling information is on the attached chain-of-custody form. Any reports containing subcontracted testing will be at the end of this report.

Certifications/Accreditation: IN# C-76-01 IN# M-76-09

This report shall not be reproduced except in full, without the written approval of the laboratory.

If you have any questions regarding these test results, please feel free to call.

Sincerely,

Natalie McGill
Laboratory Director
1975 W. 100 N., Suite C
Angola, IN 46703

ANALYTICAL REPORT



1975 West 100 North, Ste. C
Angola, IN 46703
Phone: 260-624-2401
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 19

Collection Date: 07/31/2019

Lab ID #: 33863

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli				SM9223B	Analyst: K. Kershner
	307.6	MPN/100mL	1.0		07/31/2019, 13:52
Total Phosphorus				Hach 10210, E365.1 & E365.3 Equivalent	Analyst: N. McGill
	0.039	mg/L	0.022		07/31/2019, 13:10
Total Suspended Solids				SM2540D	Analyst: N. McGill
	6.0	mg/L	1.0		07/31/2019, 13:15
pH				SM4500H-B	Analyst: K. Kershner
	7.86	pH units			07/31/2019, 11:19

ANALYTICAL REPORT



1975 West 100 North, Ste. C
Angola, IN 46703
Phone: 260-624-2401
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 39

Collection Date: 07/31/2019

Lab ID #: 33864

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli				SM9223B	Analyst: K. Kershner
	13.5	MPN/100mL	1.0		07/31/2019, 13:52
Total Phosphorus				Hach 10210, E365.1 & E365.3 Equivalent	Analyst: N. McGill
	0.015	mg/L	0.022		07/31/2019, 13:10
	<i>Below quantitation limit. Result is suspect..</i>				
Total Suspended Solids				SM2540D	Analyst: N. McGill
	1.4	mg/L	1.0		07/31/2019, 13:15
pH				SM4500H-B	Analyst: K. Kershner
	7.99	pH units			07/31/2019, 11:22

ANALYTICAL REPORT



1975 West 100 North, Ste. C
Angola, IN 46703
Phone: 260-624-2401
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 72

Collection Date: 07/31/2019

Lab ID #: 33865

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli				SM9223B	Analyst: K. Kershner
	686.7	MPN/100mL	1.0		07/31/2019, 13:52
Total Phosphorus				Hach 10210, E365.1 & E365.3 Equivalent	Analyst: N. McGill
	0.056	mg/L	0.022		07/31/2019, 13:10
Total Suspended Solids				SM2540D	Analyst: N. McGill
	6.8	mg/L	1.0		07/31/2019, 13:15
pH				SM4500H-B	Analyst: K. Kershner
	6.97	pH units			07/31/2019, 11:23

ANALYTICAL REPORT



1975 West 100 North, Ste. C
Angola, IN 46703
Phone: 260-624-2401
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 67

Collection Date: 07/31/2019

Lab ID #: 33866

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli				SM9223B	Analyst: K. Kershner
	42.0	MPN/100mL	1.0		07/31/2019, 13:52
Total Phosphorus				Hach 10210, E365.1 & E365.3 Equivalent	Analyst: N. McGill
	0.025	mg/L	0.022		07/31/2019, 13:10
Total Suspended Solids				SM2540D	Analyst: N. McGill
	1.6	mg/L	1.0		07/31/2019, 13:15
pH				SM4500H-B	Analyst: K. Kershner
	7.80	pH units			07/31/2019, 11:25

ANALYTICAL REPORT



1975 West 100 North, Ste. C
Angola, IN 46703
Phone: 260-624-2401
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 38

Collection Date: 07/31/2019

Lab ID #: 33867

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli				SM9223B	Analyst: K. Kershner
	261.3	MPN/100mL	1.0		07/31/2019, 13:52
Total Phosphorus				Hach 10210, E365.1 & E365.3 Equivalent	Analyst: N. McGill
	0.029	mg/L	0.022		07/31/2019, 13:10
Total Suspended Solids				SM2540D	Analyst: N. McGill
	1.1	mg/L	1.0		07/31/2019, 13:15
pH				SM4500H-B	Analyst: K. Kershner
	7.26	pH units			07/31/2019, 11:26

ANALYTICAL REPORT



1975 West 100 North, Ste. C
Angola, IN 46703
Phone: 260-624-2401
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 25

Collection Date: 07/31/2019

Lab ID #: 33868

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli				SM9223B	Analyst: K. Kershner
	93.2	MPN/100mL	1.0		07/31/2019, 13:52
Total Phosphorus				Hach 10210, E365.1 & E365.3 Equivalent	Analyst: N. McGill
	0.024	mg/L	0.022		07/31/2019, 13:10
Total Suspended Solids				SM2540D	Analyst: N. McGill
	1.7	mg/L	1.0		07/31/2019, 13:15
pH				SM4500H-B	Analyst: K. Kershner
	7.65	pH units			07/31/2019, 11:29

ANALYTICAL REPORT



1975 West 100 North, Ste. C
Angola, IN 46703
Phone: 260-624-2401
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 24

Collection Date: 07/31/2019

Lab ID #: 33869

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: K. Kershner
	8.5	MPN/100mL	1.0		07/31/2019, 13:52
Total Phosphorus					Analyst: N. McGill
	0.031	Hach 10210, E365.1 & E365.3 Equivalent mg/L	0.022		07/31/2019, 13:10
Total Suspended Solids					Analyst: A. Cruz
	1.2	SM2540D mg/L	1.0		08/01/2019, 10:30
pH					Analyst: K. Kershner
	7.89	SM4500H-B pH units			07/31/2019, 11:32

ANALYTICAL REPORT



1975 West 100 North, Ste. C
Angola, IN 46703
Phone: 260-624-2401
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 22

Collection Date: 07/31/2019

Lab ID #: 33870

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: K. Kershner
	224.7	MPN/100mL	1.0		07/31/2019, 13:52
Total Phosphorus					Analyst: N. McGill
	0.123	mg/L	0.022		07/31/2019, 13:10
Total Suspended Solids					Analyst: A. Cruz
	2.2	mg/L	1.0		08/01/2019, 10:30
pH					Analyst: K. Kershner
	7.33	pH units			07/31/2019, 11:33

ANALYTICAL REPORT



1975 West 100 North, Ste. C
Angola, IN 46703
Phone: 260-624-2401
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 21

Collection Date: 07/31/2019

Lab ID #: 33871

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli				SM9223B	Analyst: K. Kershner
	25.9	MPN/100mL	1.0		07/31/2019, 13:52
Total Phosphorus				Hach 10210, E365.1 & E365.3 Equivalent	Analyst: N. McGill
	0.038	mg/L	0.022		07/31/2019, 13:10
Total Suspended Solids				SM2540D	Analyst: A. Cruz
	< 1.0	mg/L	1.0		08/01/2019, 10:30
pH				SM4500H-B	Analyst: K. Kershner
	7.71	pH units			07/31/2019, 11:34

ANALYTICAL REPORT



1975 West 100 North, Ste. C
Angola, IN 46703
Phone: 260-624-2401
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 66

Collection Date: 07/31/2019

Lab ID #: 33872

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli				SM9223B	Analyst: K. Kershner
	4.1	MPN/100mL	1.0		07/31/2019, 13:52
Total Phosphorus				Hach 10210, E365.1 & E365.3 Equivalent	Analyst: N. McGill
	1.03	mg/L	0.022		07/31/2019, 13:10
Total Suspended Solids				SM2540D	Analyst: A. Cruz
	1.1	mg/L	1.0		08/01/2019, 10:30
pH				SM4500H-B	Analyst: K. Kershner
	7.67	pH units			07/31/2019, 11:38

CHAIN OF CUSTODY RECORD



Sandhill Environmental Services, LLC.

1975 West 100 North, Ste. C
Angola, IN 46703

Turn Time:

Standard

Rush- Report by Date: _____

Rush turn times will incur a surcharge and must be pre-approved by the lab.

Matrix Code:

DW-Drinking Water

WW-Wastewater

STW- Stormwater

SW- Surface water

Client Information		Billing Information (if different)		PO Number:
Company Name:	Aquatic Enhancement, Inc.	same		Project Name/Number:
Contact Name:	Scott Banfield			SCLC
Address:	P.O. Box 1036			Sampler's Signature <i>[Signature]</i>
City, State, Zip:	Angola, IN 46703			Laboratory Number(s): 33863 - 33871
Phone:	260-665-8226			Preferred Method of Correspondence:
Fax:				E-mail
E-mail:	sbanfield@aquaticenhancement.com			

Sample ID/ Description	Collection Information			Container			Requested Test										Comments					
	Date	Time	Grab or Composite Matrix	Quantity	Type p=plastic g=glass v=vial	Pres.	TSS, pH, T Phos	E.coli														
19	7-31-19	8:35	G SW	2	p	u/so	x	x														
39	↓	8:55	G SW	2	p	u/so	x	x														
72		9:00	G SW	2	p	u/so	x	x														
67		9:15	G SW	2	p	u/so	x	x														
38		9:27	G SW	2	p	u/so	x	x														
25		9:40	G SW	2	p	u/so	x	x														
24		9:50	G SW	2	p	u/so	x	x														
22		9:55	G SW	2	p	u/so	x	x														
21		10:10	G SW	2	p	u/so	x	x														

Relinquished By <i>Tyler Harrington</i>	Date/Time 7/31/19 1050	Received By <i>Natalie McGinnis</i>	Date/Time 7/31/19 1050	Temp. upon Receipt: 4.4 °C	Preservation Code: N HNO ₃ / Nitric Acid S H ₂ SO ₄ / Sulfuric Acid H = HCl / Hydrochloric Acid U = Unpreserved, Cooled to 4°C OH NaOH / Sodium Hydroxide SO = Na ₂ S ₂ O ₃ / Sodium Thiosulfate
				Or 2hrs old	

CHAIN OF CUSTODY RECORD



Sandhill Environmental Services, LLC.

1975 West 100 North, Ste. C
Angola, IN 46703

Sandhill

Turn Time:

- Standard
 Rush- Report by Date: _____

Rush turn times will incur a surcharge and must be pre-approved by the lab.

Matrix Code:

- DW-Drinking Water
 WW-Wastewater
 STW- Stormwater
 SW- Surface water

Client Information		Billing Information (if different)	PO Number:
Company Name:	Aquatic Enhancement, Inc.	same	Project Name/Number:
Contact Name:	Scott Banfield		SCLC
Address:	P.O. Box 1036		Sampler's Signature:
			<i>[Signature]</i>
City, State, Zip:	Angola, IN 46703		Laboratory Number(s):
Phone:	260-665-8226		33072
Fax:			Preferred Method of Correspondence:
E-mail:	sbanfield@aquaticenhancement.com		E-mail

Sample ID/ Description	Collection Information			Container			Requested Test										Comments			
	Date	Time	Grab or Composite Matrix	Quantity	Type p=plastic g=glass v=vial	Pres.	TSS, pH, T Phos	E.coli												
666	7-31-19	10:30	G SW	2	p	u/so	X	X												
			G SW	2	p	u/so	X	X												
			G SW	2	p	u/so	X	X												
			G SW	2	p	u/so	X	X												
			G SW	2	p	u/so	X	X												
			G SW	2	p	u/so	X	X												
			G SW	2	p	u/so	X	X												
			G SW	2	p	u/so	X	X												

Relinquished By	Date/Time	Received By	Date/Time	Temp. upon Receipt:	Preservation Code:
Tyler Harrington	07/31/19 1050	Natalie McGinn	07/31/19 1050	_____ °C	N HNO ₃ / Nitric Acid
				Or	U - Unpreserved, Cooled to 4°C
				< 2hrs old	S H ₂ SO ₄ / Sulfuric Acid
					OH NaOH / Sodium Hydroxide
					H = HCl / Hydrochloric Acid
					SO = Na ₂ S ₂ O ₇ / Sodium Thiosulfate