



650 North Wayne Street  
Waterloo, IN 46793  
260-408-5221  
www.sandhillenviro.com

June 2, 2021

Aquatic Enhancement & Survey, Inc  
Scott Banfield  
PO Box 1036  
Angola, IN 46703

RE: SCLC

Dear Scott Banfield:

Sandhill Environmental Services, LLC received 51 samples for the analyses presented in the following report.

In accordance with your instructions, Sandhill conducted the analysis shown on the following pages on the samples submitted. Unless otherwise noted, all analysis was conducted using approved methodologies from the EPA, Standard Methods, or other client-specified methods. All relevant sampling information is on the attached chain-of-custody form. Any reports containing subcontracted testing will be at the end of this report.

Certifications/Accreditation: IN# C-76-01 IN# M-76-09

This report shall not be reproduced except in full, without the written approval of the laboratory.

If you have any questions regarding these test results, please feel free to call.

Sincerely,

Natalie McGill  
Laboratory Director  
1975 W. 100 N., Suite C  
Angola, IN 46703

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 17

Collection Date: 05/21/2021

Lab ID #: 44281

Collected By: Tyler Harrington

| Analyses                      | Result  | Units     | DL    | PL | Date/Time                 |
|-------------------------------|---|-----------|-------|----|---------------------------|
| <b>E.coli</b>                 |   |           |       |    | <b>Analyst: K. Fuller</b> |
|                               | 22.8  | MPN/100mL | 1.0   |    | 05/21/2021, 14:38         |
| <b>Total Phosphorus</b>       |   |           |       |    | <b>Analyst: N. McGill</b> |
|                               | < 0.010   | mg/L      | 0.022 |    | 05/21/2021, 15:10         |
|                               | <i>Below quantitation limit. Result is suspect.</i> |           |       |    |                           |
| <b>Total Suspended Solids</b> |   |           |       |    | <b>Analyst: K. Fuller</b> |
|                               | 1.7   | mg/L      | 1.0   |    | 05/24/2021, 9:45          |
| <b>pH</b>                     |   |           |       |    | <b>Analyst: J. Beakus</b> |
|                               | 8.50  | pH units  |       |    | 05/21/2021, 13:47         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 54

Collection Date: 05/21/2021

Lab ID #: 44282

Collected By: Tyler Harrington

| Analyses                      | Result | Units  | DL    | PL | Date/Time                 |
|-------------------------------|--------|--|-------|----|---------------------------|
| <b>E.coli</b>                 |        |  |       |    | <b>Analyst: K. Fuller</b> |
|                               | 59.4   | MPN/100mL                                      | 1.0   |    | 05/21/2021, 14:38         |
| <b>Total Phosphorus</b>       |        |  |       |    | <b>Analyst: N. McGill</b> |
|                               | 0.080  | Hach 10210, E365.1 & E365.3 Equivalent<br>mg/L | 0.022 |    | 05/21/2021, 15:10         |
| <b>Total Suspended Solids</b> |        |  |       |    | <b>Analyst: K. Fuller</b> |
|                               | 6.2    | mg/L   | 2.0   |    | 05/24/2021, 9:45          |
| <b>pH</b>                     |        |  |       |    | <b>Analyst: J. Beakus</b> |
|                               | 7.34   | pH units                                       |       |    | 05/21/2021, 13:53         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 52

Collection Date: 05/21/2021

Lab ID #: 44283

Collected By: Tyler Harrington

| Analyses                      | Result | Units     | DL    | PL | Date/Time                 |
|-------------------------------|--------|-----------|-------|----|---------------------------|
| <b>E.coli</b>                 |        |           |       |    | <b>Analyst: K. Fuller</b> |
|                               | 157.8  | MPN/100mL | 2.0   |    | 05/21/2021, 14:38         |
| <b>Total Phosphorus</b>       |        |           |       |    | <b>Analyst: N. McGill</b> |
|                               | 0.176  | mg/L      | 0.022 |    | 05/21/2021, 15:10         |
| <b>Total Suspended Solids</b> |        |           |       |    | <b>Analyst: K. Fuller</b> |
|                               | 2.8    | mg/L      | 1.0   |    | 05/24/2021, 9:45          |
| <b>pH</b>                     |        |           |       |    | <b>Analyst: J. Beakus</b> |
|                               | 7.66   | pH units  |       |    | 05/21/2021, 13:59         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 45

Collection Date: 05/21/2021

Lab ID #: 44284

Collected By: Tyler Harrington

| Analyses                      | Result | Units     | DL    | PL  | Date/Time                 |
|-------------------------------|--------|-----------|-------|---|---------------------------|
| <b>E.coli</b>                 |        |           |       | <b>SM9223B</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 251.8  | MPN/100mL | 2.0   |   | 05/21/2021, 14:38         |
| <b>Total Phosphorus</b>       |        |           |       | <b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b> | <b>Analyst: N. McGill</b> |
|                               | 0.032  | mg/L      | 0.022 |   | 05/21/2021, 15:10         |
| <b>Total Suspended Solids</b> |        |           |       | <b>SM2540D</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 4.5    | mg/L      | 1.0   |   | 05/24/2021, 9:45          |
| <b>pH</b>                     |        |           |       | <b>SM4500H-B</b>                                  | <b>Analyst: J. Beakus</b> |
|                               | 7.96   | pH units  |       |   | 05/21/2021, 14:03         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 50

Collection Date: 05/21/2021

Lab ID #: 44285

Collected By: Tyler Harrington

| Analyses                      | Result | Units     | DL    | PL  | Date/Time                 |
|-------------------------------|--------|-----------|-------|---|---------------------------|
| <b>E.coli</b>                 |        |           |       | <b>SM9223B</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 290.9  | MPN/100mL | 1.0   |   | 05/21/2021, 14:38         |
| <b>Total Phosphorus</b>       |        |           |       | <b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b> | <b>Analyst: N. McGill</b> |
|                               | 0.022  | mg/L      | 0.022 |   | 05/21/2021, 15:10         |
| <b>Total Suspended Solids</b> |        |           |       | <b>SM2540D</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 2.1    | mg/L      | 1.0   |   | 05/24/2021, 9:45          |
| <b>pH</b>                     |        |           |       | <b>SM4500H-B</b>                                  | <b>Analyst: J. Beakus</b> |
|                               | 7.92   | pH units  |       |   | 05/21/2021, 14:08         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 62

Collection Date: 05/21/2021

Lab ID #: 44286

Collected By: Tyler Harrington

| Analyses                      | Result | Units     | DL    | PL  | Date/Time                 |
|-------------------------------|--------|-----------|-------|---|---------------------------|
| <b>E.coli</b>                 |        |           |       | <b>SM9223B</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 146.7  | MPN/100mL | 1.0   |   | 05/21/2021, 14:38         |
| <b>Total Phosphorus</b>       |        |           |       | <b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b> | <b>Analyst: N. McGill</b> |
|                               | 0.042  | mg/L      | 0.022 |   | 05/21/2021, 15:10         |
| <b>Total Suspended Solids</b> |        |           |       | <b>SM2540D</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | < 1.0  | mg/L      | 1.0   |   | 05/24/2021, 9:45          |
| <b>pH</b>                     |        |           |       | <b>SM4500H-B</b>                                  | <b>Analyst: J. Beakus</b> |
|                               | 8.07   | pH units  |       |   | 05/21/2021, 14:15         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 65

Collection Date: 05/21/2021

Lab ID #: 44287

Collected By: Tyler Harrington

| Analyses                      | Result | Units     | DL    | PL | Date/Time                 |
|-------------------------------|--------|-----------|-------|----|---------------------------|
| <b>E.coli</b>                 |        |           |       |    | <b>Analyst: K. Fuller</b> |
|                               | 64.4   | MPN/100mL | 1.0   |    | 05/21/2021, 14:38         |
| <b>Total Phosphorus</b>       |        |           |       |    | <b>Analyst: N. McGill</b> |
|                               | 0.066  | mg/L      | 0.022 |    | 05/21/2021, 15:10         |
| <b>Total Suspended Solids</b> |        |           |       |    | <b>Analyst: K. Fuller</b> |
|                               | 3.9    | mg/L      | 1.0   |    | 05/24/2021, 9:45          |
| <b>pH</b>                     |        |           |       |    | <b>Analyst: J. Beakus</b> |
|                               | 8.04   | pH units  |       |    | 05/21/2021, 14:20         |



# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 69

Collection Date: 05/21/2021

Lab ID #: 44288

Collected By: Tyler Harrington

| Analyses                      | Result | Units     | DL    | PL  | Date/Time                 |
|-------------------------------|--------|-----------|-------|---|---------------------------|
| <b>E.coli</b>                 |        |           |       | <b>SM9223B</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 118.7  | MPN/100mL | 1.0   |   | 05/21/2021, 14:38         |
| <b>Total Phosphorus</b>       |        |           |       | <b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b> | <b>Analyst: N. McGill</b> |
|                               | 0.053  | mg/L      | 0.022 |   | 05/21/2021, 15:10         |
| <b>Total Suspended Solids</b> |        |           |       | <b>SM2540D</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 2.5    | mg/L      | 1.0   |   | 05/24/2021, 9:45          |
| <b>pH</b>                     |        |           |       | <b>SM4500H-B</b>                                  | <b>Analyst: J. Beakus</b> |
|                               | 8.12   | pH units  |       |   | 05/21/2021, 14:23         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 53

Collection Date: 05/21/2021

Lab ID #: 44289

Collected By: Tyler Harrington

| Analyses                      | Result | Units     | DL    | PL  | Date/Time                 |
|-------------------------------|--------|-----------|-------|---|---------------------------|
| <b>E.coli</b>                 |        |           |       | <b>SM9223B</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 1.0    | MPN/100mL | 1.0   |   | 05/21/2021, 14:38         |
| <b>Total Phosphorus</b>       |        |           |       | <b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b> | <b>Analyst: N. McGill</b> |
|                               | 0.029  | mg/L      | 0.022 |   | 05/21/2021, 15:10         |
| <b>Total Suspended Solids</b> |        |           |       | <b>SM2540D</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 1.4    | mg/L      | 1.0   |   | 05/24/2021, 9:45          |
| <b>pH</b>                     |        |           |       | <b>SM4500H-B</b>                                  | <b>Analyst: J. Beakus</b> |
|                               | 7.27   | pH units  |       |   | 05/21/2021, 14:27         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 68

Collection Date: 05/24/2021

Lab ID #: 44305

Collected By: Tyler Harrington

| Analyses                      | Result | Units     | DL    | PL | Date/Time                 |
|-------------------------------|--------|-----------|-------|----|---------------------------|
| <b>E.coli</b>                 |        |           |       |    | <b>Analyst: K. Fuller</b> |
|                               | 248.9  | MPN/100mL | 1.0   |    | 05/24/2021, 15:06         |
| <b>Total Phosphorus</b>       |        |           |       |    | <b>Analyst: N. McGill</b> |
|                               | 0.027  | mg/L      | 0.022 |    | 05/24/2021, 15:10         |
| <b>Total Suspended Solids</b> |        |           |       |    | <b>Analyst: K. Fuller</b> |
|                               | 4.3    | mg/L      | 1.0   |    | 05/25/2021, 9:30          |
| <b>pH</b>                     |        |           |       |    | <b>Analyst: N. McGill</b> |
|                               | 7.91   | pH units  |       |    | 05/24/2021, 14:44         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 73

Collection Date: 05/24/2021

Lab ID #: 44306

Collected By: Tyler Harrington

| Analyses                      | Result  | Units     | DL    | PL  | Date/Time                 |
|-------------------------------|---|-----------|-------|---|---------------------------|
| <b>E.coli</b>                 |   |           |       | <b>SM9223B</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 613.1   | MPN/100mL | 1.0   |   | 05/24/2021, 15:06         |
| <b>Total Phosphorus</b>       |   |           |       | <b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b> | <b>Analyst: N. McGill</b> |
|                               | < 0.010   | mg/L      | 0.022 |   | 05/24/2021, 15:10         |
|                               | <i>Below quantitation limit. Result is suspect.</i> |           |       |   |                           |
| <b>Total Suspended Solids</b> |   |           |       | <b>SM2540D</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 1.7   | mg/L      | 1.0   |   | 05/25/2021, 9:30          |
| <b>pH</b>                     |   |           |       | <b>SM4500H-B</b>                                  | <b>Analyst: N. McGill</b> |
|                               | 7.89  | pH units  |       |   | 05/24/2021, 14:45         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 61

Collection Date: 05/24/2021

Lab ID #: 44307

Collected By: Tyler Harrington

| Analyses                      | Result | Units     | DL    | PL | Date/Time                 |
|-------------------------------|--------|-----------|-------|----|---------------------------|
| <b>E.coli</b>                 |        |           |       |    | <b>Analyst: K. Fuller</b> |
|                               | 435.2  | MPN/100mL | 1.0   |    | 05/24/2021, 15:06         |
| <b>Total Phosphorus</b>       |        |           |       |    | <b>Analyst: N. McGill</b> |
|                               | 0.044  | mg/L      | 0.022 |    | 05/24/2021, 15:10         |
| <b>Total Suspended Solids</b> |        |           |       |    | <b>Analyst: K. Fuller</b> |
|                               | 1.9    | mg/L      | 1.0   |    | 05/25/2021, 9:30          |
| <b>pH</b>                     |        |           |       |    | <b>Analyst: N. McGill</b> |
|                               | 7.98   | pH units  |       |    | 05/24/2021, 14:46         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 42

Collection Date: 05/24/2021

Lab ID #: 44308

Collected By: Tyler Harrington

| Analyses                      | Result | Units     | DL    | PL | Date/Time                 |
|-------------------------------|--------|-----------|-------|----|---------------------------|
| <b>E.coli</b>                 |        |           |       |    | <b>Analyst: K. Fuller</b> |
|                               | 115.3  | MPN/100mL | 1.0   |    | 05/24/2021, 15:06         |
| <b>Total Phosphorus</b>       |        |           |       |    | <b>Analyst: N. McGill</b> |
|                               | 0.040  | mg/L      | 0.022 |    | 05/24/2021, 15:10         |
| <b>Total Suspended Solids</b> |        |           |       |    | <b>Analyst: K. Fuller</b> |
|                               | 2.9    | mg/L      | 1.0   |    | 05/25/2021, 9:30          |
| <b>pH</b>                     |        |           |       |    | <b>Analyst: N. McGill</b> |
|                               | 7.89   | pH units  |       |    | 05/24/2021, 14:47         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 44

Collection Date: 05/24/2021

Lab ID #: 44309

Collected By: Tyler Harrington

| Analyses                      | Result  | Units     | DL    | PL  | Date/Time                 |
|-------------------------------|---|-----------|-------|---|---------------------------|
| <b>E.coli</b>                 |   |           |       | <b>SM9223B</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 435.2   | MPN/100mL | 1.0   |   | 05/24/2021, 15:06         |
| <b>Total Phosphorus</b>       |   |           |       | <b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b> | <b>Analyst: N. McGill</b> |
|                               | < 0.010   | mg/L      | 0.022 |   | 05/24/2021, 15:10         |
|                               | <i>Below quantitation limit. Result is suspect.</i> |           |       |   |                           |
| <b>Total Suspended Solids</b> |   |           |       | <b>SM2540D</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 4.2   | mg/L      | 1.0   |   | 05/25/2021, 9:30          |
| <b>pH</b>                     |   |           |       | <b>SM4500H-B</b>                                  | <b>Analyst: N. McGill</b> |
|                               | 7.60  | pH units  |       |   | 05/24/2021, 14:48         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 33

Collection Date: 05/24/2021

Lab ID #: 44310

Collected By: Tyler Harrington

| Analyses                      | Result  | Units     | DL    | PL | Date/Time                 |
|-------------------------------|---|-----------|-------|----|---------------------------|
| <b>E.coli</b>                 |   |           |       |    | <b>Analyst: K. Fuller</b> |
|                               | 9.8   | MPN/100mL | 1.0   |    | 05/24/2021, 15:06         |
| <b>Total Phosphorus</b>       |   |           |       |    | <b>Analyst: N. McGill</b> |
|                               | < 0.010   | mg/L      | 0.022 |    | 05/24/2021, 15:10         |
|                               | <i>Below quantitation limit. Result is suspect.</i> |           |       |    |                           |
| <b>Total Suspended Solids</b> |   |           |       |    | <b>Analyst: K. Fuller</b> |
|                               | 1.8   | mg/L      | 1.0   |    | 05/25/2021, 9:30          |
| <b>pH</b>                     |   |           |       |    | <b>Analyst: N. McGill</b> |
|                               | 8.16  | pH units  |       |    | 05/24/2021, 14:49         |



# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 34

Collection Date: 05/24/2021

Lab ID #: 44311

Collected By: Tyler Harrington

| Analyses                      | Result | Units     | DL    | PL | Date/Time                 |
|-------------------------------|--------|-----------|-------|----|---------------------------|
| <b>E.coli</b>                 |        |           |       |    | <b>Analyst: K. Fuller</b> |
|                               | 125.9  | MPN/100mL | 1.0   |    | 05/24/2021, 15:06         |
| <b>Total Phosphorus</b>       |        |           |       |    | <b>Analyst: N. McGill</b> |
|                               | 0.039  | mg/L      | 0.022 |    | 05/24/2021, 15:10         |
| <b>Total Suspended Solids</b> |        |           |       |    | <b>Analyst: K. Fuller</b> |
|                               | 1.8    | mg/L      | 1.0   |    | 05/25/2021, 9:30          |
| <b>pH</b>                     |        |           |       |    | <b>Analyst: N. McGill</b> |
|                               | 7.84   | pH units  |       |    | 05/24/2021, 14:50         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 70

Collection Date: 05/24/2021

Lab ID #: 44312

Collected By: Tyler Harrington

| Analyses                      | Result | Units  | DL    | PL | Date/Time                 |
|-------------------------------|--------|--|-------|----|---------------------------|
| <b>E.coli</b>                 |        |  |       |    | <b>Analyst: K. Fuller</b> |
|                               | 387.3  | MPN/100mL                                      | 1.0   |    | 05/24/2021, 15:06         |
| <b>Total Phosphorus</b>       |        |  |       |    | <b>Analyst: N. McGill</b> |
|                               | 0.039  | Hach 10210, E365.1 & E365.3 Equivalent<br>mg/L | 0.022 |    | 05/24/2021, 15:10         |
| <b>Total Suspended Solids</b> |        |  |       |    | <b>Analyst: K. Fuller</b> |
|                               | 6.4    | SM2540D<br>mg/L                                | 2.0   |    | 05/25/2021, 9:30          |
| <b>pH</b>                     |        |  |       |    | <b>Analyst: N. McGill</b> |
|                               | 7.77   | SM4500H-B<br>pH units                          |       |    | 05/24/2021, 14:51         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 43

Collection Date: 05/24/2021

Lab ID #: 44313

Collected By: Tyler Harrington

| Analyses                      | Result  | Units     | DL    | PL  | Date/Time                 |
|-------------------------------|---|-----------|-------|---|---------------------------|
| <b>E.coli</b>                 |   |           |       | <b>SM9223B</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 33.1  | MPN/100mL | 1.0   |   | 05/24/2021, 15:06         |
| <b>Total Phosphorus</b>       |   |           |       | <b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b> | <b>Analyst: N. McGill</b> |
|                               | < 0.010   | mg/L      | 0.022 |   | 05/24/2021, 15:10         |
|                               | <i>Below quantitation limit. Result is suspect.</i> |           |       |   |                           |
| <b>Total Suspended Solids</b> |   |           |       | <b>SM2540D</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 2.7   | mg/L      | 1.0   |   | 05/25/2021, 9:30          |
| <b>pH</b>                     |   |           |       | <b>SM4500H-B</b>                                  | <b>Analyst: N. McGill</b> |
|                               | 8.35  | pH units  |       |   | 05/24/2021, 14:52         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 47

Collection Date: 05/24/2021

Lab ID #: 44314

Collected By: Tyler Harrington

| Analyses                      | Result | Units     | DL    | PL | Date/Time                 |
|-------------------------------|--------|-----------|-------|----|---------------------------|
| <b>E.coli</b>                 |        |           |       |    | <b>Analyst: K. Fuller</b> |
|                               | 261.3  | MPN/100mL | 1.0   |    | 05/24/2021, 15:06         |
| <b>Total Phosphorus</b>       |        |           |       |    | <b>Analyst: N. McGill</b> |
|                               | 0.038  | mg/L      | 0.022 |    | 05/24/2021, 15:10         |
| <b>Total Suspended Solids</b> |        |           |       |    | <b>Analyst: K. Fuller</b> |
|                               | 4.7    | mg/L      | 1.0   |    | 05/25/2021, 9:30          |
| <b>pH</b>                     |        |           |       |    | <b>Analyst: N. McGill</b> |
|                               | 7.98   | pH units  |       |    | 05/24/2021, 14:53         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 64

Collection Date: 05/24/2021

Lab ID #: 44315

Collected By: Tyler Harrington

| Analyses                      | Result | Units  | DL    | PL | Date/Time                 |
|-------------------------------|--------|--|-------|----|---------------------------|
| <b>E.coli</b>                 |        |  |       |    | <b>Analyst: K. Fuller</b> |
|                               | 172.5  | MPN/100mL                                      | 1.0   |    | 05/24/2021, 15:06         |
| <b>Total Phosphorus</b>       |        |  |       |    | <b>Analyst: N. McGill</b> |
|                               | 0.058  | Hach 10210, E365.1 & E365.3 Equivalent<br>mg/L | 0.022 |    | 05/24/2021, 15:10         |
| <b>Total Suspended Solids</b> |        |  |       |    | <b>Analyst: K. Fuller</b> |
|                               | 2.3    | mg/L   | 1.0   |    | 05/25/2021, 9:30          |
| <b>pH</b>                     |        |  |       |    | <b>Analyst: N. McGill</b> |
|                               | 7.95   | pH units                                       |       |    | 05/24/2021, 14:54         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 48

Collection Date: 05/24/2021

Lab ID #: 44316

Collected By: Tyler Harrington

| Analyses  | Result  | Units  | DL    | PL | Date/Time                 |
|---|---------|--|-------|----|---------------------------|
| <b>E.coli</b>                                       |         |  |       |    | <b>Analyst: K. Fuller</b> |
|   | 72.3    | MPN/100mL                                      | 1.0   |    | 05/24/2021, 15:06         |
| <b>Total Phosphorus</b>                             |         |  |       |    | <b>Analyst: N. McGill</b> |
|   | < 0.010 | Hach 10210, E365.1 & E365.3 Equivalent<br>mg/L | 0.022 |    | 05/24/2021, 15:10         |
| <i>Below quantitation limit. Result is suspect.</i> |         |  |       |    |                           |
| <b>Total Suspended Solids</b>                       |         |  |       |    | <b>Analyst: K. Fuller</b> |
|   | 1.4     | mg/L   | 1.0   |    | 05/25/2021, 9:30          |
| <b>pH</b>   |         |  |       |    | <b>Analyst: N. McGill</b> |
|   | 8.30    | pH units                                       |       |    | 05/24/2021, 14:55         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 59

Collection Date: 05/24/2021

Lab ID #: 44317

Collected By: Tyler Harrington

| Analyses                      | Result | Units     | DL    | PL  | Date/Time                 |
|-------------------------------|--------|-----------|-------|---|---------------------------|
| <b>E.coli</b>                 |        |           |       | <b>SM9223B</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 325.5  | MPN/100mL | 1.0   |   | 05/24/2021, 15:06         |
| <b>Total Phosphorus</b>       |        |           |       | <b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b> | <b>Analyst: N. McGill</b> |
|                               | 0.059  | mg/L      | 0.022 |   | 05/24/2021, 15:10         |
| <b>Total Suspended Solids</b> |        |           |       | <b>SM2540D</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 10.2   | mg/L      | 2.0   |   | 05/25/2021, 9:30          |
| <b>pH</b>                     |        |           |       | <b>SM4500H-B</b>                                  | <b>Analyst: N. McGill</b> |
|                               | 8.05   | pH units  |       |   | 05/24/2021, 14:56         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 19

Collection Date: 05/25/2021

Lab ID #: 44378

Collected By: Tyler Harrington

| Analyses                      | Result | Units     | DL    | PL | Date/Time                 |
|-------------------------------|--------|-----------|-------|----|---------------------------|
| <b>E.coli</b>                 |        |           |       |    | <b>Analyst: K. Fuller</b> |
|                               | 133.3  | MPN/100mL | 1.0   |    | 05/25/2021, 15:24         |
| <b>Total Phosphorus</b>       |        |           |       |    | <b>Analyst: N. McGill</b> |
|                               | 0.039  | mg/L      | 0.022 |    | 05/25/2021, 15:10         |
| <b>Total Suspended Solids</b> |        |           |       |    | <b>Analyst: K. Fuller</b> |
|                               | 7.4    | mg/L      | 2.0   |    | 05/26/2021, 9:00          |
| <b>pH</b>                     |        |           |       |    | <b>Analyst: N. McGill</b> |
|                               | 8.34   | pH units  |       |    | 05/25/2021, 15:22         |



# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 25

Collection Date: 05/25/2021

Lab ID #: 44379

Collected By: Tyler Harrington

| Analyses                      | Result  | Units     | DL    | PL  | Date/Time                 |
|-------------------------------|---|-----------|-------|---|---------------------------|
| <b>E.coli</b>                 |   |           |       | <b>SM9223B</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 34.1  | MPN/100mL | 1.0   |   | 05/25/2021, 15:24         |
| <b>Total Phosphorus</b>       |   |           |       | <b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b> | <b>Analyst: N. McGill</b> |
|                               | 0.010   | mg/L      | 0.022 |   | 05/25/2021, 15:10         |
|                               | <i>Below quantitation limit. Result is suspect.</i> |           |       |   |                           |
| <b>Total Suspended Solids</b> |   |           |       | <b>SM2540D</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 1.3   | mg/L      | 1.0   |   | 05/26/2021, 9:00          |
| <b>pH</b>                     |   |           |       | <b>SM4500H-B</b>                                  | <b>Analyst: N. McGill</b> |
|                               | 7.76  | pH units  |       |   | 05/25/2021, 15:24         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 24

Collection Date: 05/25/2021

Lab ID #: 44380

Collected By: Tyler Harrington

| Analyses                      | Result  | Units     | DL    | PL  | Date/Time                 |
|-------------------------------|---|-----------|-------|---|---------------------------|
| <b>E.coli</b>                 |   |           |       | <b>SM9223B</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 13.4  | MPN/100mL | 1.0   |   | 05/25/2021, 15:24         |
| <b>Total Phosphorus</b>       |   |           |       | <b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b> | <b>Analyst: N. McGill</b> |
|                               | 0.014   | mg/L      | 0.022 |   | 05/25/2021, 15:10         |
|                               | <i>Below quantitation limit. Result is suspect.</i> |           |       |   |                           |
| <b>Total Suspended Solids</b> |   |           |       | <b>SM2540D</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 1.5   | mg/L      | 1.0   |   | 05/26/2021, 9:00          |
| <b>pH</b>                     |   |           |       | <b>SM4500H-B</b>                                  | <b>Analyst: N. McGill</b> |
|                               | 8.16  | pH units  |       |   | 05/25/2021, 15:25         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 22

Collection Date: 05/25/2021

Lab ID #: 44381

Collected By: Tyler Harrington

| Analyses                      | Result | Units     | DL    | PL | Date/Time                 |
|-------------------------------|--------|-----------|-------|----|---------------------------|
| <b>E.coli</b>                 |        |           |       |    | <b>Analyst: K. Fuller</b> |
|                               | 65.0   | MPN/100mL | 1.0   |    | 05/25/2021, 15:24         |
| <b>Total Phosphorus</b>       |        |           |       |    | <b>Analyst: N. McGill</b> |
|                               | 0.065  | mg/L      | 0.022 |    | 05/25/2021, 15:10         |
| <b>Total Suspended Solids</b> |        |           |       |    | <b>Analyst: K. Fuller</b> |
|                               | 19.9   | mg/L      | 1.0   |    | 05/26/2021, 9:00          |
| <b>pH</b>                     |        |           |       |    | <b>Analyst: N. McGill</b> |
|                               | 7.68   | pH units  |       |    | 05/25/2021, 15:25         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 39

Collection Date: 05/25/2021

Lab ID #: 44382

Collected By: Tyler Harrington

| Analyses                      | Result  | Units     | DL    | PL  | Date/Time                 |
|-------------------------------|---|-----------|-------|---|---------------------------|
| <b>E.coli</b>                 |   |           |       | <b>SM9223B</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 12.1  | MPN/100mL | 1.0   |   | 05/25/2021, 15:24         |
| <b>Total Phosphorus</b>       |   |           |       | <b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b> | <b>Analyst: N. McGill</b> |
|                               | < 0.010   | mg/L      | 0.022 |   | 05/25/2021, 15:10         |
|                               | <i>Below quantitation limit. Result is suspect.</i> |           |       |   |                           |
| <b>Total Suspended Solids</b> |   |           |       | <b>SM2540D</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 1.3   | mg/L      | 1.0   |   | 05/26/2021, 9:00          |
| <b>pH</b>                     |   |           |       | <b>SM4500H-B</b>                                  | <b>Analyst: N. McGill</b> |
|                               | 8.45  | pH units  |       |   | 05/25/2021, 15:26         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 72

Collection Date: 05/25/2021

Lab ID #: 44383

Collected By: Tyler Harrington

| Analyses                      | Result | Units     | DL    | PL  | Date/Time                 |
|-------------------------------|--------|-----------|-------|---|---------------------------|
| <b>E.coli</b>                 |        |           |       | <b>SM9223B</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 365.4  | MPN/100mL | 1.0   |   | 05/25/2021, 15:24         |
| <b>Total Phosphorus</b>       |        |           |       | <b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b> | <b>Analyst: N. McGill</b> |
|                               | 0.210  | mg/L      | 0.022 |   | 05/25/2021, 15:10         |
| <b>Total Suspended Solids</b> |        |           |       | <b>SM2540D</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 14.8   | mg/L      | 2.0   |   | 05/26/2021, 9:00          |
| <b>pH</b>                     |        |           |       | <b>SM4500H-B</b>                                  | <b>Analyst: N. McGill</b> |
|                               | 7.51   | pH units  |       |   | 05/25/2021, 15:27         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 38

Collection Date: 05/25/2021

Lab ID #: 44384

Collected By: Tyler Harrington

| Analyses                      | Result  | Units     | DL    | PL  | Date/Time                 |
|-------------------------------|---|-----------|-------|---|---------------------------|
| <b>E.coli</b>                 |   |           |       | <b>SM9223B</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 488.4   | MPN/100mL | 1.0   |   | 05/25/2021, 15:45         |
| <b>Total Phosphorus</b>       |   |           |       | <b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b> | <b>Analyst: N. McGill</b> |
|                               | 0.019   | mg/L      | 0.022 |   | 05/25/2021, 15:10         |
|                               | <i>Below quantitation limit. Result is suspect.</i> |           |       |   |                           |
| <b>Total Suspended Solids</b> |   |           |       | <b>SM2540D</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | < 1.0   | mg/L      | 1.0   |   | 05/26/2021, 9:00          |
| <b>pH</b>                     |   |           |       | <b>SM4500H-B</b>                                  | <b>Analyst: N. McGill</b> |
|                               | 7.43  | pH units  |       |   | 05/25/2021, 15:29         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 46

Collection Date: 05/25/2021

Lab ID #: 44385

Collected By: Tyler Harrington

| Analyses                      | Result  | Units     | DL    | PL  | Date/Time                 |
|-------------------------------|---|-----------|-------|---|---------------------------|
| <b>E.coli</b>                 |   |           |       | <b>SM9223B</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 172.3   | MPN/100mL | 1.0   |   | 05/25/2021, 15:45         |
| <b>Total Phosphorus</b>       |   |           |       | <b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b> | <b>Analyst: N. McGill</b> |
|                               | < 0.010   | mg/L      | 0.022 |   | 05/25/2021, 15:10         |
|                               | <i>Below quantitation limit. Result is suspect.</i> |           |       |   |                           |
| <b>Total Suspended Solids</b> |   |           |       | <b>SM2540D</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 3.1   | mg/L      | 1.0   |   | 05/26/2021, 9:00          |
| <b>pH</b>                     |   |           |       | <b>SM4500H-B</b>                                  | <b>Analyst: N. McGill</b> |
|                               | 7.67  | pH units  |       |   | 05/25/2021, 15:30         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 29

Collection Date: 05/25/2021

Lab ID #: 44386

Collected By: Tyler Harrington

| Analyses                      | Result  | Units     | DL    | PL  | Date/Time                 |
|-------------------------------|---|-----------|-------|---|---------------------------|
| <b>E.coli</b>                 |   |           |       | <b>SM9223B</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 56.5  | MPN/100mL | 1.0   |   | 05/25/2021, 15:45         |
| <b>Total Phosphorus</b>       |   |           |       | <b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b> | <b>Analyst: N. McGill</b> |
|                               | < 0.010   | mg/L      | 0.022 |   | 05/25/2021, 15:10         |
|                               | <i>Below quantitation limit. Result is suspect.</i> |           |       |   |                           |
| <b>Total Suspended Solids</b> |   |           |       | <b>SM2540D</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 1.6   | mg/L      | 1.0   |   | 05/26/2021, 9:00          |
| <b>pH</b>                     |   |           |       | <b>SM4500H-B</b>                                  | <b>Analyst: N. McGill</b> |
|                               | 7.90  | pH units  |       |   | 05/25/2021, 15:31         |



# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 32

Collection Date: 05/25/2021

Lab ID #: 44387

Collected By: Tyler Harrington

| Analyses                      | Result  | Units     | DL    | PL | Date/Time                 |
|-------------------------------|---|-----------|-------|----|---------------------------|
| <b>E.coli</b>                 |   |           |       |    | <b>Analyst: K. Fuller</b> |
|                               | 307.6   | MPN/100mL | 1.0   |    | 05/25/2021, 15:45         |
| <b>Total Phosphorus</b>       |   |           |       |    | <b>Analyst: N. McGill</b> |
|                               | < 0.010   | mg/L      | 0.022 |    | 05/25/2021, 15:10         |
|                               | <i>Below quantitation limit. Result is suspect.</i> |           |       |    |                           |
| <b>Total Suspended Solids</b> |   |           |       |    | <b>Analyst: K. Fuller</b> |
|                               | 2.8   | mg/L      | 1.0   |    | 05/26/2021, 9:00          |
| <b>pH</b>                     |   |           |       |    | <b>Analyst: N. McGill</b> |
|                               | 8.22  | pH units  |       |    | 05/25/2021, 15:33         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 31

Collection Date: 05/25/2021

Lab ID #: 44388

Collected By: Tyler Harrington

| Analyses                      | Result  | Units     | DL    | PL  | Date/Time                 |
|-------------------------------|---|-----------|-------|---|---------------------------|
| <b>E.coli</b>                 |   |           |       | <b>SM9223B</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 461.1   | MPN/100mL | 1.0   |   | 05/25/2021, 15:45         |
| <b>Total Phosphorus</b>       |   |           |       | <b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b> | <b>Analyst: N. McGill</b> |
|                               | < 0.010   | mg/L      | 0.022 |   | 05/25/2021, 15:10         |
|                               | <i>Below quantitation limit. Result is suspect.</i> |           |       |   |                           |
| <b>Total Suspended Solids</b> |   |           |       | <b>SM2540D</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 1.3   | mg/L      | 1.0   |   | 05/26/2021, 9:00          |
| <b>pH</b>                     |   |           |       | <b>SM4500H-B</b>                                  | <b>Analyst: N. McGill</b> |
|                               | 8.26  | pH units  |       |   | 05/25/2021, 15:33         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 30

Collection Date: 05/25/2021

Lab ID #: 44389

Collected By: Tyler Harrington

| Analyses                      | Result | Units     | DL    | PL | Date/Time                 |
|-------------------------------|--------|-----------|-------|----|---------------------------|
| <b>E.coli</b>                 |        |           |       |    | <b>Analyst: K. Fuller</b> |
|                               | 261.3  | MPN/100mL | 1.0   |    | 05/25/2021, 15:45         |
| <b>Total Phosphorus</b>       |        |           |       |    | <b>Analyst: N. McGill</b> |
|                               | 0.032  | mg/L      | 0.022 |    | 05/25/2021, 15:10         |
| <b>Total Suspended Solids</b> |        |           |       |    | <b>Analyst: K. Fuller</b> |
|                               | 3.7    | mg/L      | 1.0   |    | 05/26/2021, 9:00          |
| <b>pH</b>                     |        |           |       |    | <b>Analyst: N. McGill</b> |
|                               | 8.38   | pH units  |       |    | 05/25/2021, 15:34         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 37

Collection Date: 05/25/2021

Lab ID #: 44390

Collected By: Tyler Harrington

| Analyses                      | Result  | Units     | DL    | PL  | Date/Time                 |
|-------------------------------|---|-----------|-------|---|---------------------------|
| <b>E.coli</b>                 |   |           |       | <b>SM9223B</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 25.9  | MPN/100mL | 1.0   |   | 05/25/2021, 15:45         |
| <b>Total Phosphorus</b>       |   |           |       | <b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b> | <b>Analyst: N. McGill</b> |
|                               | < 0.010   | mg/L      | 0.022 |   | 05/25/2021, 15:10         |
|                               | <i>Below quantitation limit. Result is suspect.</i> |           |       |   |                           |
| <b>Total Suspended Solids</b> |   |           |       | <b>SM2540D</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 1.3   | mg/L      | 1.0   |   | 05/26/2021, 9:00          |
| <b>pH</b>                     |   |           |       | <b>SM4500H-B</b>                                  | <b>Analyst: N. McGill</b> |
|                               | 8.35  | pH units  |       |   | 05/25/2021, 15:35         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 51

Collection Date: 05/25/2021

Lab ID #: 44391

Collected By: Tyler Harrington

| Analyses                      | Result  | Units     | DL    | PL  | Date/Time                 |
|-------------------------------|---|-----------|-------|---|---------------------------|
| <b>E.coli</b>                 |   |           |       | <b>SM9223B</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 307.6   | MPN/100mL | 1.0   |   | 05/25/2021, 15:45         |
| <b>Total Phosphorus</b>       |   |           |       | <b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b> | <b>Analyst: N. McGill</b> |
|                               | < 0.010   | mg/L      | 0.022 |   | 05/25/2021, 15:10         |
|                               | <i>Below quantitation limit. Result is suspect.</i> |           |       |   |                           |
| <b>Total Suspended Solids</b> |   |           |       | <b>SM2540D</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 19.2  | mg/L      | 1.0   |   | 05/26/2021, 9:00          |
| <b>pH</b>                     |   |           |       | <b>SM4500H-B</b>                                  | <b>Analyst: N. McGill</b> |
|                               | 8.13  | pH units  |       |   | 05/25/2021, 15:35         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 28

Collection Date: 05/25/2021

Lab ID #: 44392

Collected By: Tyler Harrington

| Analyses                      | Result | Units     | DL    | PL  | Date/Time                 |
|-------------------------------|--------|-----------|-------|---|---------------------------|
| <b>E.coli</b>                 |        |           |       | <b>SM9223B</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 191.8  | MPN/100mL | 1.0   |   | 05/25/2021, 15:45         |
| <b>Total Phosphorus</b>       |        |           |       | <b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b> | <b>Analyst: N. McGill</b> |
|                               | 0.079  | mg/L      | 0.022 |   | 05/25/2021, 15:10         |
| <b>Total Suspended Solids</b> |        |           |       | <b>SM2540D</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 9.2    | mg/L      | 1.0   |   | 05/26/2021, 9:00          |
| <b>pH</b>                     |        |           |       | <b>SM4500H-B</b>                                  | <b>Analyst: N. McGill</b> |
|                               | 8.23   | pH units  |       |   | 05/25/2021, 15:36         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 27

Collection Date: 05/25/2021

Lab ID #: 44393

Collected By: Tyler Harrington

| Analyses                      | Result | Units     | DL    | PL | Date/Time                 |
|-------------------------------|--------|-----------|-------|----|---------------------------|
| <b>E.coli</b>                 |        |           |       |    | <b>Analyst: K. Fuller</b> |
|                               | 44.3   | MPN/100mL | 1.0   |    | 05/25/2021, 15:45         |
| <b>Total Phosphorus</b>       |        |           |       |    | <b>Analyst: N. McGill</b> |
|                               | 0.040  | mg/L      | 0.022 |    | 05/25/2021, 15:10         |
| <b>Total Suspended Solids</b> |        |           |       |    | <b>Analyst: K. Fuller</b> |
|                               | < 2.0  | mg/L      | 2.0   |    | 05/26/2021, 9:00          |
| <b>pH</b>                     |        |           |       |    | <b>Analyst: N. McGill</b> |
|                               | 8.73   | pH units  |       |    | 05/25/2021, 15:37         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 21

Collection Date: 05/25/2021

Lab ID #: 44394

Collected By: Tyler Harrington

| Analyses                      | Result  | Units     | DL    | PL  | Date/Time                 |
|-------------------------------|---|-----------|-------|---|---------------------------|
| <b>E.coli</b>                 |   |           |       | <b>SM9223B</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 547.5   | MPN/100mL | 1.0   |   | 05/25/2021, 15:45         |
| <b>Total Phosphorus</b>       |   |           |       | <b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b> | <b>Analyst: N. McGill</b> |
|                               | 0.012   | mg/L      | 0.022 |   | 05/25/2021, 15:10         |
|                               | <i>Below quantitation limit. Result is suspect.</i> |           |       |   |                           |
| <b>Total Suspended Solids</b> |   |           |       | <b>SM2540D</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 1.1   | mg/L      | 1.0   |   | 05/26/2021, 9:00          |
| <b>pH</b>                     |   |           |       | <b>SM4500H-B</b>                                  | <b>Analyst: N. McGill</b> |
|                               | 8.31  | pH units  |       |   | 05/25/2021, 15:38         |



# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 1

Collection Date: 05/26/2021

Lab ID #: 44404

Collected By: Tyler Harrington

| Analyses                      | Result  | Units     | DL    | PL  | Date/Time                 |
|-------------------------------|---|-----------|-------|---|---------------------------|
| <b>E.coli</b>                 |   |           |       | <b>SM9223B</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 410.6   | MPN/100mL | 1.0   |   | 05/26/2021, 15:51         |
| <b>Total Phosphorus</b>       |   |           |       | <b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b> | <b>Analyst: N. McGill</b> |
|                               | 0.011   | mg/L      | 0.022 |   | 05/26/2021, 15:45         |
|                               | <i>Below quantitation limit. Result is suspect.</i> |           |       |   |                           |
| <b>Total Suspended Solids</b> |   |           |       | <b>SM2540D</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 3.1   | mg/L      | 1.0   |   | 05/27/2021, 9:40          |
| <b>pH</b>                     |   |           |       | <b>SM4500H-B</b>                                  | <b>Analyst: K. Fuller</b> |
|                               | 7.88  | pH units  |       |   | 05/26/2021, 15:58         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 2

Collection Date: 05/26/2021

Lab ID #: 44405

Collected By: Tyler Harrington

| Analyses                      | Result  | Units     | DL    | PL  | Date/Time                 |
|-------------------------------|---|-----------|-------|---|---------------------------|
| <b>E.coli</b>                 |   |           |       | <b>SM9223B</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 613.1   | MPN/100mL | 1.0   |   | 05/26/2021, 15:51         |
| <b>Total Phosphorus</b>       |   |           |       | <b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b> | <b>Analyst: N. McGill</b> |
|                               | 0.016   | mg/L      | 0.022 |   | 05/26/2021, 15:45         |
|                               | <i>Below quantitation limit. Result is suspect.</i> |           |       |   |                           |
| <b>Total Suspended Solids</b> |   |           |       | <b>SM2540D</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 8.8   | mg/L      | 1.0   |   | 05/27/2021, 9:40          |
| <b>pH</b>                     |   |           |       | <b>SM4500H-B</b>                                  | <b>Analyst: K. Fuller</b> |
|                               | 8.01  | pH units  |       |   | 05/26/2021, 16:00         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 3

Collection Date: 05/26/2021

Lab ID #: 44406

Collected By: Tyler Harrington

| Analyses                      | Result  | Units     | DL    | PL  | Date/Time                 |
|-------------------------------|---|-----------|-------|---|---------------------------|
| <b>E.coli</b>                 |   |           |       | <b>SM9223B</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 488.4   | MPN/100mL | 1.0   |   | 05/26/2021, 15:51         |
| <b>Total Phosphorus</b>       |   |           |       | <b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b> | <b>Analyst: N. McGill</b> |
|                               | < 0.010   | mg/L      | 0.022 |   | 05/26/2021, 15:45         |
|                               | <i>Below quantitation limit. Result is suspect.</i> |           |       |   |                           |
| <b>Total Suspended Solids</b> |   |           |       | <b>SM2540D</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 4.3   | mg/L      | 1.0   |   | 05/27/2021, 9:40          |
| <b>pH</b>                     |   |           |       | <b>SM4500H-B</b>                                  | <b>Analyst: K. Fuller</b> |
|                               | 8.42  | pH units  |       |   | 05/26/2021, 16:01         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 4

Collection Date: 05/26/2021

Lab ID #: 44407

Collected By: Tyler Harrington

| Analyses                      | Result | Units  | DL    | PL | Date/Time                 |
|-------------------------------|--------|--|-------|----|---------------------------|
| <b>E.coli</b>                 |        |  |       |    | <b>Analyst: K. Fuller</b> |
|                               | 436.0  | MPN/100mL                                      | 1.0   |    | 05/26/2021, 15:51         |
| <b>Total Phosphorus</b>       |        |  |       |    | <b>Analyst: N. McGill</b> |
|                               | 0.065  | Hach 10210, E365.1 & E365.3 Equivalent<br>mg/L | 0.022 |    | 05/26/2021, 15:45         |
| <b>Total Suspended Solids</b> |        |  |       |    | <b>Analyst: K. Fuller</b> |
|                               | 9.8    | SM2540D<br>mg/L                                | 1.0   |    | 05/27/2021, 9:40          |
| <b>pH</b>                     |        |  |       |    | <b>Analyst: K. Fuller</b> |
|                               | 8.09   | SM4500H-B<br>pH units                          |       |    | 05/26/2021, 16:02         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 5

Collection Date: 05/26/2021

Lab ID #: 44408

Collected By: Tyler Harrington

| Analyses                      | Result | Units     | DL    | PL | Date/Time                 |
|-------------------------------|--------|-----------|-------|----|---------------------------|
| <b>E.coli</b>                 |        |           |       |    | <b>Analyst: K. Fuller</b> |
|                               | 110.6  | MPN/100mL | 1.0   |    | 05/26/2021, 15:51         |
| <b>Total Phosphorus</b>       |        |           |       |    | <b>Analyst: N. McGill</b> |
|                               | 0.025  | mg/L      | 0.022 |    | 05/26/2021, 15:45         |
| <b>Total Suspended Solids</b> |        |           |       |    | <b>Analyst: K. Fuller</b> |
|                               | 3.8    | mg/L      | 1.0   |    | 05/27/2021, 9:40          |
| <b>pH</b>                     |        |           |       |    | <b>Analyst: K. Fuller</b> |
|                               | 8.10   | pH units  |       |    | 05/26/2021, 16:03         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 58

Collection Date: 05/26/2021

Lab ID #: 44409

Collected By: Tyler Harrington

| Analyses                      | Result | Units     | DL    | PL  | Date/Time                 |
|-------------------------------|--------|-----------|-------|---|---------------------------|
| <b>E.coli</b>                 |        |           |       | <b>SM9223B</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 307.6  | MPN/100mL | 1.0   |   | 05/26/2021, 15:51         |
| <b>Total Phosphorus</b>       |        |           |       | <b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b> | <b>Analyst: N. McGill</b> |
|                               | 0.029  | mg/L      | 0.022 |   | 05/26/2021, 15:45         |
| <b>Total Suspended Solids</b> |        |           |       | <b>SM2540D</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 1.6    | mg/L      | 1.0   |   | 05/27/2021, 9:40          |
| <b>pH</b>                     |        |           |       | <b>SM4500H-B</b>                                  | <b>Analyst: K. Fuller</b> |
|                               | 8.05   | pH units  |       |   | 05/26/2021, 16:04         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 6

Collection Date: 05/26/2021

Lab ID #: 44410

Collected By: Tyler Harrington

| Analyses                      | Result   | Units     | DL    | PL | Date/Time                 |
|-------------------------------|--|-----------|-------|----|---------------------------|
| <b>E.coli</b>                 |  |           |       |    | <b>Analyst: K. Fuller</b> |
|                               | 6,212.4  | MPN/100mL | 4.0   |    | 05/27/2021, 12:34         |
|                               | <i>Analyses performed out of hold time; result is suspect.</i> |           |       |    |                           |
| <b>Total Phosphorus</b>       |  |           |       |    | <b>Analyst: N. McGill</b> |
|                               | 0.050  | mg/L      | 0.022 |    | 05/26/2021, 15:45         |
| <b>Total Suspended Solids</b> |  |           |       |    | <b>Analyst: K. Fuller</b> |
|                               | 8.3  | mg/L      | 1.0   |    | 05/27/2021, 9:40          |
| <b>pH</b>                     |  |           |       |    | <b>Analyst: K. Fuller</b> |
|                               | 8.06   | pH units  |       |    | 05/26/2021, 16:05         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 7

Collection Date: 05/26/2021

Lab ID #: 44411

Collected By: Tyler Harrington

| Analyses                      | Result  | Units     | DL    | PL  | Date/Time                 |
|-------------------------------|---------|-----------|-------|---|---------------------------|
| <b>E.coli</b>                 |         |           |       | <b>SM9223B</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 1,986.3 | MPN/100mL | 1.0   |   | 05/26/2021, 15:51         |
| <b>Total Phosphorus</b>       |         |           |       | <b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b> | <b>Analyst: N. McGill</b> |
|                               | 0.097   | mg/L      | 0.022 |   | 05/26/2021, 15:45         |
| <b>Total Suspended Solids</b> |         |           |       | <b>SM2540D</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 18.7    | mg/L      | 1.0   |   | 05/27/2021, 9:40          |
| <b>pH</b>                     |         |           |       | <b>SM4500H-B</b>                                  | <b>Analyst: K. Fuller</b> |
|                               | 8.07    | pH units  |       |   | 05/26/2021, 16:07         |



# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 8

Collection Date: 05/26/2021

Lab ID #: 44412

Collected By: Tyler Harrington

| Analyses                      | Result | Units     | DL    | PL | Date/Time                 |
|-------------------------------|--------|-----------|-------|----|---------------------------|
| <b>E.coli</b>                 |        |           |       |    | <b>Analyst: K. Fuller</b> |
|                               | 816.4  | MPN/100mL | 1.0   |    | 05/26/2021, 15:51         |
| <b>Total Phosphorus</b>       |        |           |       |    | <b>Analyst: N. McGill</b> |
|                               | 0.085  | mg/L      | 0.022 |    | 05/26/2021, 15:45         |
| <b>Total Suspended Solids</b> |        |           |       |    | <b>Analyst: K. Fuller</b> |
|                               | 16.3   | mg/L      | 1.0   |    | 05/27/2021, 9:40          |
| <b>pH</b>                     |        |           |       |    | <b>Analyst: K. Fuller</b> |
|                               | 8.06   | pH units  |       |    | 05/26/2021, 16:08         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 9

Collection Date: 05/26/2021

Lab ID #: 44413

Collected By: Tyler Harrington

| Analyses                      | Result  | Units     | DL    | PL  | Date/Time                 |
|-------------------------------|---|-----------|-------|---|---------------------------|
| <b>E.coli</b>                 |   |           |       | <b>SM9223B</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 23.8  | MPN/100mL | 1.0   |   | 05/26/2021, 15:51         |
| <b>Total Phosphorus</b>       |   |           |       | <b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b> | <b>Analyst: N. McGill</b> |
|                               | < 0.010   | mg/L      | 0.022 |   | 05/26/2021, 15:45         |
|                               | <i>Below quantitation limit. Result is suspect.</i> |           |       |   |                           |
| <b>Total Suspended Solids</b> |   |           |       | <b>SM2540D</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 1.5   | mg/L      | 1.0   |   | 05/27/2021, 9:40          |
| <b>pH</b>                     |   |           |       | <b>SM4500H-B</b>                                  | <b>Analyst: K. Fuller</b> |
|                               | 8.40  | pH units  |       |   | 05/26/2021, 16:09         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 10

Collection Date: 05/26/2021

Lab ID #: 44414

Collected By: Tyler Harrington

| Analyses                      | Result  | Units     | DL    | PL  | Date/Time                 |
|-------------------------------|---|-----------|-------|---|---------------------------|
| <b>E.coli</b>                 |   |           |       | <b>SM9223B</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 90.6  | MPN/100mL | 1.0   |   | 05/26/2021, 15:51         |
| <b>Total Phosphorus</b>       |   |           |       | <b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b> | <b>Analyst: N. McGill</b> |
|                               | < 0.010   | mg/L      | 0.022 |   | 05/26/2021, 15:45         |
|                               | <i>Below quantitation limit. Result is suspect.</i> |           |       |   |                           |
| <b>Total Suspended Solids</b> |   |           |       | <b>SM2540D</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 1.1   | mg/L      | 1.0   |   | 05/27/2021, 9:40          |
| <b>pH</b>                     |   |           |       | <b>SM4500H-B</b>                                  | <b>Analyst: K. Fuller</b> |
|                               | 8.28  | pH units  |       |   | 05/26/2021, 16:10         |

# ANALYTICAL REPORT



650 North Wayne St.  
Waterloo, IN 46793  
Phone: 260-408-5221  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 11

Collection Date: 05/26/2021

Lab ID #: 44415

Collected By: Tyler Harrington

| Analyses                      | Result  | Units     | DL    | PL  | Date/Time                 |
|-------------------------------|---|-----------|-------|---|---------------------------|
| <b>E.coli</b>                 |   |           |       | <b>SM9223B</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 461.1   | MPN/100mL | 1.0   |   | 05/26/2021, 15:51         |
| <b>Total Phosphorus</b>       |   |           |       | <b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b> | <b>Analyst: N. McGill</b> |
|                               | 0.020   | mg/L      | 0.022 |   | 05/26/2021, 15:45         |
|                               | <i>Below quantitation limit. Result is suspect.</i> |           |       |   |                           |
| <b>Total Suspended Solids</b> |   |           |       | <b>SM2540D</b>                                    | <b>Analyst: K. Fuller</b> |
|                               | 2.3   | mg/L      | 1.0   |   | 05/27/2021, 9:40          |
| <b>pH</b>                     |   |           |       | <b>SM4500H-B</b>                                  | <b>Analyst: K. Fuller</b> |
|                               | 8.23  | pH units  |       |   | 05/26/2021, 16:11         |

# CHAIN OF CUSTODY RECORD



**Sandhill Environmental Services, LLC.**

650 North Wayne St.  
Waterloo, IN 46793

Turn Time:

- Standard  
 Rush- Report by Date: \_\_\_\_\_  
 Rush turn times will incur a surcharge and must be pre-approved by the lab.

Matrix Code:

- DW-Drinking Water  
 WW-Wastewater  
 STW- Stormwater  
 SW- Surface water

|                           |                                  |   |  |  |
|---------------------------|----------------------------------|---|--|--|
| <b>Client Information</b> |                                  | <b>Billing Information (if different)</b> |  | PO Number:                                 |
| Company Name:             | Aquatic Enhancement, Inc.        | same                                      |  | Project Name/Number:                       |
| Contact Name:             | Scott Banfield                   |   |  | SCLC                                       |
| Address:                  | P.O. Box 1036                    |   |  | Sampler's Signature:<br><i>[Signature]</i> |
| City, State, Zip:         | Angola, IN 46703                 |   |  | Laboratory Number(s):<br>44201-44208       |
| Phone:                    | 260-665-8226                     |   |  | Preferred Method of Correspondence:        |
| Fax:                      |                                  |   |  | E-mail                                     |
| E-mail:                   | sbanfield@aquaticenhancement.com |   |  |  |

| Sample ID/ Description | Collection Information |                  |                   | Container |          |                                     | Requested Test |                 |        |  |  |  |  |  |  |  | Comments |  |  |  |    |
|------------------------|------------------------|------------------|-------------------|-----------|----------|-------------------------------------|----------------|-----------------|--------|--|--|--|--|--|--|--|----------|--|--|--|----|
|                        | Date                   | Time             | Grab or Composite | Matrix    | Quantity | Type<br>p=plastic<br>g=glass v=vial | Pres.          | TSS, pH, T Phos | E.coli |  |  |  |  |  |  |  |          |  |  |  |    |
| 17                     | 5/21/21                | 9:20             | G                 | SW        | 2        | p                                   | u/so           | x               | x      |  |  |  |  |  |  |  |          |  |  |  |    |
| 54                     |                        | 9:40             | G                 | SW        | 2        | p                                   | u/so           | x               | x      |  |  |  |  |  |  |  |          |  |  |  |    |
| 52                     |                        | 9:58             | G                 | SW        | 2        | p                                   | u/so           | x               | x      |  |  |  |  |  |  |  |          |  |  |  |    |
| 45                     |                        | 10:11            | G                 | SW        | 2        | p                                   | u/so           | x               | x      |  |  |  |  |  |  |  |          |  |  |  |    |
| <del>74</del>          |                        | <del>10:35</del> | G                 | SW        | 2        | p                                   | u/so           | x               | x      |  |  |  |  |  |  |  |          |  |  |  | KF |
| 50                     |                        | 11:01            | G                 | SW        | 2        | p                                   | u/so           | x               | x      |  |  |  |  |  |  |  |          |  |  |  |    |
| 62                     |                        | 11:29            | G                 | SW        | 2        | p                                   | u/so           | x               | x      |  |  |  |  |  |  |  |          |  |  |  |    |
| 65                     |                        | 12:06            | G                 | SW        | 2        | p                                   | u/so           | x               | x      |  |  |  |  |  |  |  |          |  |  |  |    |
| 69                     |                        | 12:33            | G                 | SW        | 2        | p                                   | u/so           | x               | x      |  |  |  |  |  |  |  |          |  |  |  |    |

|                  |              |              |                   |
|------------------|--------------|--------------|-------------------|
| Relinquished By  | Date/Time    | Received By  | Date/Time         |
| Tyler Harrington | 5/21/21-1:30 | Scott Fuller | 5/21/2021<br>1330 |
|                  |              |              |                   |
|                  |              |              |                   |

|                     |   |
|---------------------|---|
| Temp. upon Receipt: | Preservation Code:  |
| 7.2 °C              | N = HNO <sub>3</sub> / Nitric Acid                                      |
| Or                  | U = Unpreserved, Cooled to 4°C  |
| < 2hrs old          | S = H <sub>2</sub> SO <sub>4</sub> / Sulfuric Acid                      |
|                     | OH = NaOH / Sodium Hydroxide  |
|                     | H = HCl / Hydrochloric Acid   |
|                     | SO = Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> / Sodium Thiosulfate |

# CHAIN OF CUSTODY RECORD



**Sandhill Environmental Services, LLC.**

650 North Wayne St.  
Waterloo, IN 46793

|  |   |
|--|---|
| Turn Time:<br><input type="checkbox"/> Standard<br><input type="checkbox"/> Rush- Report by Date: _____<br>Rush turn times will incur a surcharge and must be pre-approved by the lab. | <b>Matrix Code:</b><br>DW-Drinking Water<br>WW-Wastewater<br>STW- Stormwater<br>SW- Surface water |
|--|---|

|                           |                                  |   |                                     |
|---------------------------|----------------------------------|---|-------------------------------------|
| <b>Client Information</b> |                                  | <b>Billing Information (if different)</b> | <b>PO Number:</b>                   |
| Company Name:             | Aquatic Enhancement, Inc.        | same                                      | Project Name/Number:                |
| Contact Name:             | Scott Banfield                   |   | SCLC                                |
| Address:                  | P.O. Box 1036                    |   | Sampler's Signature:                |
| City, State, Zip:         | Angola, IN 46703                 |   | Laboratory Number(s):               |
| Phone:                    | 260-665-8226                     |   | 4429089                             |
| Fax:                      |                                  |   | Preferred Method of Correspondence: |
| E-mail:                   | sbanfield@aquaticenhancement.com |   | E-mail                              |

| Sample ID/ Description | Collection Information |                  |                   | Container |          |                                     | Requested Test |                 |        |  |  |  |  |  |  |  | Comments |  |  |  |    |
|------------------------|------------------------|------------------|-------------------|-----------|----------|-------------------------------------|----------------|-----------------|--------|--|--|--|--|--|--|--|----------|--|--|--|----|
|                        | Date                   | Time             | Grab or Composite | Matrix    | Quantity | Type<br>p=plastic<br>g=glass v=vial | Pres.          | TSS, pH, T Phos | E.coli |  |  |  |  |  |  |  |          |  |  |  |    |
| <del>51</del>          | <del>5/21/21</del>     | <del>12:19</del> | G                 | SW        | 2        | p                                   | u/so           | X               | X      |  |  |  |  |  |  |  |          |  |  |  | LF |
| 53                     | 5/21/21                | 0955             | G                 | SW        | 2        | p                                   | u/so           | X               | X      |  |  |  |  |  |  |  |          |  |  |  |    |
|                        |                        |                  | G                 | SW        | 2        | p                                   | u/so           | X               | X      |  |  |  |  |  |  |  |          |  |  |  |    |
|                        |                        |                  | G                 | SW        | 2        | p                                   | u/so           | X               | X      |  |  |  |  |  |  |  |          |  |  |  |    |
|                        |                        |                  | G                 | SW        | 2        | p                                   | u/so           | X               | X      |  |  |  |  |  |  |  |          |  |  |  |    |
|                        |                        |                  | G                 | SW        | 2        | p                                   | u/so           | X               | X      |  |  |  |  |  |  |  |          |  |  |  |    |
|                        |                        |                  | G                 | SW        | 2        | p                                   | u/so           | X               | X      |  |  |  |  |  |  |  |          |  |  |  |    |
|                        |                        |                  | G                 | SW        | 2        | p                                   | u/so           | X               | X      |  |  |  |  |  |  |  |          |  |  |  |    |

|                        |                  |                    |                  |                            |  |
|------------------------|------------------|--------------------|------------------|----------------------------|--|
| <b>Relinquished By</b> | <b>Date/Time</b> | <b>Received By</b> | <b>Date/Time</b> | <b>Temp. upon Receipt:</b> | <b>Preservation Code:</b>  |
| Tyler Harrington       | 5/21/21 - 1:30   | Nate Fuller        | 5/21/2021, 1:33  | 6.4 °C                     | N = HNO <sub>3</sub> / Nitric Acid<br>S = H <sub>2</sub> SO <sub>4</sub> / Sulfuric Acid<br>H = HCl / Hydrochloric Acid<br>U = Unpreserved, Cooled to 4°C<br>OH = NaOH / Sodium Hydroxide<br>SO = Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> / Sodium Thiosulfate |
|                        |                  |                    |                  | Or                         |  |
|                        |                  |                    |                  | < 2hrs old                 |  |

# CHAIN OF CUSTODY RECORD



Sandhill

**Sandhill Environmental Services, LLC.**

650 North Wayne St.  
Waterloo, IN 46793

Turn Time:

Standard

Rush- Report by Date: \_\_\_\_\_

Rush turn times will incur a surcharge and must be pre-approved by the lab.

Matrix Code:

DW-Drinking Water

WW-Wastewater

STW- Stormwater

SW- Surface water

|                    |                                  |                                    |  |  |                                     |  |
|--------------------|----------------------------------|------------------------------------|--|--|-------------------------------------|--|
| Client Information |                                  | Billing Information (if different) |  |  | PO Number:                          |  |
| Company Name:      | Aquatic Enhancement, Inc.        | same                               |  |  | Project Name/Number:                |  |
| Contact Name:      | Scott Banfield                   |                                    |  |  | SCLC                                |  |
| Address:           | P.O. Box 1036                    |                                    |  |  | Sampler's Signature:                |  |
| City, State, Zip:  | Angola, IN 46703                 |                                    |  |  | Laboratory Number(s):               |  |
| Phone:             | 260-665-8226                     |                                    |  |  | 44305-44313                         |  |
| Fax:               |                                  |                                    |  |  | Preferred Method of Correspondence: |  |
| E-mail:            | sbanfield@aquaticenhancement.com |                                    |  |  | E-mail                              |  |

| Sample ID/ Description | Collection Information |       | Container         |        | Requested Test |                                     |       |                 |        |  |  |  |  |  | Comments |  |  |  |  |
|------------------------|------------------------|-------|-------------------|--------|----------------|-------------------------------------|-------|-----------------|--------|--|--|--|--|--|----------|--|--|--|--|
|                        | Date                   | Time  | Grab or Composite | Matrix | Quantity       | Type<br>p=plastic<br>g=glass v=vial | Pres. | TSS, pH, T Phos | E.coli |  |  |  |  |  |          |  |  |  |  |
| 69                     | 5/24/21                | 8:55  | G                 | SW     | 2              | p                                   | u/so  | X               | X      |  |  |  |  |  |          |  |  |  |  |
| 73                     |                        | 9:31  | G                 | SW     | 2              | p                                   | u/so  | X               | X      |  |  |  |  |  |          |  |  |  |  |
| 61                     |                        | 9:55  | G                 | SW     | 2              | p                                   | u/so  | X               | X      |  |  |  |  |  |          |  |  |  |  |
| 42                     |                        | 10:25 | G                 | SW     | 2              | p                                   | u/so  | X               | X      |  |  |  |  |  |          |  |  |  |  |
| 44                     |                        | 10:45 | G                 | SW     | 2              | p                                   | u/so  | X               | X      |  |  |  |  |  |          |  |  |  |  |
| 33                     |                        | 11:05 | G                 | SW     | 2              | p                                   | u/so  | X               | X      |  |  |  |  |  |          |  |  |  |  |
| 34                     |                        | 11:20 | G                 | SW     | 2              | p                                   | u/so  | X               | X      |  |  |  |  |  |          |  |  |  |  |
| 70                     |                        | 9:08  | G                 | SW     | 2              | p                                   | u/so  | X               | X      |  |  |  |  |  |          |  |  |  |  |
| 43                     |                        | 12:05 | G                 | SW     | 2              | p                                   | u/so  | X               | X      |  |  |  |  |  |          |  |  |  |  |

|                  |                |             |                 |                     |  |
|------------------|----------------|-------------|-----------------|---------------------|--|
| Relinquished By  | Date/Time      | Received By | Date/Time       | Temp. upon Receipt: | Preservation Code:   |
| Tyler Harrington | 5/24/21 - 1410 | Matt Fuller | 5/24/2021, 1410 | 8.0 °C              | N = HNO <sub>3</sub> / Nitric Acid<br>U = Unpreserved, Cooled to 4°C                                   |
|                  |                |             |                 | Or                  | S = H <sub>2</sub> SO <sub>4</sub> / Sulfuric Acid<br>OH = NaOH / Sodium Hydroxide                     |
|                  |                |             |                 | < 2hrs old          | H = HCl / Hydrochloric Acid<br>SO = Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> / Sodium Thiosulfate |

# CHAIN OF CUSTODY RECORD



Sandhill

**Sandhill Environmental Services, LLC.**

650 North Wayne St.  
Waterloo, IN 46793

Turn Time:

Standard

Rush- Report by Date: \_\_\_\_\_

Rush turn times will incur a surcharge and must be pre-approved by the lab.

Matrix Code:

DW-Drinking Water

WW-Wastewater

STW- Stormwater

SW- Surface water

|                           |                                  |   |  |  |   |
|---------------------------|----------------------------------|---|--|--|---|
| <b>Client Information</b> |                                  | <b>Billing Information (if different)</b> |  |  | PO Number:                              |
| Company Name:             | Aquatic Enhancement, Inc.        | same                                      |  |  | Project Name/Number:                    |
| Contact Name:             | Scott Banfield                   |   |  |  | SCLC                                    |
| Address:                  | P.O. Box 1036                    |   |  |  | Sampler's Signature: <i>[Signature]</i> |
| City, State, Zip:         | Angola, IN 46703                 |   |  |  | Laboratory Number(s):                   |
| Phone:                    | 260-665-8226                     |   |  |  | 44314-44317                             |
| Fax:                      |                                  |   |  |  | Preferred Method of Correspondence:     |
| E-mail:                   | sbanfield@aquaticenhancement.com |   |  |  | E-mail                                  |

| Sample ID/ Description | Collection Information |       | Container         |        | Requested Test |                                     |       |                 |        |  |  |  |  |  | Comments |  |  |  |
|------------------------|------------------------|-------|-------------------|--------|----------------|-------------------------------------|-------|-----------------|--------|--|--|--|--|--|----------|--|--|--|
|                        | Date                   | Time  | Grab or Composite | Matrix | Quantity       | Type<br>p=plastic<br>g=glass v=vial | Pres. | TSS, pH, T Phos | E.coli |  |  |  |  |  |          |  |  |  |
| 47                     | 5/24/21                | 12:30 | G                 | SW     | 2              | p                                   | u/so  | x               | x      |  |  |  |  |  |          |  |  |  |
| 64                     | 1                      | 12:50 | G                 | SW     | 2              | p                                   | u/so  | x               | x      |  |  |  |  |  |          |  |  |  |
| 48                     | 1                      | 1:15  | G                 | SW     | 2              | p                                   | u/so  | x               | x      |  |  |  |  |  |          |  |  |  |
| 59                     | 1                      | 1:40  | G                 | SW     | 2              | p                                   | u/so  | x               | x      |  |  |  |  |  |          |  |  |  |
|                        |                        |       | G                 | SW     | 2              | p                                   | u/so  | x               | x      |  |  |  |  |  |          |  |  |  |
|                        |                        |       | G                 | SW     | 2              | p                                   | u/so  | x               | x      |  |  |  |  |  |          |  |  |  |
|                        |                        |       | G                 | SW     | 2              | p                                   | u/so  | x               | x      |  |  |  |  |  |          |  |  |  |
|                        |                        |       | G                 | SW     | 2              | p                                   | u/so  | x               | x      |  |  |  |  |  |          |  |  |  |

|                        |                  |                    |                  |                            |   |
|------------------------|------------------|--------------------|------------------|----------------------------|---|
| <b>Relinquished By</b> | <b>Date/Time</b> | <b>Received By</b> | <b>Date/Time</b> | <b>Temp. upon Receipt:</b> | <b>Preservation Code:</b>   |
| Tyler Harrington       | 5/24/21- 1410    | Scott Fuller       | 5/24/2021, 1410  | _____ °C                   | N = HNO <sub>3</sub> / Nitric Acid                                      |
|                        |                  |                    |                  | Or                         | U = Unpreserved, Cooled to 4°C  |
|                        |                  |                    |                  | <u>&lt; 2hrs old</u>       | S = H <sub>2</sub> SO <sub>4</sub> / Sulfuric Acid                      |
|                        |                  |                    |                  |                            | OII = NaOH / Sodium Hydroxide   |
|                        |                  |                    |                  |                            | II = HCl / Hydrochloric Acid  |
|                        |                  |                    |                  |                            | SO = Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> / Sodium Thiosulfate |



# CHAIN OF CUSTODY RECORD



Sandhill

**Sandhill Environmental Services, LLC.**

650 North Wayne St.  
Waterloo, IN 46793

Turn Time:  
 Standard  
 Rush- Report by Date: \_\_\_\_\_  
 Rush turn times will incur a surcharge and must be pre-approved by the lab.

Matrix Code:  
 DW-Drinking Water  
 WW-Wastewater  
 STW- Stormwater  
 SW- Surface water

|                           |                                  |   |  |
|---------------------------|----------------------------------|---|--|
| <b>Client Information</b> |                                  | <b>Billing Information (if different)</b> | PO Number:                                 |
| Company Name:             | Aquatic Enhancement, Inc.        | same                                      | Project Name/Number:                       |
| Contact Name:             | Scott Banfield                   |   | SCLC                                       |
| Address:                  | P.O. Box 1036                    |   | Sampler's Signature:<br><i>[Signature]</i> |
| City, State, Zip:         | Angola, IN 46703                 |   | Laboratory Number(s):<br>44378-44386       |
| Phone:                    | 260-665-8226                     |   | Preferred Method of Correspondence:        |
| Fax:                      |                                  |   | E-mail                                     |
| E-mail:                   | sbanfield@aquaticenhancement.com |   |  |

| Sample ID/ Description | Collection Information |                   | Container         |        |          | Requested Test                      |       |                 |        |  |  |  |  |  |  | Comments |  |  |  |
|------------------------|------------------------|-------------------|-------------------|--------|----------|-------------------------------------|-------|-----------------|--------|--|--|--|--|--|--|----------|--|--|--|
|                        | Date                   | Time              | Grab or Composite | Matrix | Quantity | Type<br>p=plastic<br>g=glass v=vial | Pres. | TSS, pH, T Phos | E.coli |  |  |  |  |  |  |          |  |  |  |
| 19                     | 5/25/21                | 8:35 <sup>A</sup> | G                 | SW     | 2        | p                                   | u/so  | X               | X      |  |  |  |  |  |  |          |  |  |  |
| 25                     |                        | 8:54              | G                 | SW     | 2        | p                                   | u/so  | X               | X      |  |  |  |  |  |  |          |  |  |  |
| 24                     |                        | 9:12              | G                 | SW     | 2        | p                                   | u/so  | X               | X      |  |  |  |  |  |  |          |  |  |  |
| 22                     |                        | 9:24              | G                 | SW     | 2        | p                                   | u/so  | X               | X      |  |  |  |  |  |  |          |  |  |  |
| 39                     |                        | 9:33              | G                 | SW     | 2        | p                                   | u/so  | X               | X      |  |  |  |  |  |  |          |  |  |  |
| 72                     |                        | 9:43              | G                 | SW     | 2        | p                                   | u/so  | X               | X      |  |  |  |  |  |  |          |  |  |  |
| 38                     |                        | 10:04             | G                 | SW     | 2        | p                                   | u/so  | X               | X      |  |  |  |  |  |  |          |  |  |  |
| 46                     |                        | 10:43             | G                 | SW     | 2        | p                                   | u/so  | X               | X      |  |  |  |  |  |  |          |  |  |  |
| 29                     | ↓                      | 11:02             | G                 | SW     | 2        | p                                   | u/so  | X               | X      |  |  |  |  |  |  |          |  |  |  |

|                        |                  |                    |                  |                            |  |
|------------------------|------------------|--------------------|------------------|----------------------------|--|
| <b>Relinquished By</b> | <b>Date/Time</b> | <b>Received By</b> | <b>Date/Time</b> | <b>Temp. upon Receipt:</b> | <b>Preservation Code:</b>  |
| Tyler Harrington       | 5/25/21- 2:30    | Scott Free         | 5/25/2021, 1:30  | 3.2 °C                     | N = HNO <sub>3</sub> / Nitric Acid<br>U = Unpreserved, Cooled to 4°C<br>S = H <sub>2</sub> SO <sub>4</sub> / Sulfuric Acid<br>OH = NaOH / Sodium Hydroxide<br>H = HCl / Hydrochloric Acid<br>SO = Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> / Sodium Thiosulfate |
|                        |                  |                    |                  | Or                         |  |
|                        |                  |                    |                  | < 2hrs old                 |  |

# CHAIN OF CUSTODY RECORD



**Sandhill Environmental Services, LLC.**

650 North Wayne St.  
Waterloo, IN 46793

Turn Time:

Standard

Rush- Report by Date: \_\_\_\_\_

Rush turn times will incur a surcharge and must be pre-approved by the lab.

Pg 2 of 2

Matrix Code:

DW-Drinking Water

WW-Wastewater

STW- Stormwater

SW- Surface water

|                           |                                  |   |  |                                     |
|---------------------------|----------------------------------|---|--|-------------------------------------|
| <b>Client Information</b> |                                  | <b>Billing Information (if different)</b> |  | PO Number:                          |
| Company Name:             | Aquatic Enhancement, Inc.        | same                                      |  | Project Name/Number:                |
| Contact Name:             | Scott Banfield                   |   |  | SCLC                                |
| Address:                  | P.O. Box 1036                    |   |  | Sampler's Signature:                |
| City, State, Zip:         | Angola, IN 46703                 |   |  | Laboratory Number(s):               |
| Phone:                    | 260-665-8226                     |   |  | 44387- 44394                        |
| Fax:                      |                                  |   |  | Preferred Method of Correspondence: |
| E-mail:                   | sbanfield@aquaticenhancement.com |   |  | E-mail                              |

| Sample ID/ Description | Collection Information |       | Container         |        | Requested Test |                                     |       |                 |        |  |  |  |  |  | Comments |  |  |  |
|------------------------|------------------------|-------|-------------------|--------|----------------|-------------------------------------|-------|-----------------|--------|--|--|--|--|--|----------|--|--|--|
|                        | Date                   | Time  | Grab or Composite | Matrix | Quantity       | Type<br>p=plastic<br>g=glass v=vial | Pres. | TSS, pH, T Phos | E.coli |  |  |  |  |  |          |  |  |  |
| 32                     | 5/25/21                | 11:26 | G                 | SW     | 2              | p                                   | u/so  | X               | X      |  |  |  |  |  |          |  |  |  |
| 31                     |                        | 11:45 | G                 | SW     | 2              | p                                   | u/so  | X               | X      |  |  |  |  |  |          |  |  |  |
| 30                     |                        | 11:57 | G                 | SW     | 2              | p                                   | u/so  | X               | X      |  |  |  |  |  |          |  |  |  |
| 37                     |                        | 12:08 | G                 | SW     | 2              | p                                   | u/so  | X               | X      |  |  |  |  |  |          |  |  |  |
| 51                     |                        | 12:32 | G                 | SW     | 2              | p                                   | u/so  | X               | X      |  |  |  |  |  |          |  |  |  |
| 28                     |                        | 12:45 | G                 | SW     | 2              | p                                   | u/so  | X               | X      |  |  |  |  |  |          |  |  |  |
| 27                     |                        | 1:03  | G                 | SW     | 2              | p                                   | u/so  | X               | X      |  |  |  |  |  |          |  |  |  |
| 21                     |                        | 1:31  | G                 | SW     | 2              | p                                   | u/so  | X               | X      |  |  |  |  |  |          |  |  |  |
|                        |                        |       | G                 | SW     | 2              | p                                   | u/so  | X               | X      |  |  |  |  |  |          |  |  |  |

|                        |                  |                    |                   |                            |  |
|------------------------|------------------|--------------------|-------------------|----------------------------|--|
| <b>Relinquished By</b> | <b>Date/Time</b> | <b>Received By</b> | <b>Date/Time</b>  | <b>Temp. upon Receipt:</b> | <b>Preservation Code:</b>  |
| Tyler Harrington       | 5/25/21 - 2:30   | Heather Fuller     | 5/25/2021<br>1430 | 3.0 °C                     | N = HNO <sub>3</sub> / Nitric Acid<br>U = Unpreserved, Cooled to 4°C                                   |
|                        |                  |                    |                   | Or                         | S = H <sub>2</sub> SO <sub>4</sub> / Sulfuric Acid<br>OH = NaOH / Sodium Hydroxide                     |
|                        |                  |                    |                   | < 2hrs old                 | H = HCl / Hydrochloric Acid<br>SO = Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> / Sodium Thiosulfate |

# CHAIN OF CUSTODY RECORD



**Sandhill Environmental Services, LLC.**

650 North Wayne St.  
Waterloo, IN 46793

**Turn Time:**

- Standard  
 Rush- Report by Date: \_\_\_\_\_

Rush turn times will incur a surcharge and must be pre-approved by the lab.

**Matrix Code:**

- DW-Drinking Water  
 WW-Wastewater  
 STW- Stormwater  
 SW- Surface water

|                           |                                  |   |  |  |
|---------------------------|----------------------------------|---|--|--|
| <b>Client Information</b> |                                  | <b>Billing Information (if different)</b> |  | PO Number:                                 |
| Company Name:             | Aquatic Enhancement, Inc.        | same                                      |  | Project Name/Number:                       |
| Contact Name:             | Scott Banfield                   |   |  | SCLC                                       |
| Address:                  | P.O. Box 1036                    |   |  | Sampler's Signature:<br><i>[Signature]</i> |
| City, State, Zip:         | Angola, IN 46703                 |   |  | Laboratory Number(s):<br>44404-44412       |
| Phone:                    | 260-665-8226                     |   |  | Preferred Method of Correspondence:        |
| Fax:                      |                                  |   |  | E-mail                                     |
| E-mail:                   | sbanfield@aquaticenhancement.com |   |  |  |

| Sample ID/ Description | Collection Information |       |                   | Container |          |                                     | Requested Test |                 |        |  |  |  |  |  |  |  | Comments |  |  |  |
|------------------------|------------------------|-------|-------------------|-----------|----------|-------------------------------------|----------------|-----------------|--------|--|--|--|--|--|--|--|----------|--|--|--|
|                        | Date                   | Time  | Grab or Composite | Matrix    | Quantity | Type<br>p=plastic<br>g=glass v=vial | Pres.          | TSS, pH, T Phos | E.coli |  |  |  |  |  |  |  |          |  |  |  |
| 1                      | 5/26/21                | 8:55  | G                 | SW        | 2        | p                                   | u/so           | X               | X      |  |  |  |  |  |  |  |          |  |  |  |
| 2                      |                        | 9:38  | G                 | SW        | 2        | p                                   | u/so           | X               | X      |  |  |  |  |  |  |  |          |  |  |  |
| 3                      |                        | 9:55  | G                 | SW        | 2        | p                                   | u/so           | X               | X      |  |  |  |  |  |  |  |          |  |  |  |
| 4                      |                        | 10:29 | G                 | SW        | 2        | p                                   | u/so           | X               | X      |  |  |  |  |  |  |  |          |  |  |  |
| 5                      |                        | 11:07 | G                 | SW        | 2        | p                                   | u/so           | X               | X      |  |  |  |  |  |  |  |          |  |  |  |
| 58                     |                        | 11:22 | G                 | SW        | 2        | p                                   | u/so           | X               | X      |  |  |  |  |  |  |  |          |  |  |  |
| 6                      |                        | 11:46 | G                 | SW        | 2        | p                                   | u/so           | X               | X      |  |  |  |  |  |  |  |          |  |  |  |
| 7                      |                        | 12:08 | G                 | SW        | 2        | p                                   | u/so           | X               | X      |  |  |  |  |  |  |  |          |  |  |  |
| 8                      |                        | 12:28 | G                 | SW        | 2        | p                                   | u/so           | X               | X      |  |  |  |  |  |  |  |          |  |  |  |

|  |                                    |                                   |                                     |                                      |   |
|--|------------------------------------|-----------------------------------|-------------------------------------|--------------------------------------|---|
| <b>Relinquished By</b><br>Tyler Harrington | <b>Date/Time</b><br>5/26/21 - 2:45 | <b>Received By</b><br>Kara Fuller | <b>Date/Time</b><br>5/26/2021 14:50 | <b>Temp. upon Receipt:</b><br>4.3 °C | <b>Preservation Code:</b><br>N = HNO <sub>3</sub> / Nitric Acid<br>S = H <sub>2</sub> SO <sub>4</sub> / Sulfuric Acid<br>H = HCl / Hydrochloric Acid<br>U = Unpreserved, Cooled to 4°C<br>OH = NaOH / Sodium Hydroxide<br>SO = Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> / Sodium Thiosulfate |
|  |                                    |                                   |                                     | Or                                   |   |
|  |                                    |                                   |                                     | < 2hrs old                           |   |

# CHAIN OF CUSTODY RECORD



**Sandhill Environmental Services, LLC.**

650 North Wayne St.  
Waterloo, IN 46793

Turn Time:

Standard

Rush- Report by Date: \_\_\_\_\_

Rush turn times will incur a surcharge and must be pre-approved by the lab.

Matrix Code:

DW-Drinking Water

WW-Wastewater

STW- Stormwater

SW- Surface water

|                           |                                  |   |  |  |                                     |  |
|---------------------------|----------------------------------|---|--|--|-------------------------------------|--|
| <b>Client Information</b> |                                  | <b>Billing Information (if different)</b> |  |  | PO Number:                          |  |
| Company Name:             | Aquatic Enhancement, Inc.        | same                                      |  |  | Project Name/Number:                |  |
| Contact Name:             | Scott Banfield                   |   |  |  | SCLC                                |  |
| Address:                  | P.O. Box 1036                    |   |  |  | Sampler's Signature:                |  |
| City, State, Zip:         | Angola, IN 46703                 |   |  |  | Laboratory Number(s):               |  |
| Phone:                    | 260-665-8226                     |   |  |  | 44413 - 44415                       |  |
| Fax:                      |                                  |   |  |  | Preferred Method of Correspondence: |  |
| E-mail:                   | sbanfield@aquaticenhancement.com |   |  |  | E-mail                              |  |

| Sample ID/ Description | Collection Information |       | Container         |        |          | Requested Test                      |       |                 |        |  |  |  |  |  |  | Comments |  |  |  |  |
|------------------------|------------------------|-------|-------------------|--------|----------|-------------------------------------|-------|-----------------|--------|--|--|--|--|--|--|----------|--|--|--|--|
|                        | Date                   | Time  | Grab or Composite | Matrix | Quantity | Type<br>p=plastic<br>g=glass v=vial | Pres. | TSS, pH, T Phos | E.coli |  |  |  |  |  |  |          |  |  |  |  |
| 9                      | 5/26/21                | 12:46 | G                 | SW     | 2        | p                                   | u/so  | x               | x      |  |  |  |  |  |  |          |  |  |  |  |
| 10                     | 5/26/21                | 1:09  | G                 | SW     | 2        | p                                   | u/so  | x               | x      |  |  |  |  |  |  |          |  |  |  |  |
| 11                     | 5/26/21                | 1:54  | G                 | SW     | 2        | p                                   | u/so  | x               | x      |  |  |  |  |  |  |          |  |  |  |  |
|                        |                        |       | G                 | SW     | 2        | p                                   | u/so  | x               | x      |  |  |  |  |  |  |          |  |  |  |  |
|                        |                        |       | G                 | SW     | 2        | p                                   | u/so  | x               | x      |  |  |  |  |  |  |          |  |  |  |  |
|                        |                        |       | G                 | SW     | 2        | p                                   | u/so  | x               | x      |  |  |  |  |  |  |          |  |  |  |  |
|                        |                        |       | G                 | SW     | 2        | p                                   | u/so  | x               | x      |  |  |  |  |  |  |          |  |  |  |  |
|                        |                        |       | G                 | SW     | 2        | p                                   | u/so  | x               | x      |  |  |  |  |  |  |          |  |  |  |  |

|                        |                  |                    |                  |                            |  |
|------------------------|------------------|--------------------|------------------|----------------------------|--|
| <b>Relinquished By</b> | <b>Date/Time</b> | <b>Received By</b> | <b>Date/Time</b> | <b>Temp. upon Receipt:</b> | <b>Preservation Code:</b>  |
| Tyler Harrington       | 5/26/21 - 2:45   | Scott Fuller       | 5/26/2021, 1:45  | 7.9 °C                     | N = HNO <sub>3</sub> / Nitric Acid<br>U = Unpreserved, Cooled to 4°C                                   |
|                        |                  |                    |                  | Or                         | S = H <sub>2</sub> SO <sub>4</sub> / Sulfuric Acid<br>OH = NaOH / Sodium Hydroxide                     |
|                        |                  |                    |                  | < 2hrs old                 | H = HCl / Hydrochloric Acid<br>SO = Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> / Sodium Thiosulfate |