



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
Website: www.sandhillenviro.com

June 4, 2020

Aquatic Enhancement & Survey, Inc
Scott Banfield
PO Box 1036
Angola, IN 46703

RE: SCLC

Dear Scott Banfield:

Sandhill Environmental Services, LLC received **61** samples for the analyses presented in the following report.

In accordance with your instructions, Sandhill conducted the analysis shown on the following pages on the samples submitted. Unless otherwise noted, all analysis was conducted using approved methodologies from the EPA, Standard Methods, or other client-specified methods. All relevant sampling information is on the attached chain-of-custody form. Any reports containing subcontracted testing will be at the end of this report.

Certifications/Accreditation: IN# C-76-01 IN# M-76-09

This report shall not be reproduced except in full, without the written approval of the laboratory.

If you have any questions regarding these test results, please feel free to call.

Sincerely,

Natalie McGill
Laboratory Director

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 53

Collection Date: 05/26/2020

Lab ID #: 38334

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	6.3	MPN/100mL	1.0		05/26/2020, 15:40
Total Phosphorus					Analyst: N. McGill
	0.082	mg/L	0.022		05/26/2020, 17:05
Total Suspended Solids					Analyst: N. McGill
	2.2	mg/L	1.0		05/27/2020, 17:30
pH					Analyst: K. Fuller
	7.23	pH units			05/26/2020, 14:54

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 17

Collection Date: 05/26/2020

Lab ID #: 38335

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	2.0	MPN/100mL	1.0		05/26/2020, 15:40
Total Phosphorus					Analyst: N. McGill
	0.018	mg/L	0.022		05/26/2020, 17:05
	<i>Below quantitation limit. Result is suspect.</i>				
Total Suspended Solids					Analyst: N. McGill
	< 1.0	mg/L	1.0		05/27/2020, 17:30
pH					Analyst: K. Fuller
	8.30	pH units			05/26/2020, 14:56

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 54

Collection Date: 05/26/2020

Lab ID #: 38336

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	1,046.2	MPN/100mL	1.0		05/26/2020, 15:40
Total Phosphorus					Analyst: N. McGill
	0.113	Hach 10210, E365.1 & E365.3 Equivalent mg/L	0.022		05/26/2020, 17:05
Total Suspended Solids					Analyst: N. McGill
	1.4	mg/L	1.0		05/27/2020, 17:30
pH					Analyst: K. Fuller
	7.34	pH units			05/26/2020, 14:58

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 52

Collection Date: 05/26/2020

Lab ID #: 38337

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli				SM9223B	Analyst: N. McGill
	351.5	MPN/100mL	5.0		05/26/2020, 15:40
Total Phosphorus				Hach 10210, E365.1 & E365.3 Equivalent	Analyst: N. McGill
	0.235	mg/L	0.022		05/26/2020, 17:05
Total Suspended Solids				SM2540D	Analyst: N. McGill
	8.7	mg/L	1.0		05/27/2020, 17:30
pH				SM4500H-B	Analyst: K. Fuller
	7.74	pH units			05/26/2020, 15:02

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 45

Collection Date: 05/26/2020

Lab ID #: 38338

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	157.8	MPN/100mL	2.0		05/26/2020, 15:40
Total Phosphorus					Analyst: N. McGill
	0.070	mg/L	0.022		05/26/2020, 17:05
Total Suspended Solids					Analyst: N. McGill
	10.1	mg/L	1.0		05/27/2020, 17:30
pH					Analyst: K. Fuller
	7.79	pH units			05/26/2020, 15:03

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 50

Collection Date: 05/26/2020

Lab ID #: 38339

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	143.4	MPN/100mL	2.0		05/26/2020, 15:40
Total Phosphorus					Analyst: N. McGill
	0.093	Hach 10210, E365.1 & E365.3 Equivalent mg/L	0.022		05/26/2020, 17:05
Total Suspended Solids					Analyst: N. McGill
	9.4	SM2540D mg/L	2.0		05/27/2020, 17:30
pH					Analyst: K. Fuller
	7.65	SM4500H-B pH units			05/26/2020, 15:05

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 62

Collection Date: 05/26/2020

Lab ID #: 38340

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	821.2	MPN/100mL	2.0		05/26/2020, 15:40
Total Phosphorus					Analyst: N. McGill
	0.136	mg/L	0.022		05/26/2020, 17:05
Total Suspended Solids					Analyst: N. McGill
	11.8	mg/L	1.0		05/27/2020, 17:30
pH					Analyst: K. Fuller
	8.03	pH units			05/26/2020, 15:10

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 65

Collection Date: 05/26/2020

Lab ID #: 38341

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	222.4	MPN/100mL	2.0		05/26/2020, 15:40
Total Phosphorus					Analyst: N. McGill
	0.148	mg/L	0.022		05/26/2020, 17:05
Total Suspended Solids					Analyst: N. McGill
	5.8	mg/L	1.0		05/27/2020, 17:30
pH					Analyst: K. Fuller
	7.92	pH units			05/26/2020, 15:13

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 69

Collection Date: 05/26/2020

Lab ID #: 38342

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	163.2	MPN/100mL	2.0		05/26/2020, 15:40
Total Phosphorus					Analyst: N. McGill
	0.145	mg/L	0.022		05/26/2020, 17:05
Total Suspended Solids					Analyst: N. McGill
	7.6	mg/L	1.0		05/27/2020, 17:30
pH					Analyst: K. Fuller
	7.89	pH units			05/26/2020, 15:14

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 68

Collection Date: 05/26/2020

Lab ID #: 38343

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	209.8	MPN/100mL	1.0		05/26/2020, 15:40
Total Phosphorus					Analyst: N. McGill
	0.122	Hach 10210, E365.1 & E365.3 Equivalent mg/L	0.022		05/26/2020, 17:05
Total Suspended Solids					Analyst: N. McGill
	8.9	SM2540D mg/L	1.0		05/27/2020, 17:30
pH					Analyst: K. Fuller
	7.82	SM4500H-B pH units			05/26/2020, 15:18

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 70

Collection Date: 05/26/2020

Lab ID #: 38344

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	315.2	MPN/100mL	2.0		05/26/2020, 15:40
Total Phosphorus					Analyst: N. McGill
	0.098	mg/L	0.022		05/26/2020, 17:05
Total Suspended Solids					Analyst: N. McGill
	10.6	mg/L	2.0		05/27/2020, 17:30
pH					Analyst: K. Fuller
	7.71	pH units			05/26/2020, 15:20

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 73

Collection Date: 05/26/2020

Lab ID #: 38345

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	232.4	MPN/100mL	2.0		05/26/2020, 15:40
Total Phosphorus					Analyst: N. McGill
	0.129	mg/L	0.022		05/26/2020, 17:05
Total Suspended Solids					Analyst: N. McGill
	13.1	mg/L	2.0		05/27/2020, 17:30
pH					Analyst: K. Fuller
	7.69	pH units			05/26/2020, 15:23

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 71

Collection Date: 05/26/2020

Lab ID #: 38346

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	2,827.2	MPN/100mL	2.0		05/26/2020, 15:40
Total Phosphorus					Analyst: N. McGill
	0.158	Hach 10210, E365.1 & E365.3 Equivalent mg/L	0.022		05/26/2020, 17:05
Total Suspended Solids					Analyst: N. McGill
	21	mg/L	2.0		05/27/2020, 17:30
pH					Analyst: K. Fuller
	7.88	pH units			05/26/2020, 15:25

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 61

Collection Date: 05/26/2020

Lab ID #: 38347

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	232.4	MPN/100mL	2.0		05/26/2020, 15:40
Total Phosphorus					Analyst: N. McGill
	0.180	mg/L	0.022		05/26/2020, 17:05
Total Suspended Solids					Analyst: N. McGill
	9.2	mg/L	1.0		05/27/2020, 17:30
pH					Analyst: K. Fuller
	7.92	pH units			05/26/2020, 15:28

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 59

Collection Date: 05/26/2020

Lab ID #: 38348

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	90.8	MPN/100mL	1.0		05/26/2020, 15:40
Total Phosphorus					Analyst: N. McGill
	0.152	Hach 10210, E365.1 & E365.3 Equivalent mg/L	0.022		05/26/2020, 17:05
Total Suspended Solids					Analyst: N. McGill
	37	SM2540D mg/L	2.0		05/27/2020, 17:30
pH					Analyst: K. Fuller
	7.76	SM4500H-B pH units			05/26/2020, 15:31

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 58

Collection Date: 05/26/2020

Lab ID #: 38349

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	72.3	MPN/100mL	1.0		05/26/2020, 15:40
Total Phosphorus					Analyst: N. McGill
	0.104	Hach 10210, E365.1 & E365.3 Equivalent mg/L	0.022		05/26/2020, 17:05
Total Suspended Solids					Analyst: N. McGill
	19	SM2540D mg/L	2.0		05/27/2020, 17:30
pH					Analyst: K. Fuller
	7.84	SM4500H-B pH units			05/26/2020, 15:32

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 13

Collection Date: 05/27/2020

Lab ID #: 38387

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	8.5	MPN/100mL	1.0		05/27/2020, 16:35
Total Phosphorus					Analyst: N. McGill
	0.082	mg/L	0.022		05/27/2020, 17:05
Total Suspended Solids					Analyst: N. McGill
	3.5	mg/L	1.0		05/27/2020, 17:30
pH					Analyst: K. Fuller
	8.15	pH units			05/27/2020, 16:29

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 12

Collection Date: 05/27/2020

Lab ID #: 38388

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	40.8	MPN/100mL	1.0		05/27/2020, 16:35
Total Phosphorus					Analyst: N. McGill
	0.077	mg/L	0.022		05/27/2020, 17:05
Total Suspended Solids					Analyst: N. McGill
	4.6	mg/L	1.0		05/27/2020, 17:30
pH					Analyst: K. Fuller
	7.88	pH units			05/27/2020, 16:30

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 11

Collection Date: 05/27/2020

Lab ID #: 38389

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli				SM9223B	Analyst: N. McGill
	48.0	MPN/100mL	1.0		05/27/2020, 16:35
Total Phosphorus				Hach 10210, E365.1 & E365.3 Equivalent	Analyst: N. McGill
	0.083	mg/L	0.022		05/27/2020, 17:05
Total Suspended Solids				SM2540D	Analyst: N. McGill
	10.6	mg/L	1.0		05/27/2020, 17:30
pH				SM4500H-B	Analyst: K. Fuller
	7.81	pH units			05/27/2020, 16:31

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 10

Collection Date: 05/27/2020

Lab ID #: 38390

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	45.5	MPN/100mL	1.0		05/27/2020, 16:35
Total Phosphorus					Analyst: N. McGill
	0.082	Hach 10210, E365.1 & E365.3 Equivalent mg/L	0.022		05/27/2020, 17:05
Total Suspended Solids					Analyst: N. McGill
	7.6	SM2540D mg/L	1.0		05/27/2020, 17:30
pH					Analyst: K. Fuller
	7.79	SM4500H-B pH units			05/27/2020, 16:32

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 9

Collection Date: 05/27/2020

Lab ID #: 38391

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	16.0	MPN/100mL	1.0		05/27/2020, 16:35
Total Phosphorus					Analyst: N. McGill
	0.058	Hach 10210, E365.1 & E365.3 Equivalent mg/L	0.022		05/27/2020, 17:05
Total Suspended Solids					Analyst: N. McGill
	2.2	SM2540D mg/L	1.0		05/27/2020, 17:30
pH					Analyst: K. Fuller
	7.99	SM4500H-B pH units			05/27/2020, 16:33

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 8

Collection Date: 05/27/2020

Lab ID #: 38392

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	152.9	MPN/100mL	1.0		05/27/2020, 16:35
Total Phosphorus					Analyst: N. McGill
	0.140	mg/L	0.022		05/27/2020, 17:05
Total Suspended Solids					Analyst: N. McGill
	32	mg/L	2.0		05/27/2020, 17:30
pH					Analyst: K. Fuller
	7.83	pH units			05/27/2020, 16:35

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 7

Collection Date: 05/27/2020

Lab ID #: 38393

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	104.6	MPN/100mL	1.0		05/27/2020, 16:35
Total Phosphorus					Analyst: N. McGill
	0.148	mg/L	0.022		05/27/2020, 17:05
Total Suspended Solids					Analyst: N. McGill
	44	mg/L	10.0		05/27/2020, 17:30
pH					Analyst: K. Fuller
	7.78	pH units			05/27/2020, 16:36

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 6

Collection Date: 05/27/2020

Lab ID #: 38394

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	80.9	MPN/100mL	1.0		05/27/2020, 16:35
Total Phosphorus					Analyst: N. McGill
	0.123	Hach 10210, E365.1 & E365.3 Equivalent mg/L	0.022		05/27/2020, 17:05
Total Suspended Solids					Analyst: N. McGill
	30	SM2540D mg/L	4.0		05/27/2020, 17:30
pH					Analyst: K. Fuller
	7.82	SM4500H-B pH units			05/27/2020, 16:37

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 5

Collection Date: 05/27/2020

Lab ID #: 38395

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	63.7	MPN/100mL	1.0		05/27/2020, 16:35
Total Phosphorus					Analyst: N. McGill
	0.081	Hach 10210, E365.1 & E365.3 Equivalent mg/L	0.022		05/27/2020, 17:05
Total Suspended Solids					Analyst: N. McGill
	11.3	SM2540D mg/L	2.0		05/27/2020, 17:30
pH					Analyst: K. Fuller
	7.82	SM4500H-B pH units			05/27/2020, 16:38

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 4

Collection Date: 05/27/2020

Lab ID #: 38396

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli				SM9223B	Analyst: N. McGill
	30.9	MPN/100mL	1.0		05/27/2020, 16:35
Total Phosphorus				Hach 10210, E365.1 & E365.3 Equivalent	Analyst: N. McGill
	0.085	mg/L	0.022		05/27/2020, 17:05
Total Suspended Solids				SM2540D	Analyst: N. McGill
	21	mg/L	1.0		05/27/2020, 17:30
pH				SM4500H-B	Analyst: K. Fuller
	7.88	pH units			05/27/2020, 16:40

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 3

Collection Date: 05/27/2020

Lab ID #: 38397

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	59.8	MPN/100mL	1.0		05/27/2020, 16:35
Total Phosphorus					Analyst: N. McGill
	0.074	Hach 10210, E365.1 & E365.3 Equivalent mg/L	0.022		05/27/2020, 17:05
Total Suspended Solids					Analyst: N. McGill
	8.1	SM2540D mg/L	1.0		05/27/2020, 17:30
pH					Analyst: K. Fuller
	7.90	SM4500H-B pH units			05/27/2020, 16:41

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 2

Collection Date: 05/27/2020

Lab ID #: 38398

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	686.7	MPN/100mL	1.0		05/27/2020, 16:35
Total Phosphorus					Analyst: N. McGill
	0.124	mg/L	0.022		05/27/2020, 17:05
Total Suspended Solids					Analyst: N. McGill
	47	mg/L	10.0		05/27/2020, 17:30
pH					Analyst: K. Fuller
	7.77	pH units			05/27/2020, 16:43

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 1

Collection Date: 05/27/2020

Lab ID #: 38399

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	307.6	MPN/100mL	1.0		05/27/2020, 16:35
Total Phosphorus					Analyst: N. McGill
	0.140	mg/L	0.022		05/27/2020, 17:05
Total Suspended Solids					Analyst: N. McGill
	42	mg/L	4.0		05/27/2020, 17:30
pH					Analyst: K. Fuller
	7.57	pH units			05/27/2020, 16:44

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 48

Collection Date: 05/28/2020

Lab ID #: 38445

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	42.0	MPN/100mL	1.0		05/28/2020, 16:05
Total Phosphorus					Analyst: N. McGill
	0.023	mg/L	0.022		05/28/2020, 16:50
Total Suspended Solids					Analyst: N. McGill
	2.1	mg/L	1.0		05/28/2020, 17:20
pH					Analyst: K. Fuller
	8.00	pH units			05/28/2020, 14:53

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 64

Collection Date: 05/28/2020

Lab ID #: 38446

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	472.1	MPN/100mL	1.0		05/28/2020, 16:05
Total Phosphorus					Analyst: N. McGill
	0.098	mg/L	0.022		05/28/2020, 16:50
Total Suspended Solids					Analyst: N. McGill
	9.1	mg/L	1.0		05/28/2020, 17:20
pH					Analyst: K. Fuller
	7.81	pH units			05/28/2020, 14:54

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 47

Collection Date: 05/28/2020

Lab ID #: 38447

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	87.8	MPN/100mL	1.0		05/28/2020, 16:05
Total Phosphorus					Analyst: N. McGill
	0.067	Hach 10210, E365.1 & E365.3 Equivalent mg/L	0.022		05/28/2020, 16:50
Total Suspended Solids					Analyst: N. McGill
	2.6	SM2540D mg/L	1.0		05/28/2020, 17:20
pH					Analyst: K. Fuller
	7.85	SM4500H-B pH units			05/28/2020, 14:56

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 63

Collection Date: 05/28/2020

Lab ID #: 38448

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	290.9	MPN/100mL	1.0		05/28/2020, 16:05
Total Phosphorus					Analyst: N. McGill
	0.056	Hach 10210, E365.1 & E365.3 Equivalent mg/L	0.022		05/28/2020, 16:50
Total Suspended Solids					Analyst: N. McGill
	1.8	SM2540D mg/L	1.0		05/28/2020, 17:20
pH					Analyst: K. Fuller
	7.81	SM4500H-B pH units			05/28/2020, 14:57

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 14

Collection Date: 05/28/2020

Lab ID #: 38449

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	21.6	MPN/100mL	1.0		05/28/2020, 16:05
Total Phosphorus					Analyst: N. McGill
	0.076	Hach 10210, E365.1 & E365.3 Equivalent mg/L	0.022		05/28/2020, 16:50
Total Suspended Solids					Analyst: N. McGill
	4.2	SM2540D mg/L	1.0		05/28/2020, 17:20
pH					Analyst: K. Fuller
	7.73	SM4500H-B pH units			05/28/2020, 14:58

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 15

Collection Date: 05/28/2020

Lab ID #: 38450

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	8.5	MPN/100mL	1.0		05/28/2020, 16:05
Total Phosphorus					Analyst: N. McGill
	0.073	Hach 10210, E365.1 & E365.3 Equivalent mg/L	0.022		05/28/2020, 16:50
Total Suspended Solids					Analyst: N. McGill
	3.0	SM2540D mg/L	1.0		05/28/2020, 17:20
pH					Analyst: K. Fuller
	7.89	SM4500H-B pH units			05/28/2020, 15:01

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 16

Collection Date: 05/28/2020

Lab ID #: 38451

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	50.4	MPN/100mL	1.0		05/28/2020, 16:05
Total Phosphorus					Analyst: N. McGill
	0.071	Hach 10210, E365.1 & E365.3 Equivalent mg/L	0.022		05/28/2020, 16:50
Total Suspended Solids					Analyst: N. McGill
	7.7	SM2540D mg/L	1.0		05/28/2020, 17:20
pH					Analyst: K. Fuller
	7.81	SM4500H-B pH units			05/28/2020, 15:03

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 40

Collection Date: 05/28/2020

Lab ID #: 38452

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli				SM9223B	Analyst: N. McGill
	73.8	MPN/100mL	1.0		05/28/2020, 16:05
Total Phosphorus				Hach 10210, E365.1 & E365.3 Equivalent	Analyst: N. McGill
	0.016	mg/L	0.022		05/28/2020, 16:50
	<i>Below quantitation limit. Result is suspect.</i>				
Total Suspended Solids				SM2540D	Analyst: N. McGill
	1.2	mg/L	1.0		05/28/2020, 17:20
pH				SM4500H-B	Analyst: K. Fuller
	8.23	pH units			05/28/2020, 15:08

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 46

Collection Date: 05/28/2020

Lab ID #: 38453

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	1,986.3	MPN/100mL	1.0		05/28/2020, 16:05
Total Phosphorus					Analyst: N. McGill
	0.055	Hach 10210, E365.1 & E365.3 Equivalent mg/L	0.022		05/28/2020, 16:50
Total Suspended Solids					Analyst: N. McGill
	4.9	SM2540D mg/L	1.0		05/28/2020, 17:20
pH					Analyst: K. Fuller
	7.41	SM4500H-B pH units			05/28/2020, 15:11

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 39

Collection Date: 05/28/2020

Lab ID #: 38454

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	13.5	MPN/100mL	1.0		05/28/2020, 16:05
Total Phosphorus					Analyst: N. McGill
	0.027	Hach 10210, E365.1 & E365.3 Equivalent mg/L	0.022		05/28/2020, 16:50
Total Suspended Solids					Analyst: N. McGill
	1.7	SM2540D mg/L	1.0		05/28/2020, 17:20
pH					Analyst: K. Fuller
	8.29	SM4500H-B pH units			05/28/2020, 15:16

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 72

Collection Date: 05/28/2020

Lab ID #: 38455

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli				SM9223B	Analyst: N. McGill
	1,119.9	MPN/100mL	1.0		05/28/2020, 16:05
Total Phosphorus				Hach 10210, E365.1 & E365.3 Equivalent	Analyst: N. McGill
	0.056	mg/L	0.022		05/28/2020, 16:50
Total Suspended Solids				SM2540D	Analyst: N. McGill
	2.1	mg/L	1.0		05/28/2020, 17:20
pH				SM4500H-B	Analyst: K. Fuller
	7.27	pH units			05/28/2020, 15:17

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 67

Collection Date: 05/28/2020

Lab ID #: 38456

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	66.3	MPN/100mL	1.0		05/28/2020, 16:05
Total Phosphorus					Analyst: N. McGill
	0.023	Hach 10210, E365.1 & E365.3 Equivalent mg/L	0.022		05/28/2020, 16:50
Total Suspended Solids					Analyst: N. McGill
	2.4	SM2540D mg/L	1.0		05/28/2020, 17:20
pH					Analyst: K. Fuller
	8.06	SM4500H-B pH units			05/28/2020, 15:18

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 38

Collection Date: 05/28/2020

Lab ID #: 38457

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli				SM9223B	Analyst: N. McGill
	275.5	MPN/100mL	1.0		05/28/2020, 16:05
Total Phosphorus				Hach 10210, E365.1 & E365.3 Equivalent	Analyst: N. McGill
	0.025	mg/L	0.022		05/28/2020, 16:50
Total Suspended Solids				SM2540D	Analyst: N. McGill
	< 1.0	mg/L	1.0		05/28/2020, 17:20
pH				SM4500H-B	Analyst: K. Fuller
	7.64	pH units			05/28/2020, 15:20

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 24

Collection Date: 05/28/2020

Lab ID #: 38458

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	26.5	MPN/100mL	1.0		05/28/2020, 16:05
Total Phosphorus					Analyst: N. McGill
	0.029	Hach 10210, E365.1 & E365.3 Equivalent mg/L	0.022		05/28/2020, 16:50
Total Suspended Solids					Analyst: N. McGill
	1.0	SM2540D mg/L	1.0		05/28/2020, 17:20
pH					Analyst: K. Fuller
	8.08	SM4500H-B pH units			05/28/2020, 15:22

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 22

Collection Date: 05/28/2020

Lab ID #: 38459

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli				SM9223B	Analyst: N. McGill
	517.2	MPN/100mL	1.0		05/28/2020, 16:05
Total Phosphorus				Hach 10210, E365.1 & E365.3 Equivalent	Analyst: N. McGill
	0.097	mg/L	0.022		05/28/2020, 16:50
Total Suspended Solids				SM2540D	Analyst: N. McGill
	2.4	mg/L	1.0		05/28/2020, 17:20
pH				SM4500H-B	Analyst: K. Fuller
	7.69	pH units			05/28/2020, 15:24

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 19

Collection Date: 05/29/2020

Lab ID #: 38470

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	137.6	MPN/100mL	1.0		05/29/2020, 15:40
Total Phosphorus					Analyst: N. McGill
	0.057	mg/L	0.022		05/29/2020, 15:00
Total Suspended Solids					Analyst: K. Fuller
	8.6	mg/L	1.0		06/01/2020, 10:05
pH					Analyst: K. Fuller
	8.02	pH units			05/29/2020, 14:54

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 25

Collection Date: 05/29/2020

Lab ID #: 38471

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	62.4	MPN/100mL	1.0		05/29/2020, 15:40
Total Phosphorus					Analyst: N. McGill
	0.026	mg/L	0.022		05/29/2020, 15:00
Total Suspended Solids					Analyst: K. Fuller
	1.8	mg/L	1.0		06/01/2020, 10:05
pH					Analyst: K. Fuller
	8.00	pH units			05/29/2020, 14:57

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 21

Collection Date: 05/29/2020

Lab ID #: 38472

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	35.5	MPN/100mL	1.0		05/29/2020, 15:40
Total Phosphorus					Analyst: N. McGill
	0.030	Hach 10210, E365.1 & E365.3 Equivalent mg/L	0.022		05/29/2020, 15:00
Total Suspended Solids					Analyst: K. Fuller
	1.5	mg/L	1.0		06/01/2020, 10:05
pH					Analyst: K. Fuller
	7.92	pH units			05/29/2020, 14:58

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 66

Collection Date: 05/29/2020

Lab ID #: 38473

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	160.7	MPN/100mL	1.0		05/29/2020, 15:40
Total Phosphorus					Analyst: N. McGill
	0.133	mg/L	0.022		05/29/2020, 15:00
Total Suspended Solids					Analyst: K. Fuller
	4.0	mg/L	2.0		06/01/2020, 10:05
pH					Analyst: K. Fuller
	7.55	pH units			05/29/2020, 15:01

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 43

Collection Date: 05/29/2020

Lab ID #: 38474

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	35.9	MPN/100mL	1.0		05/29/2020, 15:40
Total Phosphorus					Analyst: N. McGill
	0.036	Hach 10210, E365.1 & E365.3 Equivalent mg/L	0.022		05/29/2020, 15:00
Total Suspended Solids					Analyst: K. Fuller
	5.2	mg/L	1.0		06/01/2020, 10:05
pH					Analyst: K. Fuller
	8.14	pH units			05/29/2020, 5:05

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 34

Collection Date: 05/29/2020

Lab ID #: 38475

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	129.1	MPN/100mL	1.0		05/29/2020, 15:40
Total Phosphorus					Analyst: N. McGill
	0.092	Hach 10210, E365.1 & E365.3 Equivalent mg/L	0.022		05/29/2020, 15:00
Total Suspended Solids					Analyst: K. Fuller
	6.1	mg/L	1.0		06/01/2020, 10:05
pH					Analyst: K. Fuller
	7.82	pH units			05/29/2020, 15:16

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 33

Collection Date: 05/29/2020

Lab ID #: 38476

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	63.1	MPN/100mL	1.0		05/29/2020, 15:40
Total Phosphorus					Analyst: N. McGill
	0.043	Hach 10210, E365.1 & E365.3 Equivalent mg/L	0.022		05/29/2020, 15:00
Total Suspended Solids					Analyst: K. Fuller
	2.5	mg/L	1.0		06/01/2020, 10:05
pH					Analyst: K. Fuller
	7.83	pH units			05/29/2020, 15:21

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 44

Collection Date: 05/29/2020

Lab ID #: 38477

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	90.6	MPN/100mL	1.0		05/29/2020, 15:40
Total Phosphorus					Analyst: N. McGill
	0.048	Hach 10210, E365.1 & E365.3 Equivalent mg/L	0.022		05/29/2020, 15:00
Total Suspended Solids					Analyst: K. Fuller
	4.0	mg/L	1.0		06/01/2020, 10:05
pH					Analyst: K. Fuller
	7.41	pH units			05/29/2020, 15:22

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 42

Collection Date: 05/29/2020

Lab ID #: 38478

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	224.7	MPN/100mL	1.0		05/29/2020, 15:40
Total Phosphorus					Analyst: N. McGill
	0.106	Hach 10210, E365.1 & E365.3 Equivalent mg/L	0.022		05/29/2020, 15:00
Total Suspended Solids					Analyst: K. Fuller
	7.9	SM2540D mg/L	1.0		06/01/2020, 10:05
pH					Analyst: K. Fuller
	7.71	SM4500H-B pH units			05/29/2020, 15:24

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 32

Collection Date: 05/29/2020

Lab ID #: 38479

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	70.8	MPN/100mL	1.0		05/29/2020, 15:40
Total Phosphorus					Analyst: N. McGill
	0.012	mg/L	0.022		05/29/2020, 15:00
	<i>Below quantitation limit. Result is suspect.</i>				
Total Suspended Solids					Analyst: K. Fuller
	1.7	mg/L	1.0		06/01/2020, 10:05
pH					Analyst: K. Fuller
	8.16	pH units			05/29/2020, 16:26

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 31

Collection Date: 05/29/2020

Lab ID #: 38480

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	127.4	MPN/100mL	1.0		05/29/2020, 15:40
Total Phosphorus					Analyst: N. McGill
	0.039	Hach 10210, E365.1 & E365.3 Equivalent mg/L	0.022		05/29/2020, 15:00
Total Suspended Solids					Analyst: K. Fuller
	4.1	mg/L	1.0		06/01/2020, 10:05
pH					Analyst: K. Fuller
	7.91	pH units			05/29/2020, 15:28

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 30

Collection Date: 05/29/2020

Lab ID #: 38481

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	52.1	MPN/100mL	1.0		05/29/2020, 15:40
Total Phosphorus					Analyst: N. McGill
	0.045	Hach 10210, E365.1 & E365.3 Equivalent mg/L	0.022		05/29/2020, 15:00
Total Suspended Solids					Analyst: K. Fuller
	13	mg/L	1.0		06/01/2020, 10:05
pH					Analyst: K. Fuller
	7.76	pH units			05/29/2020, 15:33

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 29

Collection Date: 05/29/2020

Lab ID #: 38482

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	39.3	MPN/100mL	1.0		05/29/2020, 15:40
Total Phosphorus					Analyst: N. McGill
	0.023	Hach 10210, E365.1 & E365.3 Equivalent mg/L	0.022		05/29/2020, 15:00
Total Suspended Solids					Analyst: K. Fuller
	11.6	mg/L	1.0		06/01/2020, 10:05
pH					Analyst: K. Fuller
	8.03	pH units			05/29/2020, 15:34

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 37

Collection Date: 05/29/2020

Lab ID #: 38483

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	34.1	MPN/100mL	1.0		05/29/2020, 15:40
Total Phosphorus					Analyst: N. McGill
	0.017	mg/L	0.022		05/29/2020, 15:00
	<i>Below quantitation limit. Result is suspect.</i>				
Total Suspended Solids					Analyst: K. Fuller
	6.1	mg/L	1.0		06/01/2020, 10:05
pH					Analyst: K. Fuller
	8.34	pH units			05/29/2020, 15:36

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 28

Collection Date: 05/29/2020

Lab ID #: 38484

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli				SM9223B	Analyst: N. McGill
	1,553.1	MPN/100mL	1.0		05/29/2020, 15:40
Total Phosphorus				Hach 10210, E365.1 & E365.3 Equivalent	Analyst: N. McGill
	0.095	mg/L	0.022		05/29/2020, 17:40
Total Suspended Solids				SM2540D	Analyst: K. Fuller
	11.1	mg/L	1.0		06/01/2020, 10:05
pH				SM4500H-B	Analyst: K. Fuller
	7.98	pH units			05/29/2020, 15:40

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 51

Collection Date: 05/29/2020

Lab ID #: 38485

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli				SM9223B	Analyst: N. McGill
	201.4	MPN/100mL	1.0		05/29/2020, 15:40
Total Phosphorus				Hach 10210, E365.1 & E365.3 Equivalent	Analyst: N. McGill
	0.025	mg/L	0.022		05/29/2020, 15:00
Total Suspended Solids				SM2540D	Analyst: K. Fuller
	2.9	mg/L	1.0		06/01/2020, 10:05
pH				SM4500H-B	Analyst: K. Fuller
	7.87	pH units			05/29/2020, 15:42

ANALYTICAL REPORT



650 North Wayne St.
Waterloo, IN 46793
Phone: 260-408-5221
www.sandhillenviro.com

Client: Aquatic Enhancement & Survey, Inc
Attn: Scott Banfield
Project: SCLC

Key:
DL Detection Limit
PL Permit Limit
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 27

Collection Date: 05/29/2020

Lab ID #: 38486

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
E.coli					Analyst: N. McGill
	123.6	MPN/100mL	1.0		05/29/2020, 15:40
Total Phosphorus					Analyst: N. McGill
	0.107	Hach 10210, E365.1 & E365.3 Equivalent mg/L	0.022		05/29/2020, 15:00
Total Suspended Solids					Analyst: K. Fuller
	15.2	mg/L	2.0		06/01/2020, 10:05
pH					Analyst: K. Fuller
	7.96	pH units			05/29/2020, 15:43

CHAIN OF CUSTODY RECORD



Sandhill Environmental Services, LLC.

650 North Wayne St.
Waterloo, IN 46793

Turn Time:

Standard

Rush- Report by Date: _____

Rush turn times will incur a surcharge and must be pre-approved by the lab.

Matrix Code:

DW-Drinking Water

WW-Wastewater

STW- Stormwater

SW- Surface water

Client Information		Billing Information (if different)		PO Number:	
Company Name:	Aquatic Enhancement, Inc.	same		Project Name/Number:	
Contact Name:	Scott Banfield			SCLC	
Address:	P.O. Box 1036			Sampler's Signature: <i>[Signature]</i>	
City, State, Zip:	Angola, IN 46703			Laboratory Number(s): 38331-38342	
Phone:	260-665-8226			Preferred Method of Correspondence:	
Fax:				E-mail	
E-mail:	sbanfield@aquaticenhancement.com				

Sample ID/ Description	Collection Information			Container			Requested Test										Comments			
	Date	Time	Grab or Composite	Matrix	Quantity	Type p=plastic g=glass v=vial	Pres.	TSS, pH, T Phos	E.coli											
53	5/26	8:48	G	SW	2	p	u/so	x	x											
17		9:08	G	SW	2	p	u/so	x	x											
54		9:28	G	SW	2	p	u/so	x	x											
52		9:41	G	SW	2	p	u/so	x	x											
43		9:52	G	SW	2	p	u/so	x	x											
50		10:17	G	SW	2	p	u/so	x	x											
62		10:37	G	SW	2	p	u/so	x	x											
65		11:03	G	SW	2	p	u/so	x	x											
69		11:23	G	SW	2	p	u/so	x	x											

Relinquished By: <i>[Signature]</i>	Date/Time: 5/26/2020, 1420	Received By: <i>[Signature]</i>	Date/Time: 5/26/2020 1420	Temp. upon Receipt: 5.6 °C	Preservation Code: N = HNO ₃ / Nitric Acid S = H ₂ SO ₄ / Sulfuric Acid H = HCl / Hydrochloric Acid U = Unpreserved, Cooled to 4°C OH = NaOH / Sodium Hydroxide SO = Na ₂ S ₂ O ₃ / Sodium Thiosulfate
				Or < 2hrs old	

CHAIN OF CUSTODY RECORD



Sandhill Environmental Services, LLC.

650 North Wayne St.
Waterloo, IN 46793

Turn Time:

- Standard
 Rush- Report by Date: _____
 Rush turn times will incur a surcharge and must be pre-approved by the lab.

Matrix Code:

- DW-Drinking Water
 WW-Wastewater
 STW- Stormwater
 SW- Surface water

Client Information		Billing Information (if different)		PO Number:
Company Name:	Aquatic Enhancement, Inc.	same		Project Name/Number:
Contact Name:	Scott Banfield			SCLC
Address:	P.O. Box 1036			Sampler's Signature:
City, State, Zip:	Angola, IN 46703			Laboratory Number(s):
Phone:	260-665-8226			38343-38349
Fax:				Preferred Method of Correspondence:
E-mail:	sbanfield@aquaticenhancement.com			E-mail

Sample ID/Description	Collection Information			Container			Requested Test										Comments			
	Date	Time	Grab or Composite Matrix	Quantity	Type p=plastic g=glass v=vial	Pres.	TSS, pH, T Phos	E.coli												
68	5/26/20	11:40	G SW	2	p	u/so	x	x												
70		11:52	G SW	2	p	u/so	x	x												
73		12:10	G SW	2	p	u/so	x	x												
71		12:18	G SW	2	p	u/so	x	x												
61		12:50	G SW	2	p	u/so	x	x												
59		1:16	G SW	2	p	u/so	x	x												
59		1:39	G SW	2	p	u/so	x	x												
			G SW	2	p	u/so	x	x												
			G SW	2	p	u/so	x	x												

Relinquished By:	Date/Time	Received By	Date/Time	Temp. upon Receipt:	Preservation Code:
<i>[Signature]</i>	5/26/2020, 1420	<i>[Signature]</i>	5/26/2020, 1420	7.8 °C	N = HNO ₃ / Nitric Acid U = Unpreserved, Cooled to 4°C S = H ₂ SO ₄ / Sulfuric Acid OH = NaOH / Sodium Hydroxide H = HCl / Hydrochloric Acid SO = Na ₂ S ₂ O ₃ / Sodium Thiosulfate
				Or	
				< 2hrs old	

CHAIN OF CUSTODY RECORD



Sandhill Environmental Services, LLC.

650 North Wayne St.
Waterloo, IN 46793

Turn Time:

Standard

Rush- Report by Date: _____

Rush turn times will incur a surcharge and must be pre-approved by the lab.

Matrix Code:

DW-Drinking Water

WW-Wastewater

STW- Stormwater

SW- Surface water

Client Information		Billing Information (if different)		PO Number:
Company Name:	Aquatic Enhancement, Inc.	same		Project Name/Number:
Contact Name:	Scott Banfield			SCLC
Address:	P.O. Box 1036			Sampler's Signature: <i>[Signature]</i>
City, State, Zip:	Angola, IN 46703			Laboratory Number(s): 38387-38395
Phone:	260-665-8226			Preferred Method of Correspondence:
Fax:				E-mail
E-mail:	sbanfield@aquaticenhancement.com			

Sample ID/Description	Collection Information			Container			Requested Test										Comments			
	Date	Time	Grab or Composite Matrix	Quantity	Type p=plastic g=glass v=vial	Pres.	TSS, pH, T Phos	E.coli												
13	9/27/20	2:00	G SW	2	p	u/so	x	x												
12		1:45	G SW	2	p	u/so	x	x												
11		1:35	G SW	2	p	u/so	x	x												
10		1:05	G SW	2	p	u/so	x	x												
9		12:56	G SW	2	p	u/so	x	x												
8		12:35	G SW	2	p	u/so	x	x												
7		12:15	G SW	2	p	u/so	x	x												
6		12:02	G SW	2	p	u/so	x	x												
5		11:40	G SW	2	p	u/so	x	x												

Relinquished By	Date/Time	Received By	Date/Time	Temp. upon Receipt:	Preservation Code:
Tyler Harrington	9/27/20 2:50	[Signature]	9/27/20 01:45	3.6 °C	N = HNO ₃ / Nitric Acid U = Unpreserved, Cooled to 4°C S = H ₂ SO ₄ / Sulfuric Acid OH = NaOH / Sodium Hydroxide H = HCl / Hydrochloric Acid SO = Na ₂ S ₂ O ₃ / Sodium Thiosulfate
				Or	
				< 2hrs old	

CHAIN OF CUSTODY RECORD



Sandhill Environmental Services, LLC.

650 North Wayne St.
Waterloo, IN 46793

Turn Time:

Standard

Rush- Report by Date: _____

Rush turn times will incur a surcharge and must be pre-approved by the lab.

Matrix Code:

DW-Drinking Water

WW-Wastewater

STW- Stormwater

SW- Surface water

Client Information		Billing Information (if different)	PO Number:
Company Name:	Aquatic Enhancement, Inc.	same	Project Name/Number:
Contact Name:	Scott Banfield		SCLC
Address:	P.O. Box 1036		Sampler's Signature:
City, State, Zip:	Angola, IN 46703		Laboratory Number(s):
Phone:	260-665-8226		38396 - 38399
Fax:			Preferred Method of Correspondence:
E-mail:	sbanfield@aquaticenhancement.com		E-mail

Sample ID/ Description	Collection Information		Container			Requested Test										Comments					
	Date	Time	Grab or Composite	Matrix	Quantity	Type p=plastic g=glass v=vial	Pres.	TSS, pH, T Phos	E.coli												
4	5/27/20	11:23	G	SW	2	p	u/so	x	x												
3		10:20	G	SW	2	p	u/so	x	x												
2		10:08	G	SW	2	p	u/so	x	x												
1		9:30	G	SW	2	p	u/so	x	x												
				G	SW	2	p	u/so	x	x											
			G	SW	2	p	u/so	x	x												
			G	SW	2	p	u/so	x	x												
			G	SW	2	p	u/so	x	x												

Relinquished By	Date/Time	Received By	Date/Time	Temp. upon Receipt:	Preservation Code:
Tyler Harrington	5/27/20 - 250	Scott Fuller	5/27/2020, 1450	2.6 °C	N = HNO ₃ / Nitric Acid U = Unpreserved, Cooled to 4°C S = H ₂ SO ₄ / Sulfuric Acid OH = NaOH / Sodium Hydroxide H = HCl / Hydrochloric Acid SO = Na ₂ S ₂ O ₃ / Sodium Thiosulfate
				Or	
				< 2hrs old	

CHAIN OF CUSTODY RECORD



Sandhill Environmental Services, LLC.

650 North Wayne St.
Waterloo, IN 46793

Turn Time:

- Standard
 Rush- Report by Date: _____
 Rush turn times will incur a surcharge and must be pre-approved by the lab.

Matrix Code:

- DW-Drinking Water
 WW-Wastewater
 STW- Stormwater
 SW- Surface water

Client Information		Billing Information (if different)		PO Number:
Company Name:	Aquatic Enhancement, Inc.	same		Project Name/Number:
Contact Name:	Scott Banfield			SCLC
Address:	P.O. Box 1036			Sampler's Signature: <i>[Signature]</i>
City, State, Zip:	Angola, IN 46703			Laboratory Number(s): 38445 - 38453
Phone:	260-665-8226			Preferred Method of Correspondence:
Fax:				E-mail
E-mail:	sbanfield@aquaticenhancement.com			

Sample ID/Description	Collection Information		Container		Requested Test						Comments					
	Date	Time	Grab or Composite	Matrix	Quantity	Type p=plastic g=glass v=vial	Pres.	TSS, pH, T Phos	E.coli							
48	5/28	8:22	G	SW	2	p	u/so	x	x							
64		8:50	G	SW	2	p	u/so	x	x							
47		9:03	G	SW	2	p	u/so	x	x							
63		9:18	G	SW	2	p	u/so	x	x							
14		10:05	G	SW	2	p	u/so	x	x							
15		10:20	G	SW	2	p	u/so	x	x							
16		11:09	G	SW	2	p	u/so	x	x							
40		11:34	G	SW	2	p	u/so	x	x							
46		12:06	G	SW	2	p	u/so	x	x							

Relinquished By	Date/Time	Received By	Date/Time	Temp. upon Receipt:	Preservation Code:
Tyler Harrington	5/28/20 - 2:10	Tatalu McGin	5/28/20, 14:10	6.4 °C Or < 2hrs old	N = HNO ₃ / Nitric Acid S = H ₂ SO ₄ / Sulfuric Acid H = HCl / Hydrochloric Acid U = Unpreserved, Cooled to 4°C OH = NaOH / Sodium Hydroxide SO = Na ₂ S ₂ O ₃ / Sodium Thiosulfate

CHAIN OF CUSTODY RECORD



Sandhill Environmental Services, LLC.

650 North Wayne St.
Waterloo, IN 46793

Turn Time:

Standard

Rush- Report by Date: _____

Rush turn times will incur a surcharge and must be pre-approved by the lab.

Matrix Code:

DW-Drinking Water

WW-Wastewater

STW- Stormwater

SW- Surface water

Client Information		Billing Information (if different)		PO Number:	
Company Name:	Aquatic Enhancement, Inc.	same		Project Name/Number:	
Contact Name:	Scott Banfield			SCLC	
Address:	P.O. Box 1036			Sampler's Signature:	
City, State, Zip:	Angola, IN 46703			Laboratory Number(s):	
Phone:	260-665-8226			38454-38459	
Fax:				Preferred Method of Correspondence:	
E-mail:	sbanfield@aquaticenhancement.com			E-mail	

Sample ID/ Description	Collection Information			Container			Requested Test										Comments				
	Date	Time	Grab or Composite Matrix	Quantity	Type p=plastic g=glass v=vial	Pres.	TSS, pH, T Phos	E.coli													
39	5/28	12:23	G SW	2	p	u/so	x	x													
72		12:34	G SW	2	p	u/so	x	x													
67		12:45	G SW	2	p	u/so	x	x													
38		12:57	G SW	2	p	u/so	x	x													
24		1:19	G SW	2	p	u/so	x	x													
22		1:26	G SW	2	p	u/so	x	x													
				G SW	2	p	u/so	x	x												
			G SW	2	p	u/so	x	x													
			G SW	2	p	u/so	x	x													

Relinquished By Tyler Harrington	Date/Time 5/28/20 - 2:10	Received By Natalie McE...	Date/Time 5/28/20 1410	Temp. upon Receipt: 16.3 °C	Preservation Code: N = HNO ₃ / Nitric Acid U = Unpreserved, Cooled to 4°C S = H ₂ SO ₄ / Sulfuric Acid OH = NaOH / Sodium Hydroxide H = HCl / Hydrochloric Acid SO = Na ₂ S ₂ O ₃ / Sodium Thiosulfate
				Or	
				< 2hrs old	

CHAIN OF CUSTODY RECORD



Sandhill Environmental Services, LLC.

650 North Wayne St.
Waterloo, IN 46793

Turn Time:

Standard

Rush- Report by Date: _____

Rush turn times will incur a surcharge and must be pre-approved by the lab.

Matrix Code:

DW-Drinking Water

WW-Wastewater

STW- Stormwater

SW- Surface water

Client Information		Billing Information (if different)	PO Number:
Company Name:	Aquatic Enhancement, Inc.	same	Project Name/Number:
Contact Name:	Scott Banfield		SCLC
Address:	P.O. Box 1036		Sampler's Signature: <i>Joe [Signature]</i>
City, State, Zip:	Angola, IN 46703		Laboratory Number(s): 38470-38478
Phone:	260-665-8226		Preferred Method of Correspondence:
Fax:			E-mail
E-mail:	sbanfield@aquaticenhancement.com		

Sample ID/ Description	Collection Information			Container			Requested Test										Comments			
	Date	Time	Grab or Composite	Matrix	Quantity	Type p=plastic g=glass v=vial	Pres.	TSS, pH, T Phos	E.coli											
19	5/29/20	7:43	G	SW	2	p	u/so	X	X											
23		7:58	G	SW	2	p	u/so	X	X											
21		8:10	G	SW	2	p	u/so	X	X											
66		8:40	G	SW	2	p	u/so	X	X											
43		9:26	G	SW	2	p	u/so	X	X											
34		9:47	G	SW	2	p	u/so	X	X											
33		9:55	G	SW	2	p	u/so	X	X											
44		10:08	G	SW	2	p	u/so	X	X											
42		10:21	G	SW	2	p	u/so	X	X											

Relinquished By	Date/Time	Received By	Date/Time	Temp. upon Receipt:	Preservation Code:
Taylor Harrington	5/29/20 - 1:20 pm	Natalie McGin	5/29/20, 1:32	5.7 °C	N = HNO ₃ / Nitric Acid U = Unpreserved, Cooled to 4°C
				Or	S = H ₂ SO ₄ / Sulfuric Acid OH = NaOH / Sodium Hydroxide
				< 2hrs old	H = HCl / Hydrochloric Acid SO = Na ₂ S ₂ O ₃ / Sodium Thiosulfate

CHAIN OF CUSTODY RECORD



Sandhill Environmental Services, LLC.

650 North Wayne St.
Waterloo, IN 46793

Turn Time:

- Standard
 Rush- Report by Date: _____

Rush turn times will incur a surcharge and must be pre-approved by the lab.

Matrix Code:

- DW-Drinking Water
WW-Wastewater
STW- Stormwater
SW- Surface water

Client Information		Billing Information (if different)		PO Number:
Company Name:	Aquatic Enhancement, Inc.	same		Project Name/Number:
Contact Name:	Scott Banfield			SCLC
Address:	P.O. Box 1036			Sampler's Signature:
City, State, Zip:	Angola, IN 46703			Laboratory Number(s):
Phone:	260-665-8226			38479-38486
Fax:				Preferred Method of Correspondence:
E-mail:	sbanfield@aquaticenhancement.com			E-mail

Sample ID/ Description	Collection Information			Container			Requested Test										Comments			
	Date	Time	Grab or Composite Matrix	Quantity	Type p=plastic g=glass v=vial	Pres.	TSS, pH, T Phos	E.coli												
32	5/29/20	10:52	G SW	2	p	u/so	x	x												
31		11:11	G SW	2	p	u/so	x	x												
30		11:18	G SW	2	p	u/so	x	x												
29		11:31	G SW	2	p	u/so	x	x												
37		12:02	G SW	2	p	u/so	x	x												
28		12:37	G SW	2	p	u/so	x	x												
51		12:13	G SW	2	p	u/so	x	x												
27		12:28	G SW	2	p	u/so	x	x												
			G SW	2	p	u/so	x	x												

Relinquished By	Date/Time	Received By	Date/Time	Temp. upon Receipt:	Preservation Code:
Tyler Harrington	5/29/20 - 120pm	Nichole McGinnis	5/29/20, 1320	8.1 °C	N = HNO ₃ / Nitric Acid U = Unpreserved, Cooled to 4°C
				Or	S = H ₂ SO ₄ / Sulfuric Acid OH = NaOH / Sodium Hydroxide
				< 2hrs old	H = HCl / Hydrochloric Acid SO = Na ₂ S ₂ O ₃ / Sodium Thiosulfate