



1975 W. 100 N., Suite C  
Angola, IN 46703  
Phone: 260-624-2401  
Website: [www.sandhillenviro.com](http://www.sandhillenviro.com)

September 3, 2019

Aquatic Enhancement & Survey, Inc  
Scott Banfield  
PO Box 1036  
Angola, IN 46703

RE: SCLC

Dear Scott Banfield:

Sandhill Environmental Services, LLC received **61** samples for the analyses presented in the following report.

In accordance with your instructions, Sandhill conducted the analysis shown on the following pages on the samples submitted. Unless otherwise noted, all analysis was conducted using approved methodologies from the EPA, Standard Methods, or other client-specified methods. All relevant sampling information is on the attached chain-of-custody form. Any reports containing subcontracted testing will be at the end of this report.

Certifications/Accreditation: IN# C-76-01 IN# M-76-09

This report shall not be reproduced except in full, without the written approval of the laboratory.

If you have any questions regarding these test results, please feel free to call.

Sincerely,

Natalie McGill  
Laboratory Director  
1975 W. 100 N., Suite C  
Angola, IN 46703

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 53

Collection Date: 08/26/2019

Lab ID #: 34526

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	5.2	MPN/100mL	1.0		08/26/2019, 16:30
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.057	mg/L	0.022		08/26/2019, 15:15
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: K. Kershner</b>
	2.2	mg/L	1.0		08/27/2019, 10:45
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	7.21	pH units			08/26/2019, 15:14

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 17

Collection Date: 08/26/2019

Lab ID #: 34527

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	3.1	MPN/100mL	1.0		08/26/2019, 16:30
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.038	mg/L	0.022		08/26/2019, 15:15
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: K. Kershner</b>
	1.6	mg/L	1.0		08/27/2019, 10:45
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	7.80	pH units			08/26/2019, 15:14

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 54

Collection Date: 08/26/2019

Lab ID #: 34528

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	261.3	MPN/100mL	1.0		08/26/2019, 16:30
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.092	mg/L	0.022		08/26/2019, 15:15
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: K. Kershner</b>
	1.7	mg/L	1.0		08/27/2019, 10:45
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	7.32	pH units			08/26/2019, 15:15

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 52

Collection Date: 08/26/2019

Lab ID #: 34529

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>			<b>SM9223B</b>		<b>Analyst: N. McGill</b>
	> 4,839.2	MPN/100mL	2.0		08/26/2019, 16:30
	<i>Analyses performed out of hold time; result is suspect.</i>				
<b>Total Phosphorus</b>			<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>		<b>Analyst: N. McGill</b>
	0.321	mg/L	0.022		08/26/2019, 15:15
<b>Total Suspended Solids</b>			<b>SM2540D</b>		<b>Analyst: K. Kershner</b>
	18	mg/L	1.0		08/27/2019, 10:45
<b>pH</b>			<b>SM4500H-B</b>		<b>Analyst: K. Kershner</b>
	7.69	pH units			08/26/2019, 15:16

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 45

Collection Date: 08/26/2019

Lab ID #: 34530

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	2,043.7	MPN/100mL	3.3		08/26/2019, 16:30
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.080	mg/L	0.022		08/26/2019, 15:15
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: K. Kershner</b>
	9.1	mg/L	1.0		08/27/2019, 10:45
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	7.77	pH units			08/26/2019, 15:16

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 50

Collection Date: 08/26/2019

Lab ID #: 34531

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	1,203.3	MPN/100mL	1.0		08/26/2019, 16:30
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.121	mg/L	0.022		08/26/2019, 15:15
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: K. Kershner</b>
	12.0	mg/L	2.0		08/27/2019, 10:45
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	7.65	pH units			08/26/2019, 15:17

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 62

Collection Date: 08/26/2019

Lab ID #: 34532

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	81.9	MPN/100mL	1.4		08/26/2019, 16:30
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.117	mg/L	0.022		08/26/2019, 15:15
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: K. Kershner</b>
	6.5	mg/L	1.0		08/27/2019, 10:45
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	8.14	pH units			08/26/2019, 15:20



# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 65

Collection Date: 08/26/2019

Lab ID #: 34533

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	1,627.5	MPN/100mL	5.0		08/26/2019, 16:30
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.144	mg/L	0.022		08/26/2019, 15:15
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: K. Kershner</b>
	18	mg/L	1.0		08/27/2019, 10:45
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	8.13	pH units			08/26/2019, 15:21

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 69

Collection Date: 08/26/2019

Lab ID #: 34534

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	1,377.5	MPN/100mL	5.0		08/26/2019, 16:30
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.116	mg/L	0.022		08/26/2019, 15:15
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: K. Kershner</b>
	15	mg/L	1.0		08/27/2019, 10:45
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	8.10	pH units			08/26/2019, 15:22

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 68

Collection Date: 08/26/2019

Lab ID #: 34535

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	651.0	MPN/100mL	2.0		08/26/2019, 16:30
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.109	mg/L	0.022		08/26/2019, 15:15
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: K. Kershner</b>
	12	mg/L	1.0		08/27/2019, 10:45
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	8.04	pH units			08/26/2019, 15:22

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 70

Collection Date: 08/26/2019

Lab ID #: 34536

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	1,032.0	MPN/100mL	5.0		08/26/2019, 16:30
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.092	mg/L	0.022		08/26/2019, 15:15
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: K. Kershner</b>
	7.3	mg/L	1.0		08/27/2019, 10:45
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	7.79	pH units			08/26/2019, 15:24

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 71

Collection Date: 08/26/2019

Lab ID #: 34537

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	3,635.0	MPN/100mL	5.0		08/26/2019, 16:30
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.193	mg/L	0.022		08/26/2019, 15:15
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: K. Kershner</b>
	20	mg/L	1.0		08/27/2019, 10:45
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	7.93	pH units			08/26/2019, 15:25

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 73

Collection Date: 08/26/2019

Lab ID #: 34538

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>					<b>Analyst: N. McGill</b>
	2,580.0	MPN/100mL	2.6		08/27/2019, 14:50
	<i>Analyses performed out of hold time; result is suspect.</i>				
<b>Total Phosphorus</b>					<b>Analyst: N. McGill</b>
	0.328	mg/L	0.022		08/26/2019, 15:15
<b>Total Suspended Solids</b>					<b>Analyst: K. Kershner</b>
	21	mg/L	2.0		08/27/2019, 10:45
<b>pH</b>					<b>Analyst: K. Kershner</b>
	7.41	pH units			08/26/2019, 15:26

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 61

Collection Date: 08/26/2019

Lab ID #: 34539

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	3,465.8	MPN/100mL	2.0		08/26/2019, 16:30
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.185	mg/L	0.022		08/26/2019, 15:15
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: K. Kershner</b>
	90	mg/L	1.0		08/27/2019, 10:45
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	8.02	pH units			08/26/2019, 15:27

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 59

Collection Date: 08/26/2019

Lab ID #: 34540

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	365.4	MPN/100mL	1.0		08/26/2019, 16:30
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.074	mg/L	0.022		08/26/2019, 15:15
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: K. Kershner</b>
	4.3	mg/L	1.0		08/27/2019, 10:45
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	7.84	pH units			08/26/2019, 15:28



# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 58

Collection Date: 08/26/2019

Lab ID #: 34541

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	920.8	MPN/100mL	1.0		08/26/2019, 16:30
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.079	mg/L	0.022		08/26/2019, 15:15
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: K. Kershner</b>
	6.2.	mg/L	1.0		08/27/2019, 10:45
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	7.82	pH units			08/26/2019, 15:29

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 37

Collection Date: 08/26/2019

Lab ID #: 34542

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	105.0	MPN/100mL	1.0		08/26/2019, 16:30
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.031	mg/L	0.022		08/26/2019, 15:15
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: K. Kershner</b>
	1.7	mg/L	1.0		08/27/2019, 10:45
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	8.25	pH units			08/26/2019, 15:30

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 43

Collection Date: 08/27/2019

Lab ID #: 34559

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	165.8	MPN/100mL	1.0		08/27/2019, 15:40
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.049	mg/L	0.022		08/27/2019, 16:00
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: N. McGill</b>
	5.4	mg/L	1.0		08/27/2019, 17:25
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	8.03	pH units			08/27/2019, 14:55

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 34

Collection Date: 08/27/2019

Lab ID #: 34560

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	198.9	MPN/100mL	1.0		08/27/2019, 15:40
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.139	mg/L	0.022		08/27/2019, 16:00
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: N. McGill</b>
	2.2	mg/L	1.0		08/27/2019, 17:25
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	7.64	pH units			08/27/2019, 14:57

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 33

Collection Date: 08/27/2019

Lab ID #: 34561

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	14.6	MPN/100mL	1.0		08/27/2019, 15:40
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.057	mg/L	0.022		08/27/2019, 16:00
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: N. McGill</b>
	5.9	mg/L	1.0		08/27/2019, 17:25
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	8.14	pH units			08/27/2019, 14:59

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 44

Collection Date: 08/27/2019

Lab ID #: 34562

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	261.3	MPN/100mL	1.0		08/27/2019, 15:40
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.042	mg/L	0.022		08/27/2019, 16:00
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: N. McGill</b>
	3.1	mg/L	1.0		08/27/2019, 17:25
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	7.50	pH units			08/27/2019, 15:00

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 42

Collection Date: 08/27/2019

Lab ID #: 34563

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	551.0	MPN/100mL	2.0		08/27/2019, 15:40
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.114	mg/L	0.022		08/27/2019, 16:00
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: N. McGill</b>
	4.8	mg/L	1.0		08/27/2019, 17:25
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	7.70	pH units			08/27/2019, 15:01

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 46

Collection Date: 08/27/2019

Lab ID #: 34564

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	77.9	MPN/100mL	2.0		08/27/2019, 15:40
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.058	mg/L	0.022		08/27/2019, 16:00
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: N. McGill</b>
	12	mg/L	2.0		08/27/2019, 17:25
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	7.30	pH units			08/27/2019, 15:04



# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 39

Collection Date: 08/27/2019

Lab ID #: 34565

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	17.5	MPN/100mL	1.0		08/27/2019, 15:40
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.029	mg/L	0.022		08/27/2019, 16:00
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: N. McGill</b>
	1.4	mg/L	1.0		08/27/2019, 17:25
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	8.14	pH units			08/27/2019, 15:05

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 72

Collection Date: 08/27/2019

Lab ID #: 34566

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	32.7	MPN/100mL	1.0		08/27/2019, 15:40
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.074	mg/L	0.022		08/27/2019, 16:00
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: N. McGill</b>
	7.4	mg/L	1.0		08/27/2019, 17:25
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	7.60	pH units			08/27/2019, 15:06

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 67

Collection Date: 08/27/2019

Lab ID #: 34567

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	129.1	MPN/100mL	1.0		08/27/2019, 15:40
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.039	mg/L	0.022		08/27/2019, 16:00
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: N. McGill</b>
	1.6	mg/L	1.0		08/27/2019, 17:25
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	8.07	pH units			08/27/2019, 15:07

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 38

Collection Date: 08/27/2019

Lab ID #: 34568

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	1,046.2	MPN/100mL	1.0		08/27/2019, 15:40
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.046	mg/L	0.022		08/27/2019, 16:00
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: N. McGill</b>
	1.2	mg/L	1.0		08/27/2019, 17:25
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	7.40	pH units			08/27/2019, 15:08

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 25

Collection Date: 08/27/2019

Lab ID #: 34569

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	75.4	MPN/100mL	1.0		08/27/2019, 15:40
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.043	mg/L	0.022		08/27/2019, 16:00
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: N. McGill</b>
	3.4	mg/L	1.0		08/27/2019, 17:25
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	7.80	pH units			08/27/2019, 15:04

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 24

Collection Date: 08/27/2019

Lab ID #: 34570

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	34.5	MPN/100mL	1.0		08/27/2019, 15:40
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.040	mg/L	0.022		08/27/2019, 16:00
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: N. McGill</b>
	3.3	mg/L	1.0		08/27/2019, 17:25
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	8.08	pH units			08/27/2019, 15:10

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 22

Collection Date: 08/27/2019

Lab ID #: 34571

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	354.4	MPN/100mL	1.0		08/27/2019, 15:40
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.067	mg/L	0.022		08/27/2019, 16:00
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: N. McGill</b>
	1.9	mg/L	1.0		08/27/2019, 17:25
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	7.42	pH units			08/27/2019, 15:11

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 21

Collection Date: 08/27/2019

Lab ID #: 34572

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	74.0	MPN/100mL	5.0		08/27/2019, 15:40
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.390	mg/L	0.022		08/27/2019, 16:00
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: N. McGill</b>
	470	mg/L	4.0		08/27/2019, 17:25
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	7.84	pH units			08/27/2019, 15:12



# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 1

Collection Date: 08/28/2019

Lab ID #: 34623

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>					<b>Analyst: N. McGill</b>
	579.4	MPN/100mL	1.0		08/28/2019, 15:14
<b>Total Phosphorus</b>					<b>Analyst: N. McGill</b>
	0.068	Hach 10210, E365.1 & E365.3 Equivalent mg/L	0.022		08/28/2019, 15:15
<b>Total Suspended Solids</b>					<b>Analyst: N. McGill</b>
	11.3	SM2540D mg/L	1.0		08/28/2019, 15:20
<b>pH</b>					<b>Analyst: K. Kershner</b>
	7.65	SM4500H-B pH units			08/28/2019, 14:39

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 2

Collection Date: 08/28/2019

Lab ID #: 34624

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>					<b>Analyst: N. McGill</b>
	547.5	MPN/100mL	1.0		08/28/2019, 15:14
<b>Total Phosphorus</b>					<b>Analyst: N. McGill</b>
	0.061	Hach 10210, E365.1 & E365.3 Equivalent mg/L	0.022		08/28/2019, 15:15
<b>Total Suspended Solids</b>					<b>Analyst: N. McGill</b>
	7.4	SM2540D mg/L	1.0		08/28/2019, 15:20
<b>pH</b>					<b>Analyst: K. Kershner</b>
	7.91	SM4500H-B pH units			08/28/2019, 14:40

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 3

Collection Date: 08/28/2019

Lab ID #: 34625

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	16.0	MPN/100mL	1.0		08/28/2019, 15:14
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.099	mg/L	0.022		08/28/2019, 15:15
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: N. McGill</b>
	9.8	mg/L	1.0		08/28/2019, 15:20
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	8.22	pH units			08/28/2019, 14:41

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 4

Collection Date: 08/28/2019

Lab ID #: 34626

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	224.7	MPN/100mL	1.0		08/28/2019, 15:14
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.091	mg/L	0.022		08/28/2019, 15:15
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: N. McGill</b>
	4.8	mg/L	1.0		08/28/2019, 15:20
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	7.88	pH units			08/28/2019, 14:42

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 5

Collection Date: 08/28/2019

Lab ID #: 34627

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	387.3	MPN/100mL	1.0		08/28/2019, 15:14
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.096	mg/L	0.022		08/28/2019, 15:15
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: N. McGill</b>
	7.3	mg/L	1.0		08/28/2019, 15:20
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	7.76	pH units			08/28/2019, 14:43

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 6

Collection Date: 08/28/2019

Lab ID #: 34628

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	261.3	MPN/100mL	1.0		08/28/2019, 15:14
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.088	mg/L	0.022		08/28/2019, 15:15
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: N. McGill</b>
	2.8	mg/L	1.0		08/28/2019, 15:20
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	7.82	pH units			08/28/2019, 14:44

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 7

Collection Date: 08/28/2019

Lab ID #: 34629

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	163.1	MPN/100mL	1.0		08/28/2019, 15:14
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.081	mg/L	0.022		08/28/2019, 15:15
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: N. McGill</b>
	6.4	mg/L	1.0		08/28/2019, 15:20
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	7.80	pH units			08/28/2019, 14:46

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 8

Collection Date: 08/28/2019

Lab ID #: 34630

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>					<b>Analyst: N. McGill</b>
	88.8	MPN/100mL	1.0		08/28/2019, 15:14
<b>Total Phosphorus</b>					<b>Analyst: N. McGill</b>
	0.090	Hach 10210, E365.1 & E365.3 Equivalent mg/L	0.022		08/28/2019, 15:15
<b>Total Suspended Solids</b>					<b>Analyst: N. McGill</b>
	4.7	SM2540D mg/L	1.0		08/28/2019, 15:20
<b>pH</b>					<b>Analyst: K. Kershner</b>
	7.86	SM4500H-B pH units			08/28/2019, 14:47



# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 9

Collection Date: 08/28/2019

Lab ID #: 34631

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	5.1	MPN/100mL	1.0		08/28/2019, 15:14
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.085	mg/L	0.022		08/28/2019, 15:15
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: N. McGill</b>
	8.6	mg/L	1.0		08/28/2019, 15:20
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	8.17	pH units			08/28/2019, 14:48

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 10

Collection Date: 08/28/2019

Lab ID #: 34632

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	110.0	MPN/100mL	1.0		08/28/2019, 15:14
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.080	mg/L	0.022		08/28/2019, 15:15
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: N. McGill</b>
	5.4	mg/L	1.0		08/28/2019, 15:20
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	8.02	pH units			08/28/2019, 14:49

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 11

Collection Date: 08/28/2019

Lab ID #: 34633

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	53.7	MPN/100mL	1.0		08/28/2019, 15:14
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.082	mg/L	0.022		08/28/2019, 15:15
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: N. McGill</b>
	6.3	mg/L	1.0		08/28/2019, 15:20
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	8.05	pH units			08/28/2019, 14:50

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 12

Collection Date: 08/28/2019

Lab ID #: 34634

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	13.2	MPN/100mL	1.0		08/28/2019, 15:14
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.075	mg/L	0.022		08/28/2019, 15:15
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: N. McGill</b>
	6.0	mg/L	1.0		08/28/2019, 15:20
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	7.91	pH units			08/28/2019, 14:52

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 13

Collection Date: 08/28/2019

Lab ID #: 34635

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>					<b>Analyst: N. McGill</b>
	1.0	MPN/100mL	1.0		08/28/2019, 15:14
<b>Total Phosphorus</b>					<b>Analyst: N. McGill</b>
	0.041	Hach 10210, E365.1 & E365.3 Equivalent mg/L	0.022		08/28/2019, 15:15
<b>Total Suspended Solids</b>					<b>Analyst: N. McGill</b>
	3.4	SM2540D mg/L	1.0		08/28/2019, 15:20
<b>pH</b>					<b>Analyst: K. Kershner</b>
	8.61	SM4500H-B pH units			08/28/2019, 14:53

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 27

Collection Date: 08/29/2019

Lab ID #: 34666

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	435.2	MPN/100mL	1.0		08/29/2019, 14:40
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.091	mg/L	0.022		08/29/2019, 14:30
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: K. Kershner</b>
	7.9	mg/L	1.0		08/30/2019, 9:55
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	7.91	pH units			08/30/2019, 13:07

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 28

Collection Date: 08/29/2019

Lab ID #: 34667

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	74.0	MPN/100mL	5.0		08/29/2019, 14:40
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.055	mg/L	0.022		08/29/2019, 14:30
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: K. Kershner</b>
	5.7	mg/L	1.0		08/30/2019, 9:55
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	7.63	pH units			08/30/2019, 13:09

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 51

Collection Date: 08/29/2019

Lab ID #: 34668

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	579.4	MPN/100mL	1.0		08/29/2019, 14:40
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.021	mg/L	0.022		08/29/2019, 14:30
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: K. Kershner</b>
	1.5	mg/L	1.0		08/30/2019, 9:55
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	7.84	pH units			08/30/2019, 13:15



# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 29

Collection Date: 08/29/2019

Lab ID #: 34669

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	6.1	MPN/100mL	2.0		08/29/2019, 14:40
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.023	mg/L	0.022		08/29/2019, 14:30
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: K. Kershner</b>
	1.3	mg/L	1.0		08/30/2019, 9:55
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	8.02	pH units			08/30/2019, 13:16

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 40

Collection Date: 08/29/2019

Lab ID #: 34670

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	6.3	MPN/100mL	1.0		08/29/2019, 14:40
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.023	mg/L	0.022		08/29/2019, 14:30
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: K. Kershner</b>
	2.4	mg/L	1.0		08/30/2019, 9:55
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	8.21	pH units			08/30/2019, 13:18

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 16

Collection Date: 08/29/2019

Lab ID #: 34671

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	32.7	MPN/100mL	1.0		08/29/2019, 14:40
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.051	mg/L	0.022		08/29/2019, 14:30
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: K. Kershner</b>
	1.7	mg/L	1.0		08/30/2019, 9:55
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	7.72	pH units			08/30/2019, 13:19

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 14

Collection Date: 08/29/2019

Lab ID #: 34672

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	12.1	MPN/100mL	1.0		08/29/2019, 14:40
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.042	mg/L	0.022		08/29/2019, 14:30
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: K. Kershner</b>
	2.6	mg/L	1.0		08/30/2019, 9:55
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	7.95	pH units			08/30/2019, 13:20

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 15

Collection Date: 08/29/2019

Lab ID #: 34673

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	17.5	MPN/100mL	1.0		08/29/2019, 14:40
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.084	mg/L	0.022		08/29/2019, 14:30
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: K. Kershner</b>
	8.4	mg/L	2.0		08/30/2019, 9:55
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	8.10	pH units			08/30/2019, 13:22

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 48

Collection Date: 08/29/2019

Lab ID #: 34674

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>					<b>Analyst: N. McGill</b>
	64.4	MPN/100mL	1.0		08/29/2019, 14:40
<b>Total Phosphorus</b>					<b>Analyst: N. McGill</b>
	0.023	Hach 10210, E365.1 & E365.3 Equivalent mg/L	0.022		08/29/2019, 14:30
<b>Total Suspended Solids</b>					<b>Analyst: K. Kershner</b>
	1.2	SM2540D mg/L	1.0		08/30/2019, 9:55
<b>pH</b>					<b>Analyst: K. Kershner</b>
	7.91	SM4500H-B pH units			08/30/2019, 13:24

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 30

Collection Date: 08/29/2019

Lab ID #: 34675

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>					<b>Analyst: N. McGill</b>
	55.6	MPN/100mL	1.0		08/29/2019, 14:40
<b>Total Phosphorus</b>					<b>Analyst: N. McGill</b>
	0.033	Hach 10210, E365.1 & E365.3 Equivalent mg/L	0.022		08/29/2019, 14:30
<b>Total Suspended Solids</b>					<b>Analyst: K. Kershner</b>
	1.8	SM2540D mg/L	1.0		08/30/2019, 9:55
<b>pH</b>					<b>Analyst: K. Kershner</b>
	7.69	SM4500H-B pH units			08/30/2019, 13:24

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 31

Collection Date: 08/29/2019

Lab ID #: 34676

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	131.4	MPN/100mL	1.0		08/29/2019, 14:40
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.042	mg/L	0.022		08/29/2019, 14:30
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: K. Kershner</b>
	4.6	mg/L	1.0		08/30/2019, 9:55
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	7.92	pH units			08/30/2019, 13:25



# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 32

Collection Date: 08/29/2019

Lab ID #: 34677

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	7.5	MPN/100mL	1.0		08/29/2019, 14:40
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.013	mg/L	0.022		08/29/2019, 14:30
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: K. Kershner</b>
	2.0	mg/L	1.0		08/30/2019, 9:55
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	8.24	pH units			08/30/2019, 13:26

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 64

Collection Date: 08/30/2019

Lab ID #: 34723

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	159.7	MPN/100mL	1.0		08/30/2019, 13:15
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.111	mg/L	0.022		08/30/2019, 12:25
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: N. McGill</b>
	3.8	mg/L	1.0		08/31/2019, 8:40
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	7.88	pH units			08/30/2019, 11:45

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 47

Collection Date: 08/30/2019

Lab ID #: 34724

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	517.2	MPN/100mL	1.0		08/30/2019, 13:15
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.093	mg/L	0.022		08/30/2019, 12:25
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: N. McGill</b>
	1.0	mg/L	1.0		08/31/2019, 8:40
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	8.03	pH units			08/30/2019, 11:46

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 63

Collection Date: 08/30/2019

Lab ID #: 34725

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	25.6	MPN/100mL	1.0		08/30/2019, 13:15
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.079	mg/L	0.022		08/30/2019, 12:25
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: N. McGill</b>
	1.8	mg/L	1.0		08/31/2019, 8:40
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	7.56	pH units			08/30/2019, 11:47

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 66

Collection Date: 08/30/2019

Lab ID #: 34726

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	< 1.0	MPN/100mL	1.0		08/30/2019, 13:15
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.247	mg/L	0.022		08/30/2019, 12:25
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: N. McGill</b>
	1.5	mg/L	1.0		08/31/2019, 8:40
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	7.27	pH units			08/30/2019, 11:49

# ANALYTICAL REPORT



1975 West 100 North, Ste. C  
Angola, IN 46703  
Phone: 260-624-2401  
www.sandhillenviro.com

**Client:** Aquatic Enhancement & Survey, Inc  
**Attn:** Scott Banfield  
**Project:** SCLC

**Key:**  
DL Detection Limit  
PL Permit Limit  
SUB (as analyst) work sub-contracted by Sandhill

Sample ID: 19

Collection Date: 08/30/2019

Lab ID #: 34727

Collected By: Tyler Harrington

Analyses	Result	Units	DL	PL	Date/Time
<b>E.coli</b>				<b>SM9223B</b>	<b>Analyst: N. McGill</b>
	313.0	MPN/100mL	1.0		08/30/2019, 13:15
<b>Total Phosphorus</b>				<b>Hach 10210, E365.1 &amp; E365.3 Equivalent</b>	<b>Analyst: N. McGill</b>
	0.053	mg/L	0.022		08/30/2019, 12:25
<b>Total Suspended Solids</b>				<b>SM2540D</b>	<b>Analyst: N. McGill</b>
	3.9	mg/L	1.0		08/31/2019, 8:40
<b>pH</b>				<b>SM4500H-B</b>	<b>Analyst: K. Kershner</b>
	8.06	pH units			08/30/2019, 11:50

# CHAIN OF CUSTODY RECORD



## Sandhill Environmental Services, LLC.

1975 West 100 North, Ste. C  
Angola, IN 46703

Turn Time:

Standard

Rush- Report by Date: \_\_\_\_\_

Rush turn times will incur a surcharge and must be pre-approved by the lab.

Matrix Code:

DW-Drinking Water

WW-Wastewater

STW- Stormwater

SW- Surface water

Client Information		Billing Information (if different)		PO Number:
Company Name:	Aquatic Enhancement, Inc.	same		Project Name/Number:
Contact Name:	Scott Banfield			SCLC
Address:	P.O. Box 1036			Sampler's Signature: <i>[Signature]</i>
City, State, Zip:	Angola, IN 46703			Laboratory Number(s): 34526-34534
Phone:	260-665-8226			Preferred Method of Correspondence:
Fax:				E-mail
E-mail:	sbanfield@aquaticenhancement.com			

Sample ID/ Description	Collection Information			Container			Requested Test										Comments			
	Date	Time	Grab or Composite Matrix	Quantity	Type p=plastic g=glass v=vial	Pres.	TSS, pH, T Phos	E.coli												
53	8.26.19	8:53 <sup>A</sup>	G SW	2	p	u/so	x	x												
17		9:13 <sup>A</sup>	G SW	2	p	u/so	x	x												
54		9:29 <sup>A</sup>	G SW	2	p	u/so	x	x												
52		9:42 <sup>A</sup>	G SW	2	p	u/so	x	x												
45		10:02 <sup>A</sup>	G SW	2	p	u/so	x	x												
50		10:27 <sup>A</sup>	G SW	2	p	u/so	x	x												
62		10:40 <sup>A</sup>	G SW	2	p	u/so	x	x												
65		10:58 <sup>A</sup>	G SW	2	p	u/so	x	x												
69		11:15 <sup>A</sup>	G SW	2	p	u/so	x	x												

Relinquished By	Date/Time	Received By	Date/Time	Temp. upon Receipt:	Preservation Code:
Tyler Harrington	8/26/19 2:30pm	Natalie McGinnis	8/26/19, 1430	3.4 °C	N - HNO <sub>3</sub> / Nitric Acid U - Unpreserved, Cooled to 4°C S - H <sub>2</sub> SO <sub>4</sub> / Sulfuric Acid OH - NaOH / Sodium Hydroxide H - HCl / Hydrochloric Acid SO = Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> / Sodium Thiosulfate
				Or	
				< 2hrs old	

# CHAIN OF CUSTODY RECORD



**Sandhill Environmental Services, LLC.**

1975 West 100 North, Ste. C  
Angola, IN 46703

Turn Time:

Standard

Rush- Report by Date: \_\_\_\_\_

Rush turn times will incur a surcharge and must be pre-approved by the lab.

Matrix Code:

DW-Drinking Water

WW-Wastewater

STW- Stormwater

SW- Surface water

<b>Client Information</b>		<b>Billing Information (if different)</b>			<b>PO Number:</b>	
Company Name:	Aquatic Enhancement, Inc.	same			Project Name/Number:	
Contact Name:	Scott Banfield				SCLC	
Address:	P.O. Box 1036				Sample's Signature: <i>[Signature]</i>	
City, State, Zip:	Angola, IN 46703				Laboratory Number(s): 34535 - 34542	
Phone:	260-665-8226				Preferred Method of Correspondence:	
Fax:					E-mail	
E-mail:	sbanfield@aquaticenhancement.com					

Sample ID/ Description	Collection Information			Container			Requested Test										Comments			
	Date	Time	Grab or Composite Matrix	Quantity	Type p=plastic g=glass v=vial	Pres.	TSS, pH, T Phos	E.coli												
68	8-26-19	11:28 <sup>A</sup>	G SW	2	p	u/so	x	x												
70	8-26-19	11:46 <sup>A</sup>	G SW	2	p	u/so	x	x												
71		12:16 <sup>P</sup>	G SW	2	p	u/so	x	x												
73		12:38 <sup>P</sup>	G SW	2	p	u/so	x	x												
61		12:55 <sup>P</sup>	G SW	2	p	u/so	x	x												
59		1:15 <sup>P</sup>	G SW	2	p	u/so	x	x												
58		1:35 <sup>P</sup>	G SW	2	p	u/so	x	x												
34		2:06 <sup>P</sup>	G SW	2	p	u/so	x	x												
			G SW	2	p	u/so	x	x												

<b>Relinquished By</b>	<b>Date/Time</b>	<b>Received By</b>	<b>Date/Time</b>	Temp. upon Receipt: _____ °C  Or  < 2hrs old	Preservation Code:  N HNO <sub>3</sub> / Nitric Acid  S H <sub>2</sub> SO <sub>4</sub> / Sulfuric Acid  H = HCl / Hydrochloric Acid  U - Unpreserved, Cooled to 4°C  OH NaOH / Sodium Hydroxide  SO = Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> / Sodium Thiosulfate
Tyler Harrington	8/26/19 - 2:30pm	Natalie Meyer	8/26/19, 1436		



# CHAIN OF CUSTODY RECORD



**Sandhill Environmental Services, LLC.**

1975 West 100 North, Ste. C  
Angola, IN 46703

Turn Time:  
 Standard  
 Rush- Report by Date: \_\_\_\_\_  
 Rush turn times will incur a surcharge and must be pre-approved by the lab.

**Matrix Code:**  
 DW-Drinking Water  
 WW-Wastewater  
 STW- Stormwater  
 SW- Surface water

<b>Client Information</b>		<b>Billing Information (if different)</b>		<b>PO Number:</b>	
Company Name:	Aquatic Enhancement, Inc.	same		Project Name/Number:	
Contact Name:	Scott Banfield			SCLC	
Address:	P.O. Box 1036			Sampler's Signature: <i>[Signature]</i>	
City, State, Zip:	Angola, IN 46703			Laboratory Number(s): 34859-34567	
Phone:	260-665-8226			Preferred Method of Correspondence:	
Fax:				E-mail	
E-mail:	sbanfield@aquaticenhancement.com				

Sample ID/ Description	Collection Information		Container		Requested Test										Comments				
	Date	Time	Grab or Composite	Matrix	Quantity	Type p=plastic g=glass v=vial	Pres.	TSS, pH, T Phos	E.coli										
43	8-27	9:14 <sup>A</sup>	G	SW	2	p	u/so	X	X										
34		9:39 <sup>A</sup>	G	SW	2	p	u/so	X	X										
33		9:48	G	SW	2	p	u/so	X	X										
44		10:33	G	SW	2	p	u/so	X	X										
42		10:47	G	SW	2	p	u/so	X	X										
46		12:06	G	SW	2	p	u/so	X	X										
39		12:41	G	SW	2	p	u/so	X	X										
72		12:54	G	SW	2	p	u/so	X	X										
67		1:06	G	SW	2	p	u/so	X	X										

<b>Relinquished By</b>	<b>Date/Time</b>	<b>Received By</b>	<b>Date/Time</b>	<b>Temp. upon Receipt:</b>	<b>Preservation Code:</b>
Tyler Harrington	8/27/19 2:40 pm	[Signature]	8/27/19 1440	2.6 °C	N = HNO <sub>3</sub> / Nitric Acid S = H <sub>2</sub> SO <sub>4</sub> / Sulfuric Acid H = HCl / Hydrochloric Acid U = Unpreserved, Cooled to 4°C OH = NaOH / Sodium Hydroxide SO = Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> / Sodium Thiosulfate
				Or	
				< 2hrs old	

# CHAIN OF CUSTODY RECORD



**Sandhill Environmental Services, LLC.**

1975 West 100 North, Ste. C  
Angola, IN 46703

**Turn Time:**

- Standard  
 Rush- Report by Date: \_\_\_\_\_  
 Rush turn times will incur a surcharge and must be pre-approved by the lab.

**Matrix Code:**

- DW-Drinking Water  
 WW-Wastewater  
 STW- Stormwater  
 SW- Surface water

<b>Client Information</b>		<b>Billing Information (if different)</b>	<b>PO Number:</b>
Company Name:	Aquatic Enhancement, Inc.	same	Project Name/Number:
Contact Name:	Scott Banfield		SCLC
Address:	P.O. Box 1036		Sampler's Signature: <i>[Signature]</i>
City, State, Zip:	Angola, IN 46703		Laboratory Number(s): 345200-34572
Phone:	260-665-8226		Preferred Method of Correspondence:
Fax:			E-mail
E-mail:	sbanfield@aquaticenhancement.com		

Sample ID/ Description	Collection Information			Container			Requested Test										Comments				
	Date	Time	Grab or Composite	Matrix	Quantity	Type p=plastic g=glass v=vial	Pres.	TSS, pH, T Phos	E.coli												
38	8.27-19	12:21	G	SW	2	p	u/so	X	X												
25		1:41	G	SW	2	p	u/so	X	X												
24		1:59	G	SW	2	p	u/so	X	X												
22		2:05	G	SW	2	p	u/so	X	X												
21		2:14	G	SW	2	p	u/so	X	X												
			G	SW	2	p	u/so	X	X												
			G	SW	2	p	u/so	X	X												
			G	SW	2	p	u/so	X	X												
			G	SW	2	p	u/so	X	X												

<b>Relinquished By</b> <i>[Signature]</i>	<b>Date/Time</b> 8/27/19 2:40pm	<b>Received By</b> <i>[Signature]</i>	<b>Date/Time</b> 8/27/19, 1440	<b>Temp. upon Receipt:</b> 7.6 °C	<b>Preservation Code:</b> N = HNO <sub>3</sub> / Nitric Acid U = Unpreserved, Cooled to 4°C S = H <sub>2</sub> SO <sub>4</sub> / Sulfuric Acid OH = NaOH / Sodium Hydroxide H = HCl / Hydrochloric Acid SO = Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> / Sodium Thiosulfate
				Or	
				< 2hrs old	

# CHAIN OF CUSTODY RECORD



**Sandhill Environmental Services, LLC.**

1975 West 100 North, Ste. C  
Angola, IN 46703

Turn Time:

- Standard  
 Rush- Report by Date: \_\_\_\_\_

Rush turn times will incur a surcharge and must be pre-approved by the lab.

Matrix Code:

- DW-Drinking Water  
 WW-Wastewater  
 STW- Stormwater  
 SW- Surface water

<b>Client Information</b>		<b>Billing Information (if different)</b>	PO Number:
Company Name:	Aquatic Enhancement, Inc.	same	Project Name/Number:
Contact Name:	Scott Banfield		SCLC
Address:	P.O. Box 1036		Sampler's Signature:
City, State, Zip:	Angola, IN 46703		Laboratory Number(s):
Phone:	260-665-8226		34623 - 34631
Fax:			Preferred Method of Correspondence:
E-mail:	sbanfield@aquaticenhancement.com		E-mail

Sample ID/ Description	Collection Information		Container			Requested Test										Comments			
	Date	Time	Grab or Composite	Matrix	Quantity	Type p=plastic g=glass v=vial	Pres.	TSS, pH, T Phos	E.coli										
1	8-28-19	8:45	G	SW	2	p	u/so	x	x										
2		9:46	G	SW	2	p	u/so	x	x										
3		9:54	G	SW	2	p	u/so	x	x										
4		9:15	G	SW	2	p	u/so	x	x										
5		10:50	G	SW	2	p	u/so	x	x										
6		11:14	G	SW	2	p	u/so	x	x										
7		11:35	G	SW	2	p	u/so	x	x										
8		11:57	G	SW	2	p	u/so	x	x										
9	8-28-19	12:28	G	SW	2	p	u/so	x	x										

<b>Relinquished By</b>	<b>Date/Time</b>	<b>Received By</b>	<b>Date/Time</b>	<b>Temp. upon Receipt:</b>	<b>Preservation Code:</b>
Tyler Harrington	8/28/19 2:30 pm	Kate Hovson	8/28/19, 1430	1.3 °C	N = HNO <sub>3</sub> / Nitric Acid U = Unpreserved, Cooled to 4°C S = H <sub>2</sub> SO <sub>4</sub> / Sulfuric Acid OH = NaOH / Sodium Hydroxide H = HCl / Hydrochloric Acid SO = Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> / Sodium Thiosulfate
				Or	
				< 2hrs old	

# CHAIN OF CUSTODY RECORD



Sandhill

## Sandhill Environmental Services, LLC.

1975 West 100 North, Ste. C  
Angola, IN 46703

Turn Time:

Standard

Rush- Report by Date: \_\_\_\_\_

Rush turn times will incur a surcharge and must be pre-approved by the lab.

Matrix Code:

DW-Drinking Water

WW-Wastewater

STW- Stormwater

SW- Surface water

<b>Client Information</b>		<b>Billing Information (if different)</b>		PO Number:
Company Name:	Aquatic Enhancement, Inc.	same		Project Name/Number:
Contact Name:	Scott Banfield			SCLC
Address:	P.O. Box 1036			Sampler's Signature: <i>[Signature]</i>
City, State, Zip:	Angola, IN 46703			Laboratory Number(s): 34632 - 34635
Phone:	260-665-8226			Preferred Method of Correspondence:
Fax:				E-mail
E-mail:	sbanfield@aquaticenhancement.com			

Sample ID/ Description	Collection Information			Container			Requested Test										Comments		
	Date	Time	Grab or Composite Matrix	Quantity	Type p=plastic g=glass v=vial	Pres.	TSS, pH, T Phos	E.coli											
10	8-28-19	12:42	G SW	2	p	u/so	X	X											
11		1:20	G SW	2	p	u/so	X	X											
12		1:32	G SW	2	p	u/so	X	X											
13		8-28-19	1:48	G SW	2	p	u/so	X	X										
			G SW	2	p	u/so	X	X											
			G SW	2	p	u/so	X	X											
			G SW	2	p	u/so	X	X											
			G SW	2	p	u/so	X	X											

Relinquished By: <i>[Signature]</i>	Date/Time: 8/28/19 2:30pm	Received By: <i>[Signature]</i>	Date/Time: 8/29/19, 1430	Temp. upon Receipt: 1.9 °C	Preservation Code: N = HNO <sub>3</sub> / Nitric Acid S = H <sub>2</sub> SO <sub>4</sub> / Sulfuric Acid H = HCl / Hydrochloric Acid U = Unpreserved, Cooled to 4°C OH = NaOH / Sodium Hydroxide SO = Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> / Sodium Thiosulfate
				Or < 2hrs old	

# CHAIN OF CUSTODY RECORD



**Sandhill Environmental Services, LLC.**  
 1975 West 100 North, Ste. C  
 Angola, IN 46703

Turn Time:  
 Standard  
 Rush- Report by Date: \_\_\_\_\_  
 Rush turn times will incur a surcharge and must be pre-approved by the lab.

Matrix Code:  
 DW-Drinking Water  
 WW-Wastewater  
 STW- Stormwater  
 SW- Surface water

Client Information		Billing Information (if different)		PO Number:
Company Name:	Aquatic Enhancement, Inc.	same		Project Name/Number:
Contact Name:	Scott Banfield			SCLC
Address:	P.O. Box 1036			Sampler's Signature: <i>[Signature]</i>
City, State, Zip:	Angola, IN 46703			Laboratory Number(s): 34666 - 34674
Phone:	260-665-8226			Preferred Method of Correspondence:
Fax:				E-mail
E-mail:	sbanfield@aquaticenhancement.com			

Sample ID/ Description	Collection Information		Container			Requested Test										Comments				
	Date	Time	Grab or Composite	Matrix	Quantity	Type p=plastic g=glass v=vial	Pres.	TSS, pH, T, Phos	E.coli											
27	8-29-19	7:25 <sup>A</sup>	G	SW	2	p	u/so	X	X											
28		7:42	G	SW	2	p	u/so	X	X											
51		8:02	G	SW	2	p	u/so	X	X											
29		8:40	G	SW	2	p	u/so	X	X											
40		9:16	G	SW	2	p	u/so	X	X											
16		9:39	G	SW	2	p	u/so	X	X											
14		10:10	G	SW	2	p	u/so	X	X											
15		10:35	G	SW	2	p	u/so	X	X											
48		11:40	G	SW	2	p	u/so	X	X											

Relinquished By	Date/Time	Received By	Date/Time	Temp. upon Receipt:	Preservation Code:
Tyler Harrington	8/29/19 12:55 <sup>PM</sup>	<i>[Signature]</i>	8/29/19, 12:55	8.6 °C	N = HNO <sub>3</sub> / Nitric Acid U = Unpreserved, Cooled to 4°C S = H <sub>2</sub> SO <sub>4</sub> / Sulfuric Acid OH = NaOH / Sodium Hydroxide H = HCl / Hydrochloric Acid SO = Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> / Sodium Thiosulfate
				Or	
				< 2hrs old	

# CHAIN OF CUSTODY RECORD



**Sandhill Environmental Services, LLC.**

1975 West 100 North, Ste. C  
Angola, IN 46703

**Turn Time:**

- Standard
- Rush- Report by Date: \_\_\_\_\_

Rush turn times will incur a surcharge and must be pre-approved by the lab.

**Matrix Code:**

- DW-Drinking Water
- WW-Wastewater
- STW- Stormwater
- SW- Surface water

<b>Client Information</b>		<b>Billing Information (if different)</b>		PO Number:	
Company Name:	Aquatic Enhancement, Inc.	same		Project Name/Number:	
Contact Name:	Scott Banfield			SCLC	
Address:	P.O. Box 1036			Sampler's Signature: 	
City, State, Zip:	Angola, IN 46703			Laboratory Number(s): <b>34675 - 34677</b>	
Phone:	260-665-8226			Preferred Method of Correspondence:	
Fax:				E-mail	
E-mail:	sbanfield@aquaticenhancement.com				

Sample ID/ Description	Collection Information			Container			Requested Test										Comments				
	Date	Time	Grab or Composite	Matrix	Quantity	Type p=plastic g=glass v=vial	Pres.	TSS, pH, T Phos	E. coli												
30	8-29-19	11:41 <sup>A</sup>	G	SW	2	p	u/so	x	x												
31	↓	11:48	G	SW	2	p	u/so	x	x												
32		12:01 <sup>P</sup>	G	SW	2	p	u/so	x	x												
			G	SW	2	p	u/so	x	x												
			G	SW	2	p	u/so	x	x												
			G	SW	2	p	u/so	x	x												
			G	SW	2	p	u/so	x	x												
			G	SW	2	p	u/so	x	x												

Relinquished By	Date/Time	Received By	Date/Time	Temp. upon Receipt:	Preservation Code:
Tyles Harrington	8/29/19 12:55pm		8/29/19, 12:55	8.0 °C	N = HNO <sub>3</sub> / Nitric Acid S = H <sub>2</sub> SO <sub>4</sub> / Sulfuric Acid H = HCl / Hydrochloric Acid U = Unpreserved, Cooled to 4°C OH = NaOH / Sodium Hydroxide SO = Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> / Sodium Thiosulfate
				Or	
				< 2hrs old	

# CHAIN OF CUSTODY RECORD



**Sandhill Environmental Services, LLC.**

1975 West 100 North, Ste. C  
Angola, IN 46703

**Turn Time:**

- Standard  
 Rush- Report by Date: \_\_\_\_\_

Rush turn times will incur a surcharge and must be pre-approved by the lab.

**Matrix Code:**

- DW-Drinking Water  
WW-Wastewater  
STW- Stormwater  
SW- Surface water

<b>Client Information</b>		<b>Billing Information (if different)</b>		PO Number:
Company Name:	Aquatic Enhancement, Inc.	same		Project Name/Number:
Contact Name:	Scott Banfield			SCLC
Address:	P.O. Box 1036			Sampler's Signature:
				Laboratory Number(s): <b>34723-34727</b>
City, State, Zip:	Angola, IN 46703			
Phone:	260-665-8226			Preferred Method of Correspondence:
Fax:				E-mail
E-mail:	sbanfield@aquaticenhancement.com			

Sample ID/ Description	Collection Information			Container			Requested Test										Comments			
	Date	Time A	Grab or Composite	Matrix	Quantity	Type p=plastic g=glass v=vial	Pres.	TSS, pH, T Phos	E.coli											
64	8/30-19	9:04	G	SW	2	p	u/so	X	X											
47	↓	9:18	G	SW	2	p	u/so	X	X											
63		9:40 <sup>a</sup>	G	SW	2	p	u/so	X	X											
66		10:43	G	SW	2	p	u/so	X	X											
19		11:18	G	SW	2	p	u/so	X	X											
				G	SW	2	p	u/so	X	X										
			G	SW	2	p	u/so	X	X											
			G	SW	2	p	u/so	X	X											
			G	SW	2	p	u/so	X	X											

<b>Relinquished By</b>	<b>Date/Time</b>	<b>Received By</b>	<b>Date/Time</b>	<b>Temp. upon Receipt:</b>	<b>Preservation Code:</b>
Tyler Harrington	8/30/19 11:45am	[Signature]	8/30/19, 11:45	6.55c K6 Or  < 2hrs old	N HNO <sub>3</sub> / Nitric Acid S H <sub>2</sub> SO <sub>4</sub> / Sulfuric Acid H = HCl / Hydrochloric Acid U - Unpreserved. Cooled to 4°C OH NaOH / Sodium Hydroxide SO = Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> / Sodium Thiosulfate